

Hydro Place. 500 Columbus Drive. P.O. Box 12400. St. John's. NL Canada A1B 4K7 t. 709.737.1400 f. 709.737.1800 www.nlh.nl.ca

December 2, 2016

The Board of Commissioners of Public Utilities Prince Charles Building 120 Torbay Road, P.O. Box 21040 St. John's, NL A1A 5B2

Attention:

Ms. Cheryl Blundon

Director Corporate Services & Board Secretary

Dear Ms. Blundon:

Re:

Newfoundland and Labrador Hydro – Application by Newfoundland and Labrador Hydro pursuant to sections 70 and 71 of the *Act* for approval of a Net Metering Program

Enclosed please find the original plus 12 copies of Hydro's Application to revise its rates, rules and regulations to implement a Net Metering Program for its rural customers.

Should you have any questions, please contact the undersigned.

Yours truly,

NEWFOUNDLAND AND LABRADOR HYDRO

Tracev L. Pennell

Senior Counsel, Regulatory

TLP/lb

cc: Gerard Hayes – Newfoundland Power
Paul Coxworthy – Stewart McKelvey

Sheryl Nisenbaum – Praxair Canada Inc.

Dennis Browne – Consumer Advocate Thomas O' Reilly – Cox & Palmer Larry Bartlett – Teck Resources Ltd. IN THE MATTER OF the Electrical Power Control Act, 1994, SNL 1994, Chapter E-5.1 (the EPCA) and the Public Utilities Act, RSNL 1990, Chapter P-47 (the Act), and regulations thereunder;

AND IN THE MATTER OF an Application by Newfoundland and Labrador Hydro pursuant to Subsections 70 and 71 of the *Act*, for the approval of a Net Metering Program.

TO: The Board of Commissioners of Public Utilities (the Board)

THE APPLICATION OF NEWFOUNDLAND AND LABRADOR HYDRO (Hydro) STATES THAT:

- Hydro is a corporation continued and existing under the Hydro Corporation Act,
 2007, is a public utility within the meaning of the Act, and is subject to the provisions of the Electrical Power Control Act, 1994.
- 2. On July 28, 2015, the Government of Newfoundland and Labrador (the Province) released the Provincial Net Metering Policy Framework (the Framework). In addition to approving a provincial Framework, the Province also issued an exemption order pursuant to section 14(1) of the EPCA to facilitate the development and implementation of a net metering program by Hydro and Newfoundland Power. The Framework and Net Metering Exemption Order are provided in Appendix A and B, respectively, of Schedule 1 to this Application.
- 3. Under the terms of the Framework, Hydro is responsible for developing and implementing a net metering program for its rural customers, consistent with the policy direction set forth in the Framework. The objective of the proposed net metering program is to provide customers with the means to produce power for themselves and to encourage investment in small-scale renewal energy sources.

- 4. A report outlining Hydro's proposed Net Metering Program is attached as Schedule 1 to this Application.
- 5. Key elements of Hydro's proposed Net Metering Program include:
 - The program is available to Hydro's rural customers;
 - Eligibility is limited to small-scale renewable energy sources including wind,
 solar, photovoltaic, geothermal, biomass, tidal, or wave energy;
 - Individual renewable generation systems will be limited up to a maximum of
 100 kilowatts (kW) and cannot be sized beyond a customer's load;
 - Meter aggregation is not permitted (only one metering point per account and property);
 - A customer's net consumption will be billed using retail rates that are consistent with those that apply to a non-net metering customer of the same size, type and location;
 - A customer's net excess generation will be credited at the end of a billing period
 (e.g. monthly) as a kilowatt hour (kWh) credit;
 - Annually, net excess generation will be settled based on a value that reflects system marginal costs;
 - The program will have a provincial cap of five megawatts (MW); and
 - Following implementation, Hydro will monitor and track participation in its program.
- 6. Incorporating the Net Metering Program into the Hydro's Schedule of Rates, Rules and Regulations will require changes to Hydro's approved Schedule of Rates, Rules and Regulations. These changes include:
 - The addition of a Net Metering Program Schedule, attached as Schedule 2 to this Application;

- Changes to the Table of Contents to reflect the addition of the Net Metering
 Program schedule, attached as Schedule 3 to this Application;
- The addition of a definition for a "Customer-Generator" in the interpretation section, attached as Schedule 4 to this Application; and
- Revisions to the rate sheets to include a limitation on the availability of the Maximum Monthly Charge component of Rate 2.1, Rate 2.3 and 2.4 for the Island Interconnected System and Rate 2.2L, Rate 2.3L, and Rate 2.4L on the Labrador Interconnected System, attached as Schedule 5 to this Application.
- 7. Therefore, Hydro makes Application that the Board make an Order approving, pursuant to Sections 70 and 71 of the *Act*, revisions to Hydro's Schedule of Rates, Rules and Regulations in the form attached.

DATED at St. John's, in the Province of Newfoundland and Labrador, this 2day of December 2016.

Tracey L. Pennell

Counsel for the Applicant

Newfoundland and Labrador Hydro 500 Columbus Drive, P.O. Box 12400

St. John's, NL A1B 4K7

Telephone: (709) 778-6671 Fascimile: (709) 737-1782

IN THE MATTER OF the Electrical Power Control Act, 1994, SNL 1994, Chapter E-5.1 (the EPCA) and the Public Utilities Act, RSNL 1990, Chapter P-47 (the Act), and regulations thereunder;

AND IN THE MATTER OF an Application by Newfoundland and Labrador Hydro pursuant to Subsections 70 and 71 of the *Act*, for the approval of a Net Metering Program.

AFFIDAVIT

I, Kevin Fagan, of St. John's in the Province of Newfoundland and Labrador, make oath and say as follows:

- I am Manager, Regulatory Affairs, of Newfoundland and Labrador Hydro, the Applicant named in the attached Application.
- 2. I have read and understand the foregoing Application.
- I have personal knowledge of the facts contained therein, except where otherwise indicated, and they are true to the best of my knowledge, information and belief.

SWORN at St. John's in the)
Province of Newfoundland and)
Labrador, this 2 day of)
December 2016, before me:)

Barrister – Newfoundland and Labrador

Kevin Fagan

Schedule 1 Net Metering Program Report

Newfoundland and Labrador Hydro Proposed Net Metering Program



1. Executive Summary

- 2 On July 28, 2015, the provincial government (the Province) released the Provincial Net
- 3 Metering Policy Framework (the Framework). In addition to approving a provincial Framework,
- 4 government also issued an exemption order pursuant to section 14(1) of the *Electrical Power*
- 5 Control Act, 1994, to facilitate the development and implementation of net metering rate
- 6 options by the utilities.

7

9

10

14

15

16

17

18

19

20

21

22

23

24

25

1

- 8 Key elements of the net metering policy framework include:
 - Eligibility is limited to small-scale renewable energy sources;
 - The program will be available to domestic and general service (commercial) customers;
- Individual renewable generation systems will be limited up to a maximum of 100
 kilowatts (kW) and cannot be sized beyond a customer's load;
- Meter aggregation is not permitted (only one metering point per account and property);
 - A customer's net consumption will be billed using retail rates that are consistent with those that apply to a non-net metering customer of the same size, type and location;
 - A customer's net excess generation will be credited at the end of a billing period (e.g. monthly) as a kilowatt hour (kWh) credit;
 - Annually, net excess generation will be settled with a cash payment or bill credit at the
 retail rates that are used to determine the bill for the customer's net consumption.
 Whether it is a cash payment or bill credit will be proposed by the utilities and subject to
 approval by the Board of Commissioners of Public Utilities;
 - The program will have a provincial cap of five megawatts (MW); and
 - Following implementation, the Province, in consultation with the utilities and the Board
 of Commissioners of Public Utilities, will monitor and review the policy framework and
 the utilities' net metering programs.

2627

28

Under the terms of the Framework, Hydro is responsible for developing and implementing a net metering program, consistent with the policy direction set forth in the Framework. The

1 objective of the proposed net metering program is to provide customers with the option to

offset their own energy usage through their own small-scale renewable generation.

3 4

2

Implementation of a net metering program can create concerns with cross-subsidization of

5 participants by non-participants. In general, net metering customers that materially reduce

their energy requirements do not pay their reasonable share of the cost of the electrical system

that remains available to meet their needs.

8

9

10

11

12

13

14

15

16

cost relationship.

6

7

The potential for cross-subsidization of net metering customers is greater in jurisdictions where the marginal rates paid by retail customers are materially higher than the marginal generation costs of supplying customers. This has not historically been the marginal rate/marginal cost relationship on the Island Interconnected System as the cost of Holyrood fuel was comparable to the average retail rate. However, after the Muskrat Falls Project costs are reflected in customer rates, rates on the Island Interconnected System are forecast to increase and the marginal cost of supply is forecast to decrease creating a high marginal rate to low marginal

17

18

19

20

21

22

23

24

However, with respect to the payout for net excess generation on the customer's Annual Review Date, Hydro proposes the use of a payout rate reflective of system marginal generation costs to apply to net excess generation instead of the use of the retail rate. Hydro is proposing this deviation from the Framework to limit the risk of subsidization of the net metering program by non-participants and remove any incentive for customers to install generation in excess of

Hydro's net metering proposals are consistent with the policy objective of the Framework.

25

26

27

If the provincial subscription limit of 5 MW is achieved, a comprehensive review of the net metering program should be conducted to determine whether the program should be

¹ The Framework states that renewable systems cannot be sized beyond a customer's load.

their own requirements.¹

- 1 expanded.² Monitoring of the participation and impact on cross subsidization will also provide a
- 2 reasonable basis for modifying the net metering policy in the future to balance fairness in cost
- 3 recovery and meet the evolving expectations of all customers.

- 5 Hydro has developed its proposed policy based on discussions with Newfoundland Power. It is
- 6 anticipated that Newfoundland Power will be filing its own application to implement its net
- 7 metering policy in the near future.

² Each utility would complete a comprehensive review, including but not limited to the impacts on net metering from both a system and a cross-subsidization perspective, taking into account industry practices. Each utility would then file a report providing recommendations to the Province with respect to the net metering program.

Table of Contents

1.	Exe	Executive Summary				
2.	Вас	kground	2			
	2.1	Policy	2			
	2.2	What is Net Metering	3			
	2.3	How does Net Metering Work?	4			
3.	Pro	posed Net Metering Program	5			
	3.1	General	5			
	3.2	Eligibility	6			
	3.3	Subscription Limit, Generator Size, and Metering	6			
	3.4	Technical Requirements and Up-Front Costs	7			
	3.5	Isolated Diesel Systems	8			
	3.6	Net Metering Rates and Bill Calculation	8			
4.	Pro	posed changes to current Schedule of Rate, Rules & Regulations	12			
5.	. Impact on Hydro1					
6.	Con	Communications Program				
7.	Monitoring and Evaluation1					
8.	Conclusion					

Appendix A - Newfoundland and Labrador's Net Metering Policy Framework, dated July 28, 2015

Appendix B - Net Metering Exemption Order

Appendix C - Net Metering Standard Industry Practices Study, Navigant Consulting Ltd., dated October 31, 2014

Appendix D - Net Metering Service Application Form

Appendix E - Net Metering Interconnection Agreement

Appendix F - Sample Bill Calculation

Appendix G - Imbalance Energy Rate for Labrador Industrial Customers

2. Background

2 **2.1** Policy

- 3 In 2014, the Department of Natural Resources retained Navigant Consulting Limited (Navigant)
- 4 to conduct a jurisdictional review of net metering practices and to provide guidance on
- 5 developing a net metering policy. In October 2014, Navigant submitted its report entitled *Net*
- 6 Metering Standard Industry Practices Study to the Department of Natural Resources (the
- 7 Navigant Report). The Province also consulted with a number of stakeholders including staff of
- 8 the Board of Commissioners of Public Utilities (the Board), the Consumer Advocate, the Sierra
- 9 Club, the Newfoundland and Labrador Environmental Industry Association, the Canadian Home
- 10 Builders Association, Newfoundland and Labrador Hydro, and Newfoundland Power.

11

1

- 12 On July 28, 2015, the Province released the Provincial Net Metering Policy Framework (the
- 13 Framework). In addition to releasing a provincial Framework, the Province also issued an
- 14 exemption order pursuant to section 14(1) of the Electrical Power Control Act, 1994 to facilitate
- 15 the development and implementation of a net metering program by the utilities. The
- 16 Framework and Net Metering Exemption Order are provided in Appendix A and B, respectively.
- 17 The Navigant Report is provided in Appendix C.

18

- 19 Key elements of the net metering policy framework include:
- Eligibility is limited to small-scale renewable energy sources;
 - The program will be available to domestic and general service (commercial) customers;
- Individual renewable generation systems will be limited up to a maximum of 100
- kilowatts (kW) and cannot be sized beyond a customer's load;
- Meter aggregation is not permitted (only one metering point per account and property);
- A customer's net consumption will be billed using retail rates that are consistent with
- those that apply to a non-net metering customer of the same size, type and location;
- A customer's net excess generation will be credited at the end of a billing period (e.g.
- 28 monthly) as a kilowatt hour (kWh) credit;

- Annually, net excess generation will be settled with a cash payment or bill credit at the retail rates that are used to determine the bill for the customer's net consumption.
- Whether it is a cash payment or bill credit will be proposed by the utilities and subject to Board approval;
 - The program will have a provincial cap of five megawatts (MW); and
 - Following implementation, the Province, in consultation with the utilities and the Board, will monitor and review the policy framework and the utilities' net metering programs.

13

14

16

5

6

7

- 9 Under the terms of the Framework, Hydro is responsible for:
- Developing and implementing a net metering program for its rural customers including
 the development of appropriate guidelines, connection requirements, application
 processes;
 - Communicating program components to potential net metering customers in a timely manner;
- Developing rate structures;
 - Applying to the Board for approval;
- Covering the costs of billing and administration of its program (with incremental costs recovered in rates); and
 - Monitoring and evaluating its net metering program.³

20

19

The following outlines Hydro's proposed Net Metering Program to be made available to its rural customers.

23

24

2.2 What is Net Metering

Net metering is a metering arrangement that allows customers who own small, renewable energy generators to generate power for their own use and then send any surplus energy onto the distribution system. The utility determines the net electricity consumption of a customer

 $^{^{\}rm 3}$ Framework, Section 4.0 Roles and Responsibilities.

- 1 based on a record of the customer's energy purchases from the utility and the amount of
- 2 energy exported from the customer's generation to the distribution system.

- 4 Net metering promotes small-scale, grid-connected renewable generation at homes and
- 5 businesses by providing customers with the opportunity to offset their utility purchases with
- 6 their own generation, while maintaining the security of a grid connection. 4 Because the
- 7 availability of renewable energy does not always coincide with the customer's requirements for
- 8 electricity, 5 net metering allows customers to "bank" excess generation for use in future billing
- 9 periods.

10

- 11 The objective of the proposed Net Metering Program is to provide customers with the option to
- offset their own energy usage through their own small-scale renewable generation.

13

14

15

16

17

18

19

20

21

22

23

24

25

2.3 How does Net Metering Work?

As noted above, net metering allows a home or business that is equipped with a renewable energy source (such as wind or solar power), to generate power for their own use and then send any surplus energy onto the distribution system. Once connected to the distribution system, the local distribution company will monitor the customer's meter and then subtract the amount of electricity supplied to the grid from the amount that is taken from the grid. The customer is then billed the "net" difference between these two amounts. In this scenario, customers are only billed for their positive "net consumption", which is defined as their total consumption of electricity minus their total generation provided to the grid in a given billing cycle, as shown by a positive meter reading. Net metering also allows a customer to send excess electricity generated from their renewable resources to the distribution system, providing a credit that can be used for future energy requirements. At an anniversary date, any

_


⁴ Net metering is generally intended to be available to customers who want to supply their own electricity requirement and not for the purposes of selling excess generation on an ongoing basis to the utility.

⁵ For example, it may be windy during night resulting in generation that is much greater than the customer's use of electricity. At other times, it may be calm when the customers may require electricity for cooking meals.

- unused credited energy (the Banked Energy Credits) will be given to or purchased by the utility. 1
- 2 In most jurisdictions, the Banked Energy Credits are only allowed to accumulate until an
- 3 anniversary date (the Annual Review Date). At the Annual Review Date, the customer's Banked
- Energy Credit balance either is settled based on a stipulated energy rate or is reset to zero. 4

6

Figure 1: Example of Net Metering⁶



7

8

9

3. Proposed Net Metering Program

3.1 General

- 10 The Net Metering Program schedule sets out the terms and conditions of the Net Metering
- 11 Program under five subsections and is provided in Schedule 2 to the Application. These include
- 12 Definitions, Availability, Metering, Billing, and Special Conditions.

⁶ Source: www.cleantechnica.com

3.2 Eligibility

- 2 The Net Metering Program will be available to domestic and general service customers who
- 3 apply and meet the eligibility criteria. Generally, eligible customers are those that own and
- 4 operate renewable generation facilities that may include wind, solar, photovoltaic, geothermal,
- 5 biomass, tidal, or wave energy. However, customers that are participating in the Biogas
- 6 Electricity Generation Pilot Project cannot also participate in the Net Metering Program.

7

1

- 8 To obtain net metering service, customers will be required to submit an application in the form
- 9 found in Appendix D specifying the characteristics of their service requirements and their
- 10 generating equipment. The application process will enable Hydro to establish the technical and
- operating requirements for individual installations, and to determine what electrical system
- additions or modifications may be required to accommodate net metering at the customer's
- premises.

14

15

3.3 Subscription Limit, Generator Size, and Metering

- 16 The Provincial limit for all net metering customers' generating facilities that are part of the net
- 17 metering program is 5 MW.

18

- 19 In accordance with the Framework, only generation facilities owned by the customer with a
- total capacity of no more than 100 kW and located on the customer's own property are eligible
- 21 for the Net Metering Program. Further, any installed net-metering generation systems shall not
- be sized beyond a customer's load requirements. The customer's generation must operate in
- harmony with the utility's electric system to ensure the safety of people and property and the
- integrity of the electrical system.

- 26 There will only be one metering point where the customer's net energy consumption is
- 27 calculated. Meter aggregation is not permitted and only one metering point is permitted per
- account and property. Hydro believes it would be beneficial to monitor the amount of

- 1 generation provided by each net metering participant to assist Hydro in evaluating the system
- 2 impacts of generation provided by the Net Metering Program. The amount of renewable energy
- 3 provided by net metering will only be known if the energy output from the generation facilities
- 4 is tracked. Because the amount of generation supplied by participants would be beneficial in
- 5 the evaluation of the Net Metering Program, Hydro proposes any cost of additional monitoring
- 6 will be considered an administrative cost to be incurred by the utility.

8

3.4 Technical Requirements and Up-Front Costs

- 9 In order to qualify for the Net Metering Program, all customer wiring and installations must be
- in compliance with all statutory and regulatory requirements including the Canadian Electrical
- 11 Code and in accordance with utility specifications. Customers will be required to make
- satisfactory arrangements to pay the cost of any required additions or modifications to the
- electrical service prior to having their generating equipment interconnected. Hydro will also
- require a customer to sign a comprehensive net metering interconnection agreement. A copy
- of this agreement is provided in Appendix E.

16

- 17 Prior to performing any upgrading to the distribution system or installing necessary metering
- 18 equipment to permit net metering participation, Hydro will require payment in the amount
- 19 required for the work.

- 21 Once the customer and Hydro are satisfied that the customer's facility will meet the
- requirements of the Net Metering Program, Hydro will provide written approval to the
- 23 customer to proceed. Prior to energizing the customer's generation facility, Hydro may require
- 24 an inspection to ensure the facilities meet the design as applied for and agreed upon with
- 25 Hydro as per Hydro's approval.

- 1 The customer is responsible for all costs associated with its generation facility. This includes
- 2 protection-isolated devices, disconnect switches, or any other modifications to the generation
- 3 facility that may be required by Hydro's technical requirements.

5

3.5 Isolated Diesel Systems

- 6 Hydro has 21 isolated diesel systems on the Island and in Labrador. Due to the comparatively
- 7 low capacity of these isolated systems, the addition of non-firm renewable generation could
- 8 negatively impact reliability. As such, technical requirements may require a limit in the
- 9 aggregate amount of customer generation that can be located on isolated diesel systems.
- 10 Hydro will assess these net metering servicing requests on a case by case basis in this context.
- 11 Hydro will use the nameplate capacity of each customer's generator in assessing the amount of
- 12 net metering generation proposed to be added to each system.

13

14

3.6 Net Metering Rates and Bill Calculation

- 15 Hydro is proposing to incorporate the Net Metering Program into the company's Schedule of
- Rates, Rules & Regulations. This will require modification to Hydro's Schedule of Rates, Rules &
- 17 Regulations and the addition of the Net Metering schedule as further detailed in section 4 of
- 18 this report. Examples of bill computations for net metering customers are provided in Appendix
- 19 F.

20

- 21 The Basic Charge:
- 22 Under the proposed Net Metering program, the customer will pay the approved monthly Basic
- 23 Customer Charge that applies to all other customers on the same rate class.

- 25 As discussed in section 3.4, the net metering customer is responsible for paying an up-front
- 26 charge to recover the cost of any required additions or modifications to the electrical service
- 27 prior to having their generating equipment interconnected, including any upgrades to the
- distribution system and the cost of a replacement meter on their electrical service. There will

- 1 also be incremental administrative costs incurred by Hydro associated with monitoring
- 2 generation production, meter reading, billing, and other administrative costs as a result of the
- 3 Net Metering Program. As these costs are expected to be relatively small, in accordance with
- 4 section 3.3.2 of the Framework, Hydro proposes to recover these costs in the rates it charges to
- 5 all ratepayers.

Energy Rate:

- 8 The proposed energy rate for each billing cycle is the same energy rate(s) as found in the
- 9 schedule under which the customer would normally receive service. On-site generation is thus
- effectively valued at the energy rate paid by the customer to Hydro for the customer's own
- energy use. As such, the customer's net energy use will be billed using the retail rates that are
- 12 consistent with those that apply to a non-net metering customer of the same size, type and
- 13 location.

14

15

Demand Rate:

- 16 The demand rate will remain unchanged. However, to ensure reasonable recovery of demand
- 17 costs, it is proposed that the Maximum Monthly Charge not be available to customers
- participating in the Net Metering Program. The Maximum Monthly Charge is currently
- 19 available to general service customers with demands of 10 kW or greater. Its purpose is to
- 20 provide a limit to the extent to which low load factor customers pay for demand related costs.⁸
- 21 This limit is based on low load factor customers being less coincident with system peak;
- 22 therefore, these customers should not be subject to the full demand charge.

- 24 Customers participating in the Net Metering Program will likely establish a maximum demand
- 25 reflective of their load when their generation is not producing. Depending upon their

⁷ Consistent with section 3.9 of the Framework.

⁸ Load factor is a measure of the customers energy use relative to their peak demand. A low load factor customer uses a relatively low amount of energy relative to their peak demand. For instance, a community hall which only opens on Saturday night would set its peak demand on Saturday but would only use electricity for relatively few hours per month resulting in low kWh usage relative to their peak demand.

consumption patterns and the availability of their generation throughout the billing period, it is possible that a high load factor customer's monthly consumption pattern could resemble a low load factor customer. In other words, the net energy use may be very low even though the customer may have purchased a material amount of energy for half the month and exported a comparable amount of energy to the system for the other half of the month. If the Maximum Monthly Charge was available to net metering customers, there could be circumstances where the monthly bill would only include the Basic Customer Charge and little or no energy usage charges. Billing the customer only the Basic Customer Charge does not recover any demand costs even though the customer may have utilized the system for their demand requirements for a significant portion of the billing period. Removing the Maximum Monthly Charge ensures net metering customers continue to have demand costs reflected in their monthly bill. Generation Credits and Annual Review Date: The customer's net excess generation will be credited at the end of a billing period on the customer's next bill as a kWh credit, until the Annual Review Date is reached. The Annual Review Date occurs every 12 months and is defined as the end of the twelfth billing period from the start date. The start date is the day and month when the customer first takes service under the net metering program. At each Annual Review Date, any net excess generation credits on the customer's account will be set to zero and any unused energy credits will be purchased by Hydro (Banked Energy Credit) through a billing credit applying to the customer's bill. Section 3.4(ii) of the Framework indicates that the value for a customer's Banked Energy Credit at the Annual Review Date reflect the customer's retail rates. Hydro is proposing a deviation from the Framework with respect to the value of unused energy credit to limit the risk of shifting costs to be recovered from non-participating customers, and therefore the subsidization of the net metering program by non-participants. As noted in the Navigant

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

1 Report, if avoided costs differ substantially from rates, settling excess generation using the

retail rates applicable to the customer may result in increased cross-subsidization by non-

3 participating customers. The use of avoided cost as the rate to apply to excess generation

credits reduces this risk. Further, if retail rates are materially higher than the marginal cost of

generation, the potential financial payment may incent net metering customers to overbuild

their generation capacity in an attempt to sell excess generation to Hydro and further increase

the cross-subsidization provided to net metering customers.

The objective of the net metering policy is to provide customers with the option to offset their own energy usage. Incenting net metering customers to sell energy to the system at an energy rate that may far exceed its value to the system is not consistent with the net metering policy objective. Therefore, Hydro believes the use of a marginal cost based rate is in the Annual Review process is appropriate.

Hydro is proposing that the Banked Energy Credits be credited back to customers based on a value that more closely reflects system marginal costs:

- For the Island Interconnected System customers, Hydro is proposing to use the wholesale excess energy rate that applies to Newfoundland Power (UT-4, Schedule of Rates, Rules & Regulations). The excess energy rate is currently set to reflect the marginal cost of No. 6 fuel consumed at Hydro's Holyrood Thermal Generating Station. Beyond the commissioning of the Muskrat Falls Project, it is expected that the marginal rate to Newfoundland Power will reflect a market value for exports.
- For the Labrador Interconnected System customers, Hydro is proposing to use the
 Imbalance Energy Rate that applies to excess energy use by Labrador industrial
 Customers (LAB-IND-3, Schedule of Rates, Rules & Regulations).⁹ This rate is updated
 monthly to reflect the value of energy in the export market; and

 $^{^9}$ The Imbalance Energy Rate that applies to excess energy use by Labrador industrial Customers is attached in Appendix G.

1	 For the Isolated Diesel System customers, Hydro is proposing to use the marginal or 				
2	excess energy rate approved by the Board (DSL-NG-1, Schedule of Rates, Rules &				
3	Regulations).				
4					
5	Any Banked Energy Credits remaining at the end of the Annual Review Date will be settled with				
6	a credit applying to the bill of the participant.				
7					
8	4. Proposed changes to current Schedule of Rate, Rules & Regulations				
9	Incorporating the Net Metering Program into the Hydro's Schedule of Rates, Rules and				
10	Regulations will require changes to Hydro's approved Schedule of Rates, Rules and Regulations				
11	pursuant to sections 70 and 71 of the Public Utilities Act. These changes include:				
12	The addition of a Net Metering Program Schedule;				
13	Changes to the Table of Contents to reflect the addition of the Net Metering Program				
14	schedule;				
15	• The addition of a definition for a "Customer-Generator" in the interpretation section;				
16	and				
17	• Revisions to the rate sheets to include a limitation on the availability of the Maximum				
18	Monthly Charge component of Rate 2.1, Rate 2.3 and 2.4 for the Island Interconnected				
19	System and Rate 2.2L, Rate 2.3L, and Rate 2.4L on the Labrador Interconnected System.				
20					
21	The revised Schedule of Rates, Rules and Regulations are attached to the Application as				
22	Schedules 2, 3, 4 and 5.				
23					
24	<u>Definition of a "Customer-Generator"</u>				
25	This definition allows for the identification of customers who have generation as a type of a				
26	utility "Customer". The proposed definition is as follows:				
27	"Customer-Generator" is a utility customer that has renewable generation on its				
28	serviced premise and uses this generation to offset part or all of their electrical				

1 energy requirements. Customers with standby generation that does not normally 2 operate while connected to the utility system are not included as Customer-3 Generators. 4 5 Maximum Monthly Charge 6 As noted in section 3.6, of this report, Hydro proposes that the Maximum Monthly Charge not 7 be available to customers served under the Net Metering Program to ensure reasonable 8 recovery of demand costs from general service customers. It is proposed that the appropriate 9 general service rate schedules be revised to include the following: 10 The Maximum Monthly Charge shall not apply to Customer-Generators who avail 11 of the Net Metering Service Option. 12 13 5. Impact on Hydro 14 Given the low participation rates for net metering service experienced in most other Canadian 15 jurisdictions, and the subscription limit proposed for Newfoundland and Labrador, Hydro 16 anticipates that the impact on revenue and supply costs of implementing the Net Metering 17 Program will be minimal. 18 19 Current billing processes would require modification to accommodate net metering 20 participants. The required modifications to automate the billing process for net metering 21 customers would be costly. To avoid this significant cost, Hydro initially plans to bill customers 22 availing of the Net Metering Program through a manual billing process. As the number of net 23 metering customers increases and when future upgrades to the billing systems take place, the 24 need to automate the net metering billing process will be re-evaluated.

6. Communications Program

- 2 Following Board approval of the Net Metering Program, Hydro will post on its website the
- 3 various documents that pertain to the Net Metering Program including the following:
- Relevant information from the approved Net Metering Program in the form of a Q&A;
- Application form(s);
- Application processing procedures and guidelines; and
- 7 Technical Interconnection Guidelines.

8

1

9 Hydro will also provide a general public announcement through available media channels and

will include information on its availability directly to customer though bill inserts and e-mails.

11

12

7. Monitoring and Evaluation

- 13 Hydro will track and have available to report to the Board, Newfoundland Power, and the
- 14 Province, the statistics on its Net Metering Program such as the:
- Number of applications;
- Number of participants;
- Total nameplate ratings of participants;
- Costs associated with manual billing process;
- Average annual Bank Energy Credits per customer;
- Estimates of cross-subsidization; and
- kWh generation provided by net metering customers

- 23 Monitoring of the participation and impact on cross subsidization will also provide a reasonable
- basis for modifying the net metering policy in the future to balance fairness in cost recovery
- and to meet the evolving expectations of customers. If the provincial subscription limit of 5 MW
- is achieved, a comprehensive review of the net metering program should be conducted to

- determine whether the program should be expanded. ¹⁰ Monitoring of the participation and
- 2 impact on cross subsidization will also provide a reasonable basis for modifying the net
- 3 metering policy in the future to balance fairness in cost recovery and meet the evolving
- 4 expectations of all customers.

6

8. Conclusion

- 7 The proposed Net Metering Program has been designed to meet the policy objective provided
- 8 in the Net Metering Policy Framework. Hydro is proposing a deviation from the Framework in
- 9 the approach to determining the rate for use in the Annual Review if a customer has net excess
- generation. Hydro proposes the use of a payout rate reflective of system marginal generation
- 11 costs to apply to net excess generation instead of the use of the retail rate. Hydro's proposal is
- 12 intended to limit cross-subsidization of net metering customers and remove the incentive for
- customers to install generation in excess of their own requirements.

14

- 15 Hydro's proposed Net Metering Program is similar to net metering programs offered in many
- other jurisdictions. Given that the number of participating customers in the program is likely to
- be limited as the Framework provides an overall cap of 5 MW, Hydro believes that the impact
- of cost shifting to non-participants in the Net Metering Program may not be material.
- 19 Experience with the proposed program will allow Hydro to evaluate the program and propose
- adjustments in the future, if necessary.

- 22 If the provincial subscription limit of 5 MW is achieved, Hydro recommends a comprehensive
- review of the program to determine whether the net metering program should be expanded
- and recommendations provided to the Province.

_

¹⁰ Each utility would complete a comprehensive review, including but not limited to the impacts on net metering from both a system and a cross-subsidization perspective, taking into account industry practices. Each utility would then file a report providing recommendations to the Province with respect to the net metering program.

Appendix A – Newfoundland and Labrador's Net Metering Policy Framework, dated July 28, 2015

Net Metering Policy Framework

July 2015



Table of Contents

1.0	BACI	KGROUND	. 2
2.0	POLI	CY OBJECTIVE	. 2
3.	1 Eli	gibility	. 3
	3.1.1	Renewable Generation	. 3
	3.1.2	Customer Class	. 3
	3.1.3	Size of Generation	. 3
3.2	2 Pro	ogram Development Requirements	. 3
	3.2.1	Guidelines, Processes and Connection Requests	. 3
	3.2.3	Generation Location	. 4
3.3	3 Co	st Allocation	. 4
	3.3.1	Customer	. 4
	3.3.2	Utilities	. 5
3.4	4 Ra	tes and Settlement	. 5
3.	5 Sul	bscription Limits	. 5
3.0	6 Cro	oss-Subsidization	. 6
3.	7 As:	sociated Credits	. 6
3.8	B Re	gulatory Treatment	. 6
3.9	9 Im	pact on Other Programs and Policies	. 6
4.0	ROLI	ES AND RESPONSIBILITIES	. 6
5.0	MON	ITORING AND EVALUATION	. 7
6.0	DEFI	NITIONS	. 8

1.0 BACKGROUND

In its 2007 Energy Plan: Focusing our Energy, the Government of Newfoundland and Labrador committed to developing and implementing a net metering policy that would provide regulatory support for small-scale renewable energy sources.

Net metering allows utility customers with small-scale generating facilitates to generate power from renewable sources for their own consumption, and to feed power into the distribution system during periods when they generate excess power and draw power from the grid when their generation does not fully meet their needs.

This framework for a provincial net metering policy has been developed in consultation with the utilities – both Newfoundland Power (NP) and Newfoundland and Labrador Hydro (NLH). The development of the policy was supported by a jurisdictional scan of net metering best practices, which was prepared by Navigant Consulting Limited. Their final report summarized standard industry practices, primarily in Canada and the United States, which were applicable to the Newfoundland and Labrador context, and included suggested policy considerations for a provincial net metering policy framework. To further inform the development of this policy framework, stakeholders were also consulted on Navigant's report and given the opportunity to provide their input, including staff of the Board of Commissioners of Public Utilities (PUB).

2.0 POLICY OBJECTIVE

In many jurisdictions, net metering policies are often introduced as part of a broader policy to encourage the development of renewable energy sources. This is particularly the case in jurisdictions that continue to rely on fossil fuels for energy generation. Newfoundland and Labrador differs from these jurisdictions in that its system has one of the highest proportions of renewable hydraulic generation in North America. The province's current energy mix is 85 percent renewable, and this will increase to 98 percent when the Muskrat Falls Project is completed. Therefore, the primary driver for a net metering policy in Newfoundland and Labrador is not to encourage the development of renewable energy, but to provide customers with the option to offset their own energy usage through small-scale renewable generation they develop themselves.

3.0 POLICY PARAMETERS

This framework is intended to provide the utilities with the policy parameters to inform the development and implementation of their own net metering programs including the development of appropriate guidelines, connection requirements, and application processes. The following sub-sections outline the parameters of the policy.

3.1 Eligibility

Eligibility requirements for net metering include the types of renewable energy sources permitted under the policy, as well as customer classes and the size of their generation. The details of these criteria will be established by the utilities and the PUB through the regulatory process and communicated to customers in a timely manner.

3.1.1 Renewable Generation

- i. Eligible energy sources under this policy are limited to small-scale renewable generation systems. These sources may include wind, solar, photovoltaic, geothermal, tidal, wave, and biomass energy.
- ii. New renewable technologies will be considered by the utilities on a case-by-case basis.

3.1.2 Customer Class

- i. The utilities will offer net metering to domestic and general service customers.
- ii. Net metering will not be available to un-metered accounts.

3.1.3 Size of Generation

- i. Generation systems shall not be sized beyond a customer's load.
- ii. Customer loads, and therefore, the size of individual generation systems, will be determined based on criteria to be established by the utilities through the PUB regulatory process.
- iii. Regardless of customer load requirements, individual renewable generation systems shall not exceed a maximum limit of 100kW. Given that the province includes several different electricity systems, the utilities, through the PUB regulatory process, could determine that lower customer limits on various systems may be required.
- iv. In addition, technical requirements may require a limit in the aggregate amount of customer generation that can be located on isolated diesel systems. The utilities will be permitted to assess these net metering servicing requests in this context.

3.2 Program Development Requirements

The utilities will develop program details based on the policy framework, which will include establishing the rules that will be approved by the PUB. This will also include details regarding the application and approval processes and the technical requirements for connecting customer generation to the power system. These should be developed and communicated in a clear and transparent manner to potential net metering customers.

3.2.1 Guidelines, Processes and Connection Requests

i. The utilities will develop guidelines and application forms for their net metering programs, and make them publically available to inform potential net metering customers prior to implementing a net metering program.

- ii. The utilities will also develop connection requirements to ensure the safety of utility workers and net metering customers and ensure the overall safe operation of equipment. These requirements will also be made publically available to inform potential net metering customers prior to implementation of any net metering program offered by the utilities.
- iii. In general, in order to avail of net metering programs, customers will be required to submit an application specifying the characteristics of their service requirements and their generating equipment. The application process will enable the utilities to establish the technical and operating requirements for the individual installations, and to determine what electrical system additions or modifications may be required to accommodate net metering on the customer's property.
- iv. The utilities will have discretion to review connection requests on an individual basis and to limit the number of net metering customers or limit the generation size in circumstances where infrastructure and/or technical constraints exist.
- v. The utilities will ensure that review processes are streamlined so customers receive timely responses to their connection requests. This will also serve to minimize administrative costs for the utilities.
- vi. Once connection requests are approved, customer generation systems will need to be installed within a certain timeframe, which will be determined and communicated by the utilities.

3.2.3 Generation Location

A customer's generation equipment will be located at the customer's property such that there is one metering point where the customer's net energy consumption will be metered. Meter aggregation is not permitted under this net metering policy. Only one metering point is allowed per account and property.

3.3 Cost Allocation

The rules and associated documents developed by the utilities will clearly articulate the responsibility for different costs associated with the net metering service.

3.3.1 Customer

- i. The customer will be responsible for covering the cost of purchasing, installing and maintaining their renewable generating systems.
- ii. The customer may be required to include a deposit as part of the net metering application, which may be used to offset the cost of any required technical studies or distribution upgrades. The utilities will carry out further investigation regarding the necessity of a deposit and, if required, will include in their program details the basis for, and conditions under which, a deposit may be required.
- iii. The customer will be required to pay additional meter costs and the cost of any required permits.

iv. The customer may also be required to pay for technical reviews of the connection requests, and any distribution upgrades necessary to accommodate the connection of the customer's generator. The program details will include a description of when a detailed technical review is required and the basis for any charges to the customer for the cost of a technical review or distribution upgrades.

3.3.2 Utilities

- i. The utilities will cover the costs of incremental meter readings and billing and administrative costs and will be permitted to recover these costs in the rates it charges ratepayers.
- ii. The utilities will monitor uptake of net metering programs to minimize the extent that billing and administrative costs may contribute to issues of cross-subsidization. The utilities are also encouraged to look at ways they can streamline their processes.
- iii. In instances where customer connection requests require distribution system upgrades, the utilities will be permitted to exercise discretion as to whether the connection request can be accommodated and whether the costs of the required upgrades should be recovered from the net metering customer.

3.4 Rates and Settlement

- i. The customer's net consumption will be billed using retail rates that are consistent with those that apply to a non-net metering customer of the same size, type and location.
- ii. The customer's net excess generation will be credited at the end of a billing period on the customer's next bill as a kWh credit.
- iii. Accounts will be monitored annually to identify any accounts which are developing a significant credit over a 12-month period.
- iv. On the customer's Annual Review Date, net excess generation will be settled with a cash payment or bill credit. Whether it is a cash payment or bill credit will be proposed by the utilities, subject to PUB approval, and then communicated to customers in their program guidelines. The customer will be compensated for the net excess generation at the retail rates that are used to determine the bill for the customer's net consumption. This retail rate will factor in existing subsidies, and should represent the effective rate at which the customer is billed. Following implementation, government, in consultation with the utilities and the PUB, will monitor and review the net metering program.

3.5 Subscription Limits

A provincial subscription limit shall be set at 5MW for all net metering customers' generating facilities that are a part of the net metering program. Government, in consultation with the utilities and the PUB, will monitor the response to net metering and may adjust the overall capacity limit in the future if the level of uptake warrants it.

3.6 Cross-Subsidization

The utilities will quantify the rate impact and the risk of cross subsidization in its program applications to the PUB. Once implemented, and on an ongoing basis, the utilities will monitor their net metering programs regarding the extent of any cross-subsidization.

3.7 Associated Credits

Net metering customers will retain the value of any renewable energy credits (RECs) or GHG-related credits available from the sale of such credits resulting from their small-scale renewable energy generation.

3.8 Regulatory Treatment

As both NP and NLH are regulated by the PUB, and any net metering programs developed will be a part of the appropriate rate structure, the utilities will require approval from the PUB prior to implementation of any net metering program.

3.9 Impact on Other Programs and Policies

Maximum Monthly Charge

The utilities electricity rates for General Service customers include a Maximum Monthly Charge. The purpose of this charge is to limit the extent to which low load factor customers pay for demand related costs. Net metering may reduce a customer's monthly net energy requirements without materially impacting their monthly demand requirements. To ensure reasonable recovery of demand related costs from net metering customers, the Maximum Monthly Charge will not be available to customers served under a utility's net metering program.

Biogas Electricity Generation Pilot Project

A net metering customer cannot also participate in the Biogas Electricity Generation Pilot Project.

4.0 ROLES AND RESPONSIBILITIES

Government of Newfoundland and Labrador (Department of Natural Resources)

The Government of Newfoundland and Labrador is responsible for providing the policy, legislative and regulatory framework under which net metering programs may be developed by the utilities. GNL will work with NP and NLH to monitor and evaluate the net metering programs made available to customers.

Newfoundland Power

NP is responsible for:

 developing and implementing a net metering program including the development of appropriate guidelines, connection requirements, and application processes, as well as communicating program components to potential net metering customers in a timely manner;

- developing rate structures;
- applying to the PUB for approval;
- covering the costs of billing and administration of their program (with incremental costs recovered in rates); and
- monitoring and evaluating their net metering program.

Newfoundland and Labrador Hydro

NLH is responsible for:

- developing and implementing a net metering program including the development of appropriate guidelines, connection requirements, and application processes, as well as communicating program components to potential net metering customers in a timely manner;
- developing rate structures;
- applying to the PUB for approval;
- covering the costs of billing and administration of their program (with incremental costs recovered in rates); and
- monitoring and evaluating their net metering program.

Board of Commissioners of Public Utilities

As regulator of the utilities, the PUB is responsible for reviewing the utilities' proposals and approving net metering programs to ensure the rules developed by the utilities are consistent with the *Public Utilities Act* and the *Electrical Power Control Act*.

Net Metering Customers

Under the net metering programs offered by the utilities, potential net metering customers are responsible for:

- covering the cost of purchasing, installing and maintaining their renewable generating systems;
- conducting their own financial analysis to determine the costs and benefits of net metering for their own situation;
- any costs assigned under the net metering program such as covering additional meter costs and the cost of any required permits; and,
- ensuring that they adhere to the utilities' connection requirements and provide all required information necessary to process applications under their net metering programs.

5.0 MONITORING AND EVALUATION

The Department of Natural Resources will continue to work closely with NP and NLH to monitor the implementation of the net metering programs offered by the utilities.

6.0 **DEFINITIONS**

Annual Review Date

Represents the date that marks a customer's annual participation in the net metering program and the date on which any credits from excess generation are paid out. This date will be determined by the net metering customer, in conjunction with the utilities.

Biogas Electricity Generation Pilot Project

Biogas is a combustible gas created by landfills and farms through the anaerobic (i.e. without oxygen) decomposition of organic material. Newfoundland and Labrador's Biogas Electricity Generation Pilot Program was established in 2014/15 to encourage the development of biogas power generation and generate electricity for the system.

Cross Subsidization

An issue arising when transmission and distribution costs, and other program related costs, attributable to net metering customers are transferred to non-net metering customers.

Maximum Monthly Charge

The Maximum Monthly Charge is available to General Service customers with demands of 10kW or greater. The purpose of this charge is to limit the extent to which low load factor customers who use a relatively low amount of energy relative to their peak demand, pay for demand related costs. This limit reflects the likelihood that low load factor customers will have a relatively low demand during system peaks and, therefore, should not be subject to the full demand charge.

Meter Aggregation

Involves allowing a single customer with multiple meters in a service territory to consolidate meters so that one source of renewable generation could be used to offset energy usage at different locations owned by the same customer.

Net Metering

Net metering allows utility customers with small-scale generating facilitates to generate power from renewable sources for their own consumption, and to feed power into the distribution system during periods when they generate excess power and draw power from the grid when their generation does not fully meet their needs.

Renewable energy credits (RECs)

Renewable energy credits are non-tangible, tradable commodities that represent the environmental and other non-power attributes of one megawatt-hour of renewable electricity generation.

Subscription Limit

Subscription limits place an overall limit (or cap) on the amount of generation capacity which can be installed under the net metering policy as a whole.

Appendix B – Net Metering Exemption Order

This is an official version.

Copyright © 2015: Queen's Printer, St. John's, Newfoundland and Labrador, Canada

Important Information

(Includes details about the availability of printed and electronic versions of the Statutes.)

Table of Regulations

Main Site

How current is this regulation?

NEWFOUNDLAND AND LABRADOR REGULATION 47/15

Net Metering Exemption Order under the Electrical Power Control Act, 1994 (O.C. 2015-148)

(Filed July 28, 2015)

Under the authority of section 5.2 and subsection 14.1(7) of the *Electrical Power Control Act,* 1994, the Lieutenant-Governor in Council makes the following Order.

Dated at St. John's, July 28, 2015.

Paula Burt Deputy Clerk of the Executive Council

ORDER

Analysis

- 1. Short title
- 2. Definitions
- 3. Newfoundland Power exemption
- 4. Net metering customers exemption
- 5. Exemptions

Short title

1. This Order may be cited as the *Net Metering Exemption Order* .

Back to Top

Definitions

2.	In	this	Ord	er
4.	111	uns	Oru	\mathbf{u}

- (a) "Act" means the Electrical Power Control Act, 1994;
- (b) "net metering customer" means a producer that
 - (i) is a metered customer of a public utility,
 - (ii) has been accepted by that public utility into a net metering program,
 - (iii) generates electricity primarily for its own consumption,
 - (iv) uses the electricity that it generates for its own consumption before
 - (A) delivering any electricity that is in excess of its own needs at the time of generation to the public utility, or
 - (B) accepting delivery of electricity from the public utility,
 - (v) generates electricity solely from a renewable energy source, and
 - (vi) has a rated capacity, in relation to equipment that is connected to the public utility's distribution system, that is no greater than 100 kilowatts; and
- (c) "renewable energy source" means any source of renewable energy from which electricity may be generated and includes electricity from the following energy sources:
 - (i) wind,
 - (ii) solar,
 - (iii) photovoltaic,
 - (iv) geothermal,
 - (v) tidal,
 - (vi) wave, and
 - (vii) biomass.

Back to Top

Newfoundland Power exemption

3. Newfoundland Power is exempt from subsection 14.1(1) of the Act for all aspects of its activities respecting the purchase of electrical power and energy from a net metering customer.

Back to Top

Net metering customers exemption

4. Net metering customers are exempt from paragraph 14.1(1)(a) of the Act for all aspects of their activities respecting the delivery of electrical power and energy to Newfoundland and Labrador Hydro and Newfoundland Power.

Back to Top

Exemptions

- **5.** (1) The exemptions under sections 3 and 4 only apply where a net metering customer's net energy consumption or delivery at a property is measured at a single metering point.
- (2) Notwithstanding sections 3 and 4 and subsection (1), only that portion of the combined rated capacity of all net metering customers' equipment connected to a public utility's distribution system that is 5 megawatts or less may be exempted under these regulations.

©Queen's Printer

Appendix C –

Net Metering Standard Industry Practices Study, Navigant Consulting Ltd., dated October 31, 2014



NET METERING STANDARD INDUSTRY PRACTICES STUDY

Prepared for:



The Department of Natural Resources, Government of Newfoundland & Labrador

October 31, 2014

Navigant Consulting Ltd. Bay Adelaide Centre 333 Bay Street, Suite 1250 Toronto, ON M5H 2R2 416 777-2440 416 777 2441 (fax) www.navigant.com





This page intentionally left blank.



Executive Summary

The Newfoundland and Labrador (NL) Department of Natural Resources (DNR) retained Navigant to carry out a review of standard industry policies and practices with respect to net metering (NM) in Canada and internationally. The review is part of a commitment in the Provincial Government's 2007 Energy Plan: Focusing Our Energy to develop and implement a NM policy for small-scale renewable energy sources. Navigant worked with a Steering Committee comprised of members of the DNR and representatives of Newfoundland and Labrador Hydro (NLH) and Newfoundland Power (NP) who provided guidance for the review. The findings and considerations for a Net Metering (NM) policy presented in the report are Navigant's but were reviewed with the Steering Committee.

In its 2007 Energy Plan the Government of NL committed that it "will ensure that regulatory support is in place for customers who wish to develop these alternatives themselves on a small scale, through a net metering policy". Navigant has interpreted this focus on small scale, renewable sources and providing customers with access to connect to the utility grid as key in identifying appropriate elements for a NM policy for the Province.

NM policies allow customers with small generating facilities to generate power from renewable sources for their own use, feed power into the distribution system during periods when their generation provides power in excess of their needs, and to draw power from the grid at times when their generation does not fully meet their needs.

The NL system has one of the highest proportions of renewable hydraulic generation of any jurisdiction in North America¹. The province's two utilities, Newfoundland Hydro (NLH) and Newfoundland Power (NP) are regulated by the Board of Commissioners of Public Utilities of Newfoundland & Labrador (PUB-NL) on a cost of service basis with a PUB-NL mandate to "ensure that the rates charged are just and reasonable, and that the service provided is safe and reliable"². The power policy for the Province, as stated in the Electrical Power Control Act³ includes requirements to ensure that electrical rates "should be reasonable and not unjustly discriminatory" and that the power system should be operated and managed in a manner "that

As indicated in the Introduction, NL anticipates that after Muskrat Falls and the associated transmission ties come on line the province will generate almost 100% of its electricity from renewable sources. In Canada and the US, only Manitoba (92%), Quebec (94%), BC (84%), Washington (79%) and Oregon (77%) come close to this level of renewable supply. (Bracketed figures represent the percentage of generation capacity from hydro/renewables as presented in Appendix A). In most other states and provinces, fossil fuels supply a significant portion of generation. Across the US, coal supplies about 40% of generation, with natural gas supplying just under 30%. (see US EPA, US Fuel Mix 2001-2013, https://www.epa.gov/cleanenergy/energy-and-you/)

² PUB website, Mandate - http://www.pub.nf.ca/mandate.htm

³ Electrical Power Control Act, 1994, section 3, http://www.assembly.nl.ca/legislation/sr/statutes/e05-1.htm#3_



would result in power being delivered to consumers in the province at the lowest possible cost consistent with reliable service".

Navigant carried out a jurisdictional review of all Canadian provinces and territories and six US states, as well as a high level review of international experience with NM. The review focused on questions relating to:

- Drivers for NM
- Program design/framework
- Regulatory treatment
- Customer and program costs/benefits
- NM experience

Based on this review Navigant identified some standard industry practices and "best practices" for NM policies; where "best practice" was interpreted as policies appropriate for NL's legislative and regulatory regime and generation mix and alignment aligns with the policy direction indicated in the Government's 2007 Energy Plan: *Focusing Our Energy*.

Navigant recommends that NL develop a NM policy which addresses the following key issues.

- Eligibility criteria, including:
 - Types of generation or energy sources permitted,
 - o Customer class,
 - o Limits on system capacity, and,
 - Limitations relative to customer load.
- Connection requirements, including the need for a technical review, standards to be applied for generator connections, safety inspections, etc.
- Meter aggregation rules.
- Allocation of costs for technical reviews, incremental meter costs, distribution system upgrades required, billing and administrative costs, etc.
- Rates applicable to net consumption and excess generation
- Settlement process to be used for excess generation supplied to the utility system.
- Subscription limits⁴ which place an overall limit on the amount of generation capacity which can be installed under the program as a whole.
- Treatment of any credits that may be associated with the generation (Renewable Energy Credits, carbon credits, etc.).

Given the policy directions indicated in *Focusing Our Energy*, Navigant recommends that the following policy elements should be considered in developing a NM policy for the Province.

⁴ Subscription limits are referred to in most US programs as "Aggregate Capacity Limits".



- 1. Eligibility Criteria: It is recommend that NM be made available for:
 - Small-scale renewable generation systems.
 - Customer classes which cover "homeowners and small business operators" and for customer systems sizes consistent with the emphasis on small scale. We note that it may be appropriate to interpret this limitation differently for connections in Island system and isolated and coastal communities served by diesel systems based on differing system capabilities. For example, it may be appropriate to apply a system capacity limit of 50kW or 100kW in the Island System but a lower limit in smaller diesel systems.
 - Generation installations should be limited relative to the customer's load. This could be done by adopting the IREC⁶ model rule that "individual system capacity does not exceed the customer's service entrance capacity", or by limiting the connected generation relative to the customer's load (i.e. Arizona limits generation to 125% of the customer's load). This type of limit would be consistent with the Government's stated policy goal of allowing residential and small business "to install small generation units to produce power for themselves and feed some back in the system when they produce more than they need". Limiting system capacity to the customer's load will also help limit issues relating to settlement for excess generation from NM systems.
- 2. **Connection Requirements**: It is recommended that:
 - Transparent requirements for connecting NM installations be established by the utilities and made publicly available for potential NM customers prior to implementing the policy.
 - Rules for approving NM connection should include a requirement for a technical review by the utility.

We anticipate that the utilities will be able to adopt existing standards for customer and generator connections for this purpose, but it is recommended that consideration be given to means of streamlining these processes in order to provide a timely response and minimize administrative costs. Navigant suggests that NL consult with BC Hydro regarding their experience in streamlining their process.

3. **Meter Aggregation**: Navigant suggests that meter aggregation not be permitted under the policy.

Note - There may be reason to allow some limited exceptions, such as multiple meters on the same property to be consolidated, however, excluding aggregation is consistent with most other jurisdictions and will help limit administrative issues, including settlement issues that may arise if aggregation is permitted.

⁵ Newfoundland and Labrador, Focusing Our Energy – Energy Plan, page 40.

⁶ Interstate Renewable Energy Council, Net Metering Model Rules, 2009 Edition, pg. 2

⁷ Focusing Our Energy, page 24.



4. Cost allocation:

- The NM policy should clearly articulate responsibility for different costs associated with NM installations. While there is no standard industry practice, most jurisdictions require the customer to pay for additional meter costs and permits required while the utility pays for additional billing and administrative costs.
- We concur with the IREC recommendation that under a well-designed program for small (i.e. <50 or <100 kW) NM installations⁸ it is expected that the costs of technical reviews of connection requests, incremental meter reading and billing costs, and administrative costs should be negligible over the rate base; however, consultation with the utilities is recommended.

It should also be noted that some customer connection requests could require distribution system upgrades to accommodate. In these instances, we recommend that the utility be provided discretion as to whether a connection request can be accommodated and whether the costs of any required upgrades should be recovered from the NM customer.

Settlement:

- Navigant suggests that NL consult with the utilities as to the most efficient and equitable settlement solution.
- We recommend that the customer's net consumption be billed using the tariffs which
 would normally apply to a customer of the same size, type and location and that the
 customer be compensated for excess power at the same rate, unless the Government
 chooses to introduce a different rate for power produced from renewable sources.

With regards to settlement for excess generation produced from NM systems and fed into the utility system, we suggest two options be considered:

- i. Credit "net excess generation at the end of a billing period" to the customer's next bill as a kWh credit (as recommended by IREC) on an on-going basis. This offers a simple solution given that NM systems are limited to be approximately the same size as the customer's load. It is recommended that if this approach is taken that these accounts be monitored annually to identify any accounts which are developing a significant credit over a 12month period.
- ii. Separately track net excess generation for NM installations and settle annually with a cash payment or bill credit, calculated at the rates normally applicable to the account. It is anticipated that this would be an off-line process separate from the utility's normal billing process and would therefore add some administrative costs.

While the NL Energy Plan does not define "small" generation we expect that NM installations will be limited to a threshold of 50 or 100kW. Navigant has also recommended that eligibility rules limit generation capacity to approximate customer loads.



As discussed in the "Considerations for a Provincial Net Metering Policy" section of the report, if avoided costs differ substantially from rates, settling for excess generation using the rates applicable to the customer may result in some degree of cross-subsidization. This cross-subsidization could flow in either direction depending on the relationship between rates and avoided costs. In this case, the use of avoided cost in the settlement process would reduce the risk of cross-subsidization.

6. Subscription Limits:

 Navigant does not expect that an overall subscription limit for the program as a whole is required for NL given the policy objective and Provincial context. We recommend, however, that the utilities be encouraged to monitor the response to the policy and provided the opportunity to recommend an overall capacity limit should the need develop.

7. Associated Credits:

• While there is not currently a significant market for Renewable Energy Credits or Carbon Credits that could be associated with small-scale renewable generation, we recommend that the policy be clear in stating that the customer would retain these credits.

8. Legislative Framework:

As discussed, NM policies have been introduced in different jurisdictions by legislation, through government direction to regulators, and voluntarily by utilities. We suggest that the most appropriate path for NL would be to have a NM policy developed under the auspices of the PUB, either directly as part of a PUB process or by directing the utilities to develop a policy for PUB approval. This approach would be consistent with the Government's statement that it will ensure that "regulatory support is in place for customers who wish to develop these alternatives". A policy developed by the PUB would also be subject to its normal considerations that rates be "just and reasonable" and that the service provided be "safe and reliable".

We understand, however, that the PUB may be restricted by its mandate if it deems that there is some risk of cross-subsidization. We therefore recommend that Natural Resources discuss the proposed approach to a NM Policy with the PUB to determine if it would be acceptable. If it is determined that concerns about potential cross subsidization would preclude the PUB from implementing a NM policy, then legislation should be considered to authorize the PUB to implement NM.



Table of Contents

Exe	ecutive	e Summary	i
Tal	ole of C	Contents	vi
1	Intro	duction	1
	1.1	Context for Review	1
	1.2	Overview of Net Metering	5
2	Lesso	ons from Other Jurisdictions	8
	2.1	Jurisdictional Review Process	8
	2.2	Lessons from Other Jurisdictions	13
	2.2.1	Policy Drivers	13
	2.2.2	Program Frameworks and Designs	14
	2.2.3	Regulatory Treatment	20
	2.2.4	NM Impacts	26
	2.2.5	Participation / Uptake	28
3	Cons	iderations for a Provincial Net Metering Policy	30
	3.1	Best Practices	30
	3.2	Policy Considerations	32
Ap	pendi	x A: Summary of Net Metering Policies by Jurisdiction	36
Ар	pendi	x B: Tables of Net Metering Policies by Jurisdiction	54



1 Introduction

The following section sets out the context for the NM review. The balance of the section first discusses the objectives of the study, then describes the industry and regulatory structure of Newfoundland and Labrador's electric system and finally provides an introduction to NM.

1.1 Context for Review

Context for Review

The Newfoundland and Labrador DNR retained Navigant to carry out a review of industry practices with respect to NM policies and practices in Canada and other leading jurisdictions. The review is part of a commitment in the Provincial Government's 2007 Energy Plan: *Focusing Our Energy* to develop and implement a NM policy that will provide regulatory support for small-scale renewable energy sources. Navigant worked with a Steering Committee comprised of members of the DNR and representatives of NLH and NP who provided guidance for the review. The findings and considerations for a NM policy presented in the report are Navigant's but were reviewed with the Steering Committee.

In its 2007 Energy Plan the Newfoundland and Labrador Government committed that it "will ensure that regulatory support is in place for customers who wish to develop these alternatives themselves on a small scale, through a net metering policy". We have interpreted this focus on small scale, renewable sources and providing customers with access to connect to the utility grid as key in identifying appropriate elements for a NM policy for the Province.

Overview of the NL Electricity System

The NL electricity system has nearly 7,500 megawatts (MW) of generating capacity and a transmission-distribution system serving over 290,000 customers on the Island system, the Labrador system or one of the province's 22 isolated diesel systems in coastal communities. The Island grid differs from many other North American systems in that it is physically isolated from Labrador and the North American system. The Labrador system is connected to the Hydro-Quebec system via three high voltage transmission lines used to export the majority of the 5,428 MW of power from the Upper Churchill Falls generating plant.

With the development of the Muskrat Falls project, the Island system will gain two interconnection points:

- 1. Interconnection with Labrador by the Labrador-Island Link transmission line and
- 2. Interconnection with the Nova Scotia (NS) system and the North American system by the Maritime Link transmission line.



Electricity supply and distribution service in the province is provided by two utilities, NLH and NP.

- NLH⁹ is a crown-owned electric utility which owns and operates facilities for the generation, transmission and distribution of electricity to utility, industrial and retail customers in the Province of Newfoundland and Labrador. It is primarily a wholesale and transmission utility, and Newfoundland Power is its largest customer. NLH directly serves over 38,000 residential customers in 220 communities across the province. This includes operating 21¹⁰ diesel systems to provide service to 4,400 customers in isolated and coastal communities throughout Newfoundland and Labrador. NLH also sells power to five regulated industrial customers on the Island.
- NP, an investor-owned company, is primarily a distribution utility that sells
 electricity to approximately 86%, or over 255,000, of the retail customers on the Island
 interconnected system. The Company generates approximately seven percent of its
 electricity needs and purchases the remainder from NLH and is currently required to
 purchase power only from NLH.

While the vast majority of customers in the province are residential (approximately 90%), these customers only purchase slightly more than half (approximately 55%) of the electricity sold by utilities in the province. The remaining electricity (approximately 45%), is purchased by 10% of customers, which include general service and large industrials.

NLH and NP are regulated by the PUB-NL. The PUB-NL's jurisdiction over electric public utilities in the province is defined primarily by the following legislation:

a) The *Electrical Power Control Act*, 1994 (EPCA) sets out the power policy of the province and gives authority to the PUB-NL to implement the policy. The EPCA declares that rates charged to electrical customers should be reasonable and not unjustly discriminatory, allow sufficient revenue for the producer or retailer of the power to earn a just and reasonable return while maintaining a sound credit rating in world financial markets and promote the efficient production, transmission and distribution of power at lowest cost consistent with reliable service. The Lieutenant-Governor in Council retains the right to direct the PUB-NL on rates policy and procedures, issue exemptions for a public utility under the EPCA (same authority under the *Public Utilities Act (PUA)*) as well as refer matters to the PUB-NL relating to rates and other issues. As well, the EPCA gives the PUB-NL authority to ensure adequate planning by

⁹ NLH is a subsidiary of Nalcor.

¹⁰ NLHalso operates the Natuashish generation and distribution system on behalf of the Mushuau Innu First Nation.



the utilities occurs for future production, transmission and distribution of power in the province as well as provides the PUB-NL the authority to allocate/re-allocate power in the event of a shortage. The Lieutenant-Governor in Council can also appoint an emergency controller during a state of emergency to make decisions and issue directions and orders related to the oversight and operation of the provincial power system.

b) The PUA defines the general powers of the PUB-NL regarding its oversight of provincial public utilities including: approval of electricity rates and costs to be recovered in rates, approval of capital budgets, holding hearings and conducting investigations, hearing applications and complaints, issuing orders, as well as ensuring adequate provision of electricity service and compliance under the PUA. The PUA defines a public utility in the province as an entity that owns, operates, manages or controls equipment or facilities related to the providing of electric power or energy, water, heat or sewage to or for the public or a corporation for compensation.

Other electricity sector related legislation in NL includes the *Hydro Corporation Act* 2007, the *Energy Corporation Act*, the *Energy Corporation of Newfoundland and Labrador Water Rights Act* and the Churchill *Falls (Labrador) Corporation Limited (Lease) Act*, 1961.

The PUB-NL's web site indicates that its legislated mandate is to "ensure that the rates charged are just and reasonable" ¹¹. The power policy for the Province, as stated in the EPCA¹² includes requirements to ensure that electrical rates "should be reasonable and not unjustly discriminatory" and that the power system should be operated and managed in a manner "that would result in power being delivered to consumers in the province at the lowest possible cost consistent with reliable service".

In 2013 the Island electricity system had a total generating capacity of 1,946 MW. Most of this capacity (83%) is operated by NLH, with the remainder operated by NP, Corner Brook Pulp & Paper, and non-utility generators (NUGs). NUGs include 54 MW of wind, which is sold to NLH.

As shown in Figure 1, the majority of the electricity on the Island Interconnected system is generated by hydroelectric generation. As the proposed Muskrat Falls project comes on line, the proportion of generation derived from renewable sources on the Island is expected to

¹¹ PUB website, Mandate - http://www.pub.nf.ca/mandate.htm

¹² ELECTRICAL POWER CONTROL ACT, 1994, section 3, http://www.assembly.nl.ca/legislation/sr/statutes/e05-1.htm#3_

NAVIGANT

increase to approximately 98%. On the Labrador Interconnected System, almost 100% of the electricity is generated by hydraulic sources.

Figure 1: Island Interconnected Electricity Supply - Generation by Source




Figure 2 illustrates the Newfoundland and Labrador transmission system.



Figure 2: Newfoundland and Labrador Transmission

Source: NL Hydro System Planning Department 2014.



In 2013, the Island electricity system had a peak demand of 1,651 MW and an annual energy requirement of 7,996 GWh. Electricity demand is typically highest during the evenings in colder winter months. NLH defines the peak period as the morning period from 7:00 a.m. to noon and the evening period from 4:00 to 8:00 p.m. during the four coldest months of December to March.

1.2 Overview of Net Metering

NM policies allow customers with small generating facilities to generate power from renewable sources for their own use, as well as feed power into the distribution system during periods when their generation provides power in excess of their needs and to draw power from the grid at times when their generation does not fully meet their needs. A common definition of NM refers to it as a "billing arrangement by which customers realize savings from their systems, where 1 kWh generated by the customer has the same value as 1 kWh consumed by the customer" ¹³.

NM policies have been implemented by the majority of Canadian provinces and US States as well as in numerous other jurisdictions. The rules under which NM can occur and how customers are compensated for the power delivered into the grid vary but there are a number of common elements in NM policies. *Focusing Our Energy* notes that some homeowners and small business operators in NL would like to be able to install small generation facilities and have the ability to feed some power excess to their needs back into the system. A NM policy would enable these customers to obtain value for this excess power and provide access to the grid for periods when their generation isn't sufficient to meet their needs.

NM policies are often introduced as part of a broader policy aimed at encouraging the greater use of distributed generation from renewable resources; particularly in jurisdictions which, unlike NL, are very dependent on fossil fuels. In many jurisdictions, NM policies are combined with a Feed In Tariff (FIT) which pays generators a higher rate for electricity generated from renewable sources such as wind or solar photovoltaics (PV). In some jurisdictions, relatively high electricity rates and falling PV system costs, have led to rapid growth in distributed generation. This has led to considerable controversy in some jurisdictions and a review of both NM and FIT policies.

Navigant notes that the focus of this report is on NM policies. In discussing jurisdictions which have introduced both a NM and a FIT policy, the report will distinguish the effects of rates provided through programs such as a FIT policy from the effects of the NM policy.

¹³ Interstate Renewable Energy Council (IREC), Freeing the Grid 2013: Best Practices in State Net Metering Policies and Interconnection Procedures, November 2013, Page 5.

NAVIGANT

Across Canada, NM is allowed in almost every province and territory in Canada, though there are a number of restrictions on the type of customer and size of systems which may participate.

In the US, the *Energy Policy Act of 2005* required all public electric utilities to offer NM on request to their customers. As of 2013, 43 states, Washington, DC and four US territories have adopted a NM policy (as shown in Figure 3 below). Utilities in three other states (Texas, Idaho and South Carolina) have voluntary NM programs.




Figure 3: NM Policies in U.S.

NM programs have been criticized in some jurisdictions for their potential to shift costs from NM customers to non-NM customers¹⁴. This shifting of costs can occur when the lost revenues from reduced kWh sales exceed the utility's avoided costs. This is most likely to occur in situations where distribution and transmission costs are recovered through rates which are based primarily on the volume of energy consumed¹⁵. Estimating the rate impact of NM involves an assessment of a number of costs and benefits associated with the policy.

The impacts of a NM policy can differ between jurisdictions depending on the structure of the electricity market and will be affected by the structure of the utilities, electricity rates, and the regulatory framework (Figure 3).

¹⁴ E.g., Arizona Energy Future. "Many Influential Voices Agree: Cost Shift From Net Metering Needs To Be Fixed." http://www.azenergyfuture.com/blog/october-2013/many-influential-voices-agree-cost-shift-from-net/. October 13, 2013.

¹⁵ In contrast, some jurisdictions have separated or "unbundled" costs so that customers pay for a greater proportion of fixed costs related to distribution and transmission services through a fixed charge per bill.



For example, if NM customers are able to avoid distribution and transmission costs while still enjoying the benefits of accessing the electric system to supplement their generation then it is possible that some cross-subsidization may occur. By contrast, in jurisdictions where rates have been "unbundled" and costs allocated to specific distribution, transmission and commodity charges, the potential for cross-subsidization is reduced.¹⁶

¹⁶ For example, in Alberta the NM policy provides customers a credit for excess electricity sent to the grid based on the retail energy rate portion of their rate which does not include the volumetric charge associated with transmission and distribution costs.



2 Lessons from Other Jurisdictions

The following section describes the process by which jurisdictions were selected for inclusion in the review of NM industry practices and summarizes the key lessons learned from that review. As will be discussed, NM policies were reviewed in all Canadian provinces and territories as well as a select list of US states. This review was supplemented by a high level review of international experience outside of the US and Canada.

2.1 Jurisdictional Review Process

In order to provide an understanding of industry practice with respect to NM, Navigant conducted a policy and regulatory scan of NM policies currently in place or under consideration in Canada's provinces and territories as well as for jurisdictions in the US and outside of North America. Navigant initially proposed to include up to four US states and up to three other jurisdictions outside of North America in the jurisdictional review.

After discussion with the Steering Committee, Navigant recommended that the review include a few leading jurisdictions which have experienced high participation and uptake of NM and that the balance be selected from among jurisdictions which have implemented NM in systems and with policy frameworks which are similar to those in NL. Jurisdictions were screened for the following characteristics:

- High levels of renewable or non-fossil generation, similar to NL,
- Vertically integrated utilities with bundled rates,
- No retail access, and,
- A policy emphasis on limiting cross-subsidization between NM customers and non-NM customers.
- Regulatory structure comparable to NL.

While few jurisdictions were expected to meet all of these criteria, Navigant identified jurisdictions which met as many of these criteria as possible.

After an initial screening and review of a number of jurisdictions outside of North America it was determined that there were few jurisdictions that were a reasonable match to the criteria established for NL. In consultation with the Steering Committee it was determined that expanding the number of US states included in the review and providing a high level review of international experience outside of North America would add greater value to the study.

A number of research questions regarding NM were identified in the RFP.

The jurisdictional review undertook to answer as many of these questions as possible, and the following sections summarize Navigant's findings regarding these issues.



Table 1: Research Questions

Research Question Specific Information per RFP		
Drivers for NM	 Driving force behind NM policy (e.g. legislated by government; voluntary by utilities). 	
Program Design/ Framework	 Legislative considerations Eligibility requirements Meter aggregation (e.g. single meter, premise aggregation, distribution zone aggregation) Customer classes and capacity limits (e.g. 100 kW versus 1,000 kW; NM versus feed in tariffs (FITs) versus non-utility generators (NUGs); types of meters for each customer class) Determination, monitoring and enforcement of the match between a customer's generation capacity limit and their generation needs Subscription limits (e.g. percentage of provincial load) Implementation and administrative issues 	
Regulatory Treatment	 Cross-subsidization issues (e.g. whether transmission and distribution costs from NM customers are transferred to non-NM customers) Regulators' analyses and rulings on NM in order to obtain regulators' views of the review, design, implementation and evaluation of NM programs 	
Customer & Program Costs/Benefits	 NM rate structures Monthly bill determination Compensation rate for net metered power (e.g. retail rate, avoided cost) Approach and structure of any customer payout anniversary date (e.g. account credit, Cash payout, monthly/quarterly/yearly) Responsibility for associated NM costs (e.g. engineering studies, distribution equipment upgrades, metering upgrades, related billing costs) 	
NM Experience	Customer participation / uptake rates.	

US States Selected for Review

Following a review of potential jurisdictions and discussion with the Steering Committee, it was agreed to include the following US states in the review.

• Arizona (AZ) has one of the most active programs in the U.S. and has experienced a number of issues as a result of very strong program enrolment. Arizona introduced retail competition in the late 1990's but suspended it after the California energy crisis. In a 2012 white paper on Net Metering Bill Impacts and Distributed Energy Subsidies, prepared for Arizona Public Service (APS), Navigant offered the following description of the NM policy.



"Arizona net metering rules were implemented in May 2009. Net metering is available to customers that generate electricity on-site using solar, wind, hydroelectric, geothermal, biomass, biogas, combined heat and power (CHP), or fuel cell technologies. Customers that participate in net metering receive bill credits in each billing period for PV generated electricity that exceeds the amount they consume during the billing period. Any bill credits that exceed a customer's consumption in that billing period are either netted against future consumption within that same month or "banked" at the end of the month and used to offset charges in future months for actual customer consumption of APS-provided electricity. As a result, PV customers' credits are conceptually equivalent to selling excess generation back to the grid at the retail rate that APS would have charged them for that electricity" ¹⁷.

The Arizona Corporation Commission (ACC) recently reviewed the States NM policy in a response to a request from the main utility in the state (APS). The review, which examined the issue of cross subsidization, is discussed in greater detail in section 2.2.3.

- Idaho (ID) is one of three US states with a voluntary NM program initiated by state regulator. Unlike other states which have a state-wide program, each of Idaho's three investor-owned utilities (IOUs) have developed a NM program and tariffs for approval by the net-metering tariff approved by the Idaho Public Utilities Commission (PUC). The three utilities' programs share the same capacity limits (100kW) and -until recently- also shared the same aggregate capacity limit (0.1% of the utility's peak demand within Idaho). In 2013, as Idaho Power Company (IPC), Idaho's largest IOU, approached -and later surpassed- its 0.1% limit, the PUC decided to waive its capacity limit¹⁸. Also in 2013, IPC argued that their NM policy resulted in cross-subsidization by non-NM customers; the PUC reviewed the utility's arguments, found that there was no significant cross-subsidization, and maintained the NM policy¹⁹.
- Oregon (OR) is one of the few other US states with a predominantly hydraulic based generation system, with 82% of its power coming from renewable sources. The State allows retail competition and first enacted NM legislation in 1999. Oregon has established separate NM programs for the state's IOUs and 36 public utilities, each of the which have set up distinct NM practices.
- **South Carolina**'s (SC) electric system is dominated by nuclear generation which supplies almost 60% of the state's net electricity generation. In April of this year, the SC legislature passed a bill creating a voluntary "Distributed Energy Resource Program". The bill mandated the state regulator to develop new NM rules and offered a number of guidelines for eligible

¹⁷ NM Bill Impacts and Distributed Energy Subsidies, prepared for APS by Navigant Consulting, Inc., December 11, 2012, page 4.

¹⁸ Idaho Public Utilities Commission, Final Order – Case No. IPC-E-12-27. July 3, 2013.

¹⁹ Freeing the Grid 2013: Best Practices in Net Metering Policies and Interconnection Procedures, Interstate Renewable Energy Council (IREC), November 2013, page 15.



system types and sized, cost recovery and rules for structuring rates. Cooperatives in the state are required to examine their NM rules but are not required to implement a program²⁰.

- **Vermont's** (VT) electricity system differs from NL in that it has a limited amount of hydroelectric resources (17% of generation) but is similar in that it includes very little fossil generation; relying largely on nuclear (76% of generation). VT does not allow retail choice but has had a NM policy in place since 1998. The policy sets different capacity limits for residential, commercial and government or military sectors, and sets a subscription limit equal to 15% of a utility's peak demand.
- Washington State (WA) has a largely (77%) hydraulic based generation system similar to the NL generation mix. The state does not allow retail competition. It implemented a NM policy in 1998 which applies to systems up to 100kW with an overall subscription level set at 0.5% of a utilities peak demand.

Appendix A includes a summary of the information collected regarding each of the Canadian Provinces and Territories and the six US States.

International Jurisdictions Outside of North America

NM has been introduced in jurisdictions ranging from the Philippines²¹ and Australia, to Europe and the United States. Navigant reviewed NM policies in a number of European jurisdictions, including the UK, as well as state-level programs in Australia.

In the EU, the development of NM was delayed due to concerns over how NM would be treated under EU Value Added Tax (VAT) laws. Norway, for example, which has a generation mix similar to NL considered a NM policy but concluded along with countries such as Sweden and Denmark that NM would be in conflict with VAT laws and therefore pursued other avenues to encourage renewable investments²². In 2012, the Swedish government announced a public inquiry into the implementation of NM, which was described as a means of achieving net billing, such that only the net metered electricity would be measured using a single meter. The public inquiry commission ruled that Swedish VAT laws require electricity to be taxed for the total amount supplied, whether exported or imported from the NM generation system to the utility. The public inquiry commission ruled against the proposed definition of net

²⁰ US Department of Energy, Database of State Incentives for Renewables & Efficiency (DSIRE), Net Metering State Summaries (South Carolina), http://www.dsireusa.org/incentives/allsummaries.cfm?SearchType=Net&&re=1&ee=0

²¹ Republic of the Philippines, Republic Act No. 9513: An Act Promoting the Development, Utilization and Commercialization of Renewable Energy Resources and for Other Purposes. July 2008.

 $^{^{22}\} Legal\ Sources\ on\ Renewable\ Energy,\ http://www.res-legal.eu/search-by-country/netherlands/$



metering, and judged that exported and imported electricity should continue to be measured separately²³.

European jurisdictions also differentiate between "Self Consumption" and "Net Metering" policies. "Self-Consumption" policies allow "any kind of electricity consumer to connect a photovoltaic system, with a capacity corresponding to his/her consumption, to his/her own system or to the grid, for his/her own or for on-site consumption, while receiving value for the non-consumed electricity which is fed into to the grid"²⁴. NM, by contrast, is viewed as a billing process by which production and consumption are compensated over a longer period, such as over a year.

Most EU countries which have offered NM have combined the policy with a Feed-In Tariff (FIT) program designed to encourage the development of renewable power²⁵. A number of these countries have cancelled those FIT initiatives in recent years following the financial crisis. Others, such as France and Portugal have discussed NM but have not yet implemented a policy.

Germany has had one of the most active programs in the EU, offering an attractive FIT since 2000 to encourage the development of renewable energy technologies. Germany has set a goal of supplying 40-45% of its electricity consumption from renewable sources by 2025 and has reported that renewables provided 28.5% of gross electricity production in the first half of 2014²⁶. Germany has made a number of adjustments to its FIT program in recent years and have made frequent adjustments to the FIT since 2012 in response to changing electricity and solar PV prices.

The Netherlands represents one of the few EU jurisdictions which has had a long-standing NM policy. Unlike NL, the Netherlands depend on fossil fuels for over 80% of their electricity and import 5-10% from neighbouring countries²⁷. The Dutch policy, in place since 2009, focusses on providing non-discriminatory access to the system to small producers of renewable power.

In Australia, as in Europe, the driving force behind NM policies has been the encouragement of renewable generation through FIT programs. Australia is also heavily dependent on fossil

²³ Energy Markets Inspectorate, Adapting Electricity Networks to a Sustainable Energy System, 2011, https://www.smartgrid.gov/sites/default/files/doc/files/Adapting Electricity Networks to Sustainable Energy System 201108.
pdf

²⁴ EPIA, Self Consumption of PV Electricity: Position Paper, July 2013, page 2.

²⁵ Most of these EU countries have historically been largely dependent on fossil fuels for power generation.

²⁶ Preliminary figures from the Federal Association of Energy and Water Industry, as reported in the "German Energy Blog: Energy in Germany – Legal Issues, Facts and Opinions", July 29, 2014. http://www.germanenergyblog.de/?p=16368

²⁷ About 60% of Netherland's generation is from natural gas. See: World Bank, World Development Indicators: Electricity Production, sources and access, Table 3.7. http://wdi.worldbank.org/table/3.7



fuels, obtaining almost 70% of its electricity from coal and about 90% from fossil fuels²⁸. PV systems are reported to have reached grid parity in some parts of Australia and PV electricity production reached 2.3% of total electricity consumption in 2013. Some states in Australia have experienced a significant increase in the installation of PV systems in recent years and are also reviewing issues of cross-subsidization.

Navigant conducted a high level review of experience in these jurisdictions and has incorporated some of the lessons learned into considerations for NL, however, we note that the policy strategy underlying the NM policies in most of these jurisdictions does not align with the policy direction described for NL. Many of the jurisdictions reviewed are dependent on fossil generation for a significant portion, or the majority, of their electricity production and several have pursued a policy to encourage the development of renewable sources as part of an economic strategy. NL, in contrast, currently generates the vast majority of its electricity supply from renewable generation and anticipates this will increase to 98% renewable generation once Muskrat Falls comes in-service. Therefore, NL is not considering a provincial NM policy in order to avoid fossil fuel generation, but rather to provide greater flexibility to residential and small business customers wishing to install renewable generation systems.

2.2 Lessons from Other Jurisdictions

The following sub-sections describe common industry practices with respect to NM policies and elements of those policies which were found to vary between jurisdictions. The section is structured to respond to the research questions identified in the NL RFP. Appendix A includes a summary of the information collected regarding each of the Canadian provinces and territories and the six US states. Appendix B provides a summary of some key information for each jurisdiction reviewed.

2.2.1 Policy Drivers

While the rationale for introducing an NM policy is not always clearly stated, most of the jurisdictions reviewed have introduced NM policies in order to encourage and support the development of renewable or clean distributed generation. In some jurisdictions, such as Ontario (ON) this policy objective has been further supported through the use of a Feed In Tariff which provides higher rates for electricity generated from renewable sources. Four Canadian provinces (British Columbia [BC], New Brunswick [NB], Prince Edward Island [PEI], and Saskatchewan [SK]) developed NM as part of a policy goal to support the increased adoption of renewable resources. These provinces have quite different existing generation

World Bank, World Development Indicators: Electricity Production, sources and access, Table 3.7. http://wdi.worldbank.org/table/3.7



mixes, ranging from BC which is largely hydraulic, to SK which derives 80% of its power from coal to NB where the generation system is dominated by nuclear output.

The driving force behind the development of NM policies has also varied. In Canada, for example:

- Four Canadian jurisdictions (Alberta [AB], ON, PEI and Yukon [YK]) legislated the introduction of NM which was then implemented by the corresponding electricity regulator.
- In two provinces (BC and Quebec [QC]) NM was developed by the electricity regulator in response to a government order. NB and SK, followed a similar path in that the government ordered the development of a NM program which was then developed by the crown utility.
- In two other jurisdictions (NS and the Northwest Territories [NWT]), utilities implemented a variation of an NM program prior to any regulatory approval or government action. Nova Scotia Power Inc. (NSPI) offered NM since 1989, and in NWT, Northland Utilities (an IOU) and NWT Power, both offered a net billing pilot program.

While Manitoba (MB) offers its Customer Owned Generation program, the driving force for the program is unknown. Nunavut is the only jurisdiction that does not offer a NM program. Qullig Energy, the sole electricity provider, noted in its 2012 / 2013 Annual Report that a NM policy was being developed.

As mentioned in section 1, in the US, the *Energy Policy Act of 2005* required all public electric utilities to offer NM on request to their customers. Several of the states reviewed for this study had introduced legislation requiring NM prior to that Act. In two of the US jurisdictions reviewed (AZ, and SC), the NM policy was developed by the electricity regulator. In Idaho utilities developed the policy which was approved by the regulator. In the other jurisdictions (WA, OR and VT), the NM policy was specified in legislation. An explicit policy strategy of increased adoption of renewable resources was the driving force behind the policy in the majority of US states reviewed (AZ, WA, OR, SC and VT).

2.2.2 Program Frameworks and Designs

Legislative considerations

The market structure in place in a jurisdiction has obvious implications for how NM policies are structured. Jurisdictions which have open access to the transmission and distribution systems, retail competition or where the industry has been restructured to separate generation, transmission and distribution into separate entities recognize these elements in their NM policies. In AB and ON, for example, the electricity market structure required that NM programs be implemented by the electricity wire service provider (WSP), or the local distribution company (LDC).



As mentioned, a number of jurisdictions have implemented NM as part of a broader strategy to encourage the development of renewable energy sources. These jurisdictions are more likely to require the regulator to take investments in renewable energy programs into consideration when setting rates and to encourage higher payments for power produced by NM installations. In other jurisdictions, where the policy is not focused on supporting the development of additional renewable sources (as in MB, for example), cost-of-service pricing is more likely to be used for NM customers.

In the US jurisdictions reviewed, the electricity market structure, comprised of public power and investor-owned utilities has affected the implementation of NM projects. In four jurisdictions (AZ, WA, ID and SC), the regulator only has jurisdiction over IOUs; and not public utilities (municipal and co-ops). In OR, where the PUC only regulates the IOUs, legislative rulings required all utilities -including publicly owned utilities- to offer a NM program. In VT, legislation mandated all electric utilities to offer a NM program. In SC, which is served by several large utilities, the regulator required each utility to propose and implement a NM policy. Five of the jurisdictions (AZ, SC, WA, OR and VT), allow third parties to finance, build, and own a NM system for customers. Through third party ownership, large capital costs are lifted off of residential customers, which eases the uptake of NM participation. In AZ, as of Q2 2012, 80% of residential installations were third party owned²⁹.

Eligibility requirements

All NM policies reviewed included eligibility requirements. As expected, the policies generally specified a number of eligibility criteria, such as the size of generators eligible under the policy; however, the specific requirements varied between jurisdictions, reflecting differing policy objectives and system considerations. Some common eligibility criteria included:

- Type of generation (i.e. renewable or other)
- Maximum generating capacity
- Capacity relative to customer load
- Customer class or type

In addition a number of jurisdictions placed overall subscription limits on the policy. These typically relate the connected load participating in the program to the total capacity of the utility system.

²⁹ SC Energy Advisory Council, Distributed Energy Resources Report, January 2014, pg. E-2



The actual limits associated with these criteria differ between jurisdictions.

a) Type of generation

In most jurisdictions, NM eligibility is restricted to renewable generation. In Canada all of the provincial policies except MB limit the availability of NM system to renewable and alternative energy generation³⁰; though the actual definition and inclusion of technologies varies. The US states reviewed all have similar requirements that NM systems be renewable or clean resources. Some States have gone further and permit the use Combined Heat and Power (CHP), fuel cell technology, and geothermal resources in the program.

b) Meter aggregation

Some NM policies allow generators to "aggregate" or combine generation from different locations owned by the same customer, however this practice is uncommon or closely limited. Five Canadian jurisdictions (ON, QC, PEI, SK and YK) do not allow aggregation. Four jurisdictions do allow for aggregation (AB, BC, NB and NS); most on a limited basis. Of the four allowing some form of aggregation, AB and BC allow meter aggregation for NM generation systems on adjacent properties. In NB, exceptions are allowed for farm customers, and in NS, aggregation is allowed for accounts located within the same distribution zone³¹. The policy in NWT does not address aggregation, and the policy on aggregation in MB is not known.

Of the six US jurisdictions reviewed, two (AZ and SC) do not allow meter aggregation, while the remaining four jurisdictions (WA, ID, OR and VT) allow meter aggregation under some conditions. WA and VT allow meter aggregation if the meters are located within the utility's service territory, and do not require meters to be under the same customers. ID and OR allow aggregation under certain restrictions. In both cases the policy limits aggregation to meters which serve the same customer, are on contiguous properties and are served by the same feeder.

c) Customer classes and capacity limits

The majority of NM policies are designed for residential and small business customers and this is reflected in the class and capacity limits placed on eligibility. As with other policy elements the limits on eligibility tend to reflect the policy objective driving the NM policy.

In Canada, for example, nine jurisdictions had a 100kW (or lower) capacity limit for residential or single phase customers, and of these nine, four have a capacity limit less than or equal to

³⁰ Alberta's program allows "other source with GHG intensity less than 418kg/MWh" while Manitoba's Customer Generation program also allows non-renewable alternative energy systems.

³¹ Defined as on being served by feeders which originate at the same transformer.



50kW³². AB, permits a much higher capacity limit of 1MW under its policy, but limits the generation connection based on the size of the customer's electricity load.

Of the six US jurisdictions reviewed, three (ID, OR and SC) impose different capacity limits on residential systems (ranging from 20-25kW), and non-residential systems (100kW to 1MW). WA and VT impose residential limits of 100 and 500kW, respectively. AZ restricts generation capacity to 125% of the customer's load.

Table 2, below, provides a summary of the capacity limits for each province and territory in Canada, as well as the six states examined in the US. As the table shows, different jurisdictions have used different criteria (customer class, service type, etc.) in specifying capacity limits.

Canada **Capacity Limits** U.S. **Capacity Limits** 1MW 125% of Customer Load AB AZBC $50kW^{33}$ ID 25kW (residential/small commercial) 100kW (industrial) MB 50kW (single phase) OR 25kW (residential), 1MW (triple phase) 2MW (non-residential) NB 100kW SC 20kW (residential), 1MW (non-residential) NS 100kW (residential/commercial) VT 500kW (all customers) 1MW (large commercial/industrial) 20kW (micro-CHP) 2.2MW (military) ON 500kW WA 100kW PEI 100kW OC 50kW SK 100kW ΥK 5kW (shared transformer)

Table 2: Capacity Limits by Jurisdiction

To put these numbers in context, according to CMHC³⁴, a solar PV system installed in St. John's would be expected to produce about 933 kWh/kW of installed capacity. In contrast, a home using electric heat would be expected to require over 2,000 kWh/kW of heating capacity installed.

25kW (single transformer)

NWT

5kW

³² Ontario is the exception; allowing customers to install systems up to 500kW.

³³ Increase to 100kW was approved on July 2014

³⁴ Canada Mortgage and Housing Corporation (CMHC), Photovoltaic Systems, Table 2, Yearly PV potential of major Canadian cities and major cities worldwide, http://www.cmhc-schl.gc.ca/en/co/grho/grho 009.cfm#table2.



The majority of the jurisdictions reviewed also have other programs in place (i.e. feed-in-tariff, standard offer programs (SOP), large renewables procurement, etc.) which either overlap with the capacity limits of the NM programs, or whose minimum capacity was a continuation of NM capacity limits. For example, if a NM program imposed a capacity limit of 50kW, a SOP program might have limits of 50kW to 1MW, such that all generation systems fall into a program. Further, all US jurisdictions offered customers a variety of programs; NM, net billing and/or buy-all sell-all.

d) Capacity limits relative to customer load

Considerable variation was found in the requirement to match generation to the customer's load. This requirement is less common in jurisdictions which introduced NM as a means of encouraging renewable generation.

In Canada, four jurisdictions (AB, NS, QC and YK) require the system's capacity to be sized to the customer's load (as described in Appendix A). In AB, retailer-customer disagreements relating to system sizing have been ruled on by the Alberta Utilities Commission (AUC). The AUC has used the rating of the customer's transformer to determine the maximum capacity of a customer's system. A customer's system that exceeds that capacity would be subject to extraordinary costs, which are recovered directly from the customer.

A more important limiting factor, with respect to sizing, is a decision of whether to use an average or maximum demand (kW), or energy needs (kWh) of a customer's profile to determine the maximum system size. In AB, the AUC has ruled that the annual energy needs of a customer must be equal or greater than the expected energy supply from the generation being connected. In QC, an estimate is provided which considers a customer's load at a 35% capacity factor with respect to annual electricity consumption.

In the US only one state was found to have this type of restriction (AZ) which limits the capacity of a NM connection to 125% of the customer's connected load.

e) Subscription limits (e.g. percentage of provincial or utility load)

The inclusion of subscription limits on NM program participation tends to reflect the policy focus in the jurisdiction. Of all of the jurisdictions reviewed, about half have imposed subscription limits to their NM program.

Where a subscription limit has been included in the policy, it is generally set to equal less than 2% of total system generation capacity, though 1% is the most common standard. In NS, for example, the subscription limit was set at 0.5% of NSPI's generation capacity, while in ON, the



limit was set at 1% of provincial capacity³⁵. Some US states, such as Nevada have set higher subscription limits (3% of the total peak capacity of all utilities in the state). Other States have stated their "Aggregate Capacity Limit" for NM installations as a percentage of customer demands. In Vermont, for example the aggregate capacity limit for NM is set as 15% of the utility's peak demand in the most recent calendar year.

In Canada, four of the jurisdictions reviewed had subscription limits. These include NS and ON as previously mention, NB has set a limit 0.5% of their historic peak, and the NWT which, like NL, has both a system supplied by hydraulic generation and a number of separate communities served by diesel systems, has set separate subscription limits for on-grid (hydraulic) and off-grid (diesel generation) communities. As determined by Northwest Territories Power Corporation (NTPC) system simulations, NM installations are limited to 20% of the capacity of the diesel systems in off-grid zones. The limit for on-grid (hydro) zones is determined annually based on an assessment of NM impacts on the grid. In its NWT Solar Energy Strategy 2012-2017 (Action #7), the NWT government committed to investigate effective ways to increase the limit on NM systems up to 75% of the system's load in off-grid zones³⁶. As of March 31 2014, 202kW of NM solar PV generation had been installed in NWT, accounting for 1.6% of the average load.

Subscription limits were found to be more common in the US jurisdictions reviewed. Five states (ID, OR, SC, WA and VT) impose subscription limits under their programs. AZ is the only state reviewed that does not impose a subscription limit. The subscription limits are generally imposed by the state regulator and often differ between IOUs and public utilities:

- The Idaho Public Utilities Commission (IPUC) instituted a 0.1% peak demand soft limit on IOUs. When Idaho Power Company reached the specified limit, the IPUC waived the limit. Idaho's other two IOUs have not reached the limits specified for their utilities.
- In OR, a subscription limit was not applied to the IOU's but the public utilities have a 0.5% peak load limit.
- In SC, the Public Service Commission (PSC) has a set a limit equal to 2% of the average peak demand over the past 5 years for all utilities.
- In WA, a limit was set at 0.5% of the 1996 peak demand for the three IOUs.
- In VT, IOUs and public utilities' limits are set a 15% peak demand.

Implementation and administrative issues

Connecting generation to a utility's system raises a number of technical and safety issues and all of the jurisdictions reviewed have an administration system to screen and approve

³⁵ In ON, the limit was set in terms of MW and has not been adjusted since March 2006. As a result it has fallen to about 0.75% of total system capacity.

³⁶ Northwest Territories, Solar Energy Strategy 2012-2017



installations. Most of the jurisdictions which have had a system in place for some time have worked to develop a simplified application process; typically for smaller and less complex generation systems.

In Canada, six of the jurisdictions (NB, PEI, QC, SK, YK and NWT) offer a single application process for all applications. Four jurisdictions (BC, MB, NS and ON) offer a simplified and expedited process for systems that fall below a given capacity. Three of these use a 10kW limit, and the other (BC) uses 27kW. SK is considering implementing a simplified application process for projects <20kW³⁷. In BC, 90% of projects were expedited based on the simplified <27kW limit³⁸. As a result of this process, in Fiscal Year 2013 BC Hydro reported that their total expenditure on technical review of designs was only \$2,000. BC Hydro is considering setting up a new process for projects that use a standardized design.

The remaining jurisdiction, AB, has a simplified application process for systems that meet three basic criteria related to environmental impacts and adverse impacts on others.

Four of the US jurisdictions reviewed (AZ, ID, OR and SC) offer a single application process for all applications. Only WA and VT offer two application processes, a simple process (for systems < 25kW and 15kW, respectively) and a complex process for all other systems.

Administration of a NM policy also includes on-going processes for billing customers and settlement systems if customers are compensated for any excess generation fed into the utility system. These issues are discussed in section 2.2.4 below.

2.2.3 Regulatory Treatment

a) Cross-subsidization issues

As discussed previously, some jurisdictions have specified NM through legislation. In those instances the enacting law may specify different rules than would otherwise be applied by the relevant regulator. For example, laws enacting FIT programs may offer different rates, allow cross-subsidization or simplified connection requirements as part of a policy goal of encouraging renewable generation. In other instances, laws enabling NM have directed the utility regulator to develop a NM policy without stipulating other requirements. As discussed in the introduction, these differences in the strategy behind NM accounts for many of the differences found in NM policies in different jurisdictions.

The most common regulatory concern with NM relates to possible cross-subsidization issues; whether transmission and distribution costs attributable to NM customers are transferred to

³⁷ SaskPower, Net Metering and Small Power Producers, 2010. http://www.organicconnections.ca/archives/conference2010/docs/OC%20pdf%20presentations2/Loughran.pdf

³⁸ BC Hydro, Net Metering Evaluation Report No. 3 – April 30, 2013



non-NM customers. A small level of cross-subsidization can be expected to arise with respect to general administration and overhead costs including metering and program administration costs. Cross-subsidization issues have been raised by interveners in a number of regulatory reviews of NM policies.

Varying levels of cross-subsidization are found in virtually all jurisdictions, both between customers in rate classes or with other customer characteristics. In some instances, this cross subsidization is permitted to support other policy objectives. For example, in the territories (YK and NWT), legislation requires the crown utilities to supply electricity to communities not served by the local investor-owned utility (IOU). While these communities are largely supplied by more expensive diesel generation rather than from hydraulic generation which supplies the territorial system, the retail prices paid by customers in these communities are maintained at the same level as communities connected to the main system.

In most of the jurisdictions reviewed the potential financial impact on non-NM customers is expected to be very small given the small number of NM customers and the limited amount of generation contributed to the system. Some jurisdictions have changed their NM requirements in order to manage cross-subsidization. For example, in BC a 50kW limit was imposed in 2005 to reduce potential cost-shifting to non-NM customers. In its 2013 Net Metering Report No. 3, BC Hydro noted that the capacity installed by NM customers is too small to result in any appreciable avoided cost benefits to BC Hydro and other ratepayers. BC Hydro also highlighted the degree to which the simplified application process has expedited the application process, reduced application times, and reduced overhead costs. In 2014, the British Columbia Utilities Commission ruled to increase the capacity limit to 100kW³9. BCUC noted that given the legislative and regulatory emphasis on clean energy, it believed that lowering participation barriers was of most importance, and proceeded to increase the limit from 50kW to 100kW.

In some US States, declining solar PV costs and rising electricity rates have led to higher penetrations of NM and an associated concern over cross-subsidization. In 2013, the Arizona Public Service Company (APS) filed an application with the Arizona Corporation Commission (ACC), the regulator, to obtain approval for a 'cost-shift solution' –meant to address the increasing levels of cross-subsidization⁴⁰. APS reported that for the years 2012-2013, it saw an average of 500 NM applications per month, and as of June 2013 it had 18,000 NM customers. APS argued that this was the result of state and federal incentives for NM, and the NM rate structure which provided NM customers an annual cash payment for excess generation. APS determined that on average, the cost shift from each NM customers to non-NM customers was

³⁹ BCUC Final Decision, Amendment to Rate Schedule 1289 Net Metering Service, July 25, 2014.

⁴⁰ APS Application for approval of Net Metering Cost Shift Solution, July 2013.



of approximately \$1,000 per year, such that in the current year the total cost shift to non-NM customers was of \$18M.

The Idaho Power Company (IPC), in its 2013 Net Metering Report⁴¹, identified that cross-subsidization was especially predominant within the Residential and Small General Service classes (R & SGS). IPC recounted that in the current bill structure, these two classes are billed through a \$5 basic charge plus the volumetric energy rate. IPC then noted that their fixed-customer related costs for R & SGS were \$20.92 and \$22.49, respectively, and since these two customer classes are charged a flat monthly fee of \$5, the majority of IPC's fixed-customer related costs are recovered through volumetric charges. Under this rate design, NM customers reducing their volumetric consumption would not be contributing fairly to the share of fixed costs. IPC concluded that at the current participation rates, it did not believe cross-subsidization was impacting customer rates. However, since rates were not design to recover the costs of providing a NM program, the current rate structure is unsustainable.

The Oregon PUC expressed its worries for cross-subsidization in its May 2014 draft report on solar programs⁴². The PUC noted that the economic potential for solar from NM would be limited as a result of the cost shifting of a utility's fixed costs from NM customers to non-NM customers; "Net metering customers enjoy a reduced electric bill, but in doing so they avoid paying some of these fixed costs. The Utility must recover them from other ratepayers". The PUC concluded that, given the very limited state-wide capacity of distributed solar generation, cross-subsidization is of small concern in Oregon.

In January 2014 the South Carolina Public Utilities Review Committee released its *Distributed Energy Resources Report*⁴³. The Committee identified that a utility's fixed costs represent 63% of their total service costs, and only 37% are variable costs. However, in the current residential rate design only 8% accounts for a basic, fixed charge, while 92% are recovered through volumetric rates. As a result, NM participation results in under-compensation of fixed costs to the utility. In Nevada, for example, there was a concern that the tariff provided for power supplied from NM installations (the "*Renewable Generations*" incentive) was too generous and combined with other NM rules resulted in cross-subsidization by other customers. Over 3,300 individual systems with over 60 MW of installed capacity (over 80% from PV systems) had enrolled in the program as of the end of 2013 and capacity installed under the system was projected to increase to over 230 MW by 2016⁴⁴. The PUC of Nevada retained Environmental Economics (E3) to analyse the impacts of NM and answer a series of questions regarding potential cross-subsidization. The study concluded that due to the program design and

⁴¹ Idaho Power Company, Annual Net Metering Status Report, February 28 2014.

⁴² Public Utility Commission of Oregon, Investigation into the Effectiveness of Solar Programs in Oregon, May 2014

⁴³ South Carolina Public Utilities Review Committee, Distributed Energy Resources Report, January 2014

⁴⁴ Nevada Net Energy Metering Impacts Evaluation, Prepared for: State of Nevada Public Utilities Commission, Energy and Environmental Economics (E3), Inc., July 2014, page 2.



incentives offered, there was a significant shift from NM customers to non-participating customers prior to 2014. Looking forward however, the study determined that "By 2016, assuming all of the reforms occur, non-participants will be approximately indifferent to customers that do install NM generation" ⁴⁵. The implication of the report is that the issue of cross-subsidization is strongly related to the level of incentive, if any, offered for power produced from NM systems.

b) Regulators' analyses and rulings on net metering

Regulators have reviewed NM in several of the jurisdictions addressed in this study. These reviews have included both program reviews in advance of launching a NM policy and periodic reviews of on-going programs.

In its final approval to adopt a NM program⁴⁶ the PUB-NWT identified a number of program elements that had potential to cause rate impacts as it moved towards adopting the NM program:

- Meter and metering costs,
- Customer communications/administration,
- Incremental costs from real-time monitoring of projects,
- Planning for new generation capacity, from a firm-capacity perspective,
- Fixed costs for generation/transmission/distribution not recovered due to netting, and
- Compensation of hydro customers at a rate reflective of displaced diesel and hydro.

The PUB-NWT concluded that these costs could be assessed more fully at Phase 2 of the 2014/15 rate application process.

As part of its decision the PUB-NWT:

- Ruled against setting rolling reset dates arguing that it would significantly increase the administrative burden for tracking and managing credits and dates.
- Found that NM customers in hydro communities would be compensated at a rate reflective of both displaced diesel and hydro generation. It acknowledged that this would result in some misallocation of costs but expected that the difference would be `
- Ruled that all NM projects are exempted from a standby service charge developed to provide NM customers a fair allocation of costs to maintain diesel generation to provide standby service to them, and to protect other customers from subsidizing NM

⁴⁵ Nevada Net Energy Metering Impacts Evaluation, E3, page 24. The reforms referred to involved issues such as the ratio of additional credits given for electricity from renewable source under the State's Renewable Portfolio Standard.

⁴⁶ NWT Public Utilities Board, 2014 Decision Re: Net Metering Application



customers' fair share of standby generation. NTPC's reasoning for dropping the charge was that given a 5kW limit, customers would still purchase a material portion of their electricity from the grid, thereby contributing to those costs.

In most jurisdictions reviewed, the customer generally pays for the incremental metering cost and may pay for any required technical review or safety inspection. In Canada all of the jurisdictions with a NM policy pay for on-going meter reading and program administration costs.

The Yukon Utilities Board (YUB), prior to final approval of its NM policy, reassessed its draft policy⁴⁷. The YUB decided against a credit expiration date, and approved a compensation scheme in which every kWh of excess electricity, rather than becoming a credit after each month, is paid at the avoided cost of generation once a year. The YUB notes that this annual metering and compensation approach encourages customer energy efficiency given that every kWh exported is summed into the annual payout, so that less energy usage by the customer directly affects the annual payout (unlike with monthly metering, which generally will create a scenario where credits will be used up month after month).

In Arizona, in response to APS's Cost Shift application, the ACC ordered a temporary \$0.70/kW charge -for all residential NM systems installed from 2014 onwards- as a short term solution to cross subsidization until the next rate setting period⁴⁸. In its evaluation the ACC noted that a series of interveners had suggested introducing a service, demand, or standby charge. The ACC argued that because residential rates are typically designed to recover much of the utility's fixed costs through volumetric energy rates, NM customers were paying less for those fixed costs. The additional fixed costs would be picked up by non-NM customers either through higher energy rates or through APS's Fixed Cost Lost Recovery mechanism.

In Idaho, on November 2012 IPC filed an application with the IPUC as its cumulative NM capacity neared its previously-held 2.9MW subscription limit⁴⁹.

IPC proposed:

- 1. Subscription limit: doubling its limit to 5.8MW
- 2. *Rate design*: an increase to its residential basic charge from \$5 to \$22.49 -and as result of this increase- a decrease in the residential energy charge down to 4.85c/kWh, and

⁴⁷ Department of Energy, Mines and Resources of Yukon, Net Metering Policy, Draft For Consultation, Feb 2011

⁴⁸ Arizona Corporation Commission, Decision No. 74202, APS' Application for Approval of Net Metering Cost Shift Solution, Dec 3, 2013

http://www.dsireusa.org/documents/Incentives/AZ%20Final%20Order%2074202.pdf

⁴⁹ Idaho Power Company, Application for Net Metering Service, Case No. IPC-E-12-27, Nov 30, 2012 http://www.puc.idaho.gov/fileroom/cases/elec/IPC/IPCE1227/20121130APPLICATION.PDF



3. *Annual payout*: replacing the previously-held annual cash payment with a credit expiry date of December 31

In its decision, the IPUC denied nearly all of IPC's proposal⁵⁰. The IPUC ruled that even the proposed 5.8MW subscription limit "[would] disrupt and have a chilling effect" on NM, so it decided to eliminate the subscription limit altogether. Regarding the rate design, the IPUC noted that while "[NM customers] do escape a portion of the fixed costs and shift the cost burden to other customers in their class...more work needs to be done to establish the correct customer charge for [participants]". The IPUC found that IPC's rate-design proposal imposed an overwhelming change. Finally, with regards to eliminating the annual payout, the IPUC stated: "while we want to encourage net metering, we believe financial credit or payment may incent potential net metering customer to overbuild their system". The IPUC eliminated the annual payout and instituted a system where kWh credits are carried forward indefinitely, without an expiration date.

In 2008, the South Carolina Energy Office (SCEO) was asked to recommend guidelines for IOUs to establish NM programs. In its report⁵¹, the SCEO asked -as a first step- that there be a clear separation of NM and power purchase programs. The following were some of SCEO's recommendations:

- 1. Standardize NM program structure across utilities
- 2. For residential customers, modify the IOU flat rate to reflect 1:1 standard retail rates for excess energy credits
- 3. Acknowledge that recommendation #2 may create cross-subsidization, and allow utilities to recover these costs
- 4. Eliminate stand-by charges
- 5. Allow NM customers to retain ownership of renewable energy credits
- 6. Require annual reporting, and formally revisit the NM process within 4 years

In Vermont, legislative bills -in 2013 and 2014- required the Public Service Department (PSD) to conduct a study on the existence and degree of cross-subsidization. Both PSD reports⁵² followed the same cost-benefit analysis structure and framework over a 20 year period, from a ratepayer and societal perspective. The reports assessed the deployment of small and large solar (non- and tracking) and wind systems in the territories of VT's 17 utilities; this, in order to perceive the effect of each utility's rate structures on costs and benefits. The 2014 study concluded that: "the aggregate net cost over 20 years to non-participating ratepayers due to net metering under the current policy framework is close to zero, and there may be a net benefit". The PSD also stated that "while rates strive to assign costs to those who cause them, this cannot be done exactly. The classic example [being] the comparison of urban and rural rates". The PSD recommended that for

⁵⁰ Idaho Public Utilities Commission, Final Order – Case No. IPC-E-12-27. July 3, 2013.

⁵¹ South Carolina Energy Office, Net Metering Report, Dec 30, 2008

⁵² Vermont Public Service Department, Evaluation of Net Metering in Vermont Conducted Pursuant to Act 99 of 2014, Oct 1, 2014



2016 onwards the Public Service Board, the regulator, consider potential changes to the utilities' NM program structure which may benefit the state as a whole. The intent of the 2014 legislative bill⁵³ is to establish a revised NM program by 2017.

2.2.4 NM Impacts

a) Net metering rate structures

Settlement for electricity consumed by and produced by NM installations typically involves two different but related processes. The first process involves the regular billing process for the NM customer, which is discussed in part b) below. The second process involves settlement or compensating the customer for any excess generation, in excess of the customer which is supplied to the utility system, discussed in part c) below. The rates applicable in each process are described in the appropriate section below.

All of the US jurisdictions reviewed offered customers a choice of at least two different tariffs under the label of NM, net billing, or self-generation. In AZ, the regulations permit the electric utilities to use avoided-cost rates, which may be differentiated seasonally and by time-of-day.

b) Monthly bill determination

In most jurisdictions, customers with NM installations are billed as part of regularly scheduled billing cycles, generally monthly or bi-monthly, based on their net electricity consumption. In all of the jurisdictions reviewed, NM customers are billed for any basic monthly charges included in the rate schedule applicable to their service but are billed volumetric charges based on the net volume of electricity consumed. Common industry practice is to allow customers to carry over kWh credits from one billing cycle to the next for up to one year. The treatment and settlement for any excess generation fed into the utility system is discussed in the following section (*Compensation for excess generation*). Information on the application of taxes, such as the HST, was only found for one Canadian jurisdiction, which indicated that HST is charged based on the total kWh delivered by the utility, rather than the net amount over the billing period.

All of the US jurisdictions reviewed charge NM customers a basic monthly charge and base volumetric charges on the net electricity consumed. In all, but two cases, customers are allowed to carry over kWh credits from one billing cycle to the next for up to one year.

In Idaho, IPC –the state's largest IOU- allows its customers to carry over kWh credits
indefinitely. In 2012, IPC filed an application with the IPUC asking to replace the
annual financial payout with a credit expiry date of December 31. In July 2013, the

⁵³ Vermont, Bill H.702 (Act 99)



IPUC ruled that it was "fair, just and reasonable for the kWh credit to indefinitely carry forward to offset future bills" 54, such that IPC customers' excess kWh credits never expire.

• In Oregon, where the PUC established separate NM program for public utilities and IOUs, Tillamook Public Utility District is the only utility that allows for credits to be carried indefinitely.⁵⁵

c) Compensation for excess generation

The rate paid to NM customers for excess power fed into the utility system differs by jurisdiction. In some instances, excess kWh fed into the utility system are credited to the customer's bill, effectively treating kWh drawn from the system and those fed into the system as equivalent. Eight Canadian jurisdictions credit customers for excess generation at the applicable retail rate (AB, SK, ON, NB, NS, PEI and NWT); though in some of these jurisdictions excess generation credits may expire after some pre-defined period (as discussed in "d) Process for Annual settlement").

Of those jurisdictions that offer customers a cash payment as part of an annual settlement process, (in Canada - AB, BC, MB, NS and YK), two (NS and AB) compensate customers at the applicable retail rate⁵⁶, and two (MB and YK) pay the customer at the utility's avoided cost. In jurisdictions with a FIT (ON) or Standard Offer Program (BC), the customer is compensated based on rates established under those programs.

In the US, different states have set up different settlement processes. Two jurisdictions (AZ and OR) provide a cash payment, calculated based on avoided costs, at the end of a 12 month period. Four others (ID, SC, WA and VT) do not pay for any annual balance in excess generation. Oregon has developed a unique solution. The State requires its IOUs and public utilities to provide the payment to the utilities' low income program. In F2013, OR's two IOUs (Portland General Electric⁵⁷ and Pacific Corp⁵⁸) collected a total of 1,124MWh of excess credits which, transferred at the avoided costs rate, resulted in a \$34K contribution to Oregon Heat's low-income participants.

⁵⁴ Idaho Public Utilities Commission, Final Order – Case No. IPC-E-12-27. July 3, 2013, pg. 13

⁵⁵ Aaron Lindenbaum, Net Metering in Oregon: Policy vs. Practice, September 21 2012

⁵⁶ In AB this applies only to residential customers.

⁵⁷ Portland General Electric, 2014 Unused Energy Report for Net Metering Facilities in 2013, July 1, 2014

⁵⁸ Pacific Power, Report on Excess Energy from Net Metering Facilities, June 18, 2013



d) Process for annual settlement

In all of the jurisdictions reviewed, the customer is compensated for all kWh fed into the utility system providing that they do not exceed the customer's consumption over a prescribed period (normally 12 months). In most of the jurisdictions reviewed, settlement for unused generation credits is carried out annually. The timing of the annual settlement varies by jurisdiction but is often scheduled in the "shoulder months" (spring or fall).

In Canada, about half of the jurisdictions that have a net metering policy offer customers a cash payment at the end of a 12 month period (AB, BC, MB, NS and YK). In the other half of the jurisdictions, any unused credit is absorbed by the utility at the end of the designated period⁵⁹. In the US, one jurisdiction (AZ) offers customers a cash payment, three jurisdictions (SC, VT, WA) has the utility absorb the unused credit, one (OR) socializes the credit into the "Oregon Heat low-income program", and one (ID) has a mixture of treatments (Idaho's IPC allows indefinite carryover of credits)⁶⁰.

e) Responsibility for associated net metering costs (e.g. engineering studies, distribution equipment upgrades, metering upgrades, related billing costs)

In all of the jurisdictions reviewed, customers are generally responsible for paying for additional costs associated with a NM installation, while the utility absorbs the costs of additional meter reading, billing and administration associated with NM reviews and approvals. Jurisdictions have made different decisions regarding the allocation of some of the other associated costs.

2.2.5 Participation / Uptake

Customer participation rates have varied widely, in part reflecting different policy objectives underlying the NM policy. In many cases the participation in NM is not publicly reported or is combined with participation rates for FIT or other initiatives.

In Canada, uptake rates for jurisdictions which reported NM participation (AB, BC, NS, PEI, SK and NWT) ranged from 200kW to 4.5MW in installed capacity, and ranged from 0.01% to 0.16% as a percentage of the jurisdictions' installed capacity. Wind and solar PV projects are by and large the technologies of choice for NM projects. In ON, the microFIT program (<10kW) reached 167.3MW in cumulative capacity, or 0.54% of the provincial installed capacity. Information on program uptake was unavailable for three jurisdiction (MB, NB and QC). YK, whose program commenced in February 2014, has not yet reported participation and capacity uptake from NM.

⁵⁹ The designated period is 12 months in all jurisdictions except Quebec, which uses a 24 month settlement period.

⁶⁰ Idaho Power allows indefinite carryover of credits. Two other Idaho utilities (Avista and Rocky Mountain) absorb the credit.



The US jurisdictions reviewed were found to have higher levels of program participation than were found for Canadian jurisdictions; both in term of installed capacity and number of NM customers. In most US jurisdictions, only IOUs are required to report the uptake of NM participation to their regulators. The reported NM participation ranged from 2.97MW to 375MW in installed capacity, and ranged from 0.8% to 5.2% as a percentage of the states' installed capacity.

Uptake rates (on a per year basis) for each Canadian and US jurisdictions are found in Table 3. The rates are for the last reported year of NM information, and are reflective of the growth maturity of each jurisdiction.

Uptake⁶¹ Rate 62 Uptake Uptake as Last reported Program 4.5 MW 1.4 MW/year 0.03% 2009 2013 888 249 F2013 0.31 MW/year 0.01%BC 2005 1.1 MW 228 MB NB 2005 NS 2005 2013 1.2 MW 157 0.19 MW/year 30 0.03% ON^{64} 2006 2013 167.3 MW⁶⁵ 19,275 30.1 MW/year 3,501 0.54% PEI66 2005 2012 200 kW67 0.05% QC 2004 SK68 2007 2010 5.1 MW 584 0.96 MW/year 100 0.12% 2014 YK Not yet known NWT69 F2014 2014 202 kW70 67 kW/year 0.16% $4\%^{10}$ AZ^{71} 2006 2013 375 MW 106 MW/year 6,902 17,696 (149 MW res.) (49 MW/year res.) (6,722 res.) (1.6%)(17,024 res.) ID 1983 2013 2.97 MW72 428 0.45 MW/year 78 $0.08\%^{11}$ OR 1999 2013 56.6 MW 6,882 12.6 MW/year 1,086 0.36% SC^{73} 2008 2013 4.6 MW 299 207 0.02% VT 1998 2013 63.99 MW 4,620 14.8 MW/year 1,027 5.2% WA74 1998 2013 27.1 MW 5,600 8.0 MW/year 1,550 0.09%

Table 3: Annual Uptake Rates (MW and Projects per Year)

⁶¹ The Uptake date may not be reflective of the last reported year. Uptake may be reflective of partial 2014 data. See Appendix A for exact dates

⁶² Uptake rates (in MW/year and projects/year) in the last reported year

⁶³ Calculated as % of a jurisdiction's total installed capacity as of Dec 31, 2012 for Canada, and July 2014 for the US

⁶⁴Ontario data is taken from microFIT projects from Jan 7, 2013 to Jan 6, 2014

⁶⁵ Data is representative of microFIT program (for <10kW), and accumulates projects from microFIT 1.3-1.6, 2.0, and 3.0 as of Oct 3, 2014

 $^{^{66}}$ Not enough information available for PEI to determine uptake rates

⁶⁷ Value reported from four community based projects that installed 50kW turbines

⁶⁸ Estimate given 1.3MW in 2010 (target was 1.1MW) and 2017 estimate of 8MW

⁶⁹ In the NWT, a net billing pilot had been in effect since 2010. The rates provided are for the 3 year average F2011-2014. Participation rates are not known

⁷⁰ This value excludes projects from the hydro zone (only 3 customers as of July 31, 2013)

⁷¹ Data reported only representative of the Arizona Public Service Company. Uptake in MW is representative of Dec 31, 2013, uptake in number of projects is as of June 2013

⁷² Data reported only representative of Idaho Power Company (IPC)

⁷³ The SC uptake rate (MW/year) is not known. SC utilities are only required to include the number of net metering customers, not capacity.



3 Considerations for a Provincial Net Metering Policy

The following section describes how Navigant determined "best practices" for the purpose of this study and offers items to be considered in the development of a NM policy for Newfoundland and Labrador. These considerations, offered for analysis by the DNR and the Steering Committee which has guided this study, are intended to be directional rather than prescriptive and recognize that the final policy design will be developed in consultation with the Steering Committee and other stakeholders.

3.1 Best Practices

As part of the study, Navigant was asked to identify "best practices" for NM policies. No examples of recommended Best Practices specific to Canada were identified, although Measurement Canada (MC) has published a policy regarding electric meters for net metering⁷⁵. The MC policy focusses on requirements for electric meters and metering configurations but does not address the broader issues of eligibility limits or settlement.

In the US, the Interstate Renewable Energy Council (IREC)⁷⁶, which promotes the use of renewable and clean energy, has published a *Model Net Metering Rule* since 2003. The model rule sets out what the renewable energy industry believes represent best practices in NM policies⁷⁷. The US DOE, which includes the IREC Model Rule on their website as a "best practice"," has summarized the recommended elements of the IREC Model Rule as:

- "All utilities (including municipal utilities and electric cooperatives) should be subject to the state policy.
- All customer classes should be eligible.
- The individual system capacity should not exceed the customer's service entrance capacity. Otherwise, there should be no individual system capacity limit.
- There should be no aggregate system capacity limit.
- Any customer net excess generation at the end of a billing period should be credited to the customer's next bill as a kWh credit (i.e., at the utility's full retail rate) indefinitely, until the customer leaves the utility's system.
- Utilities should not be permitted to impose an application fee for NM.

⁷⁴ Project numbers and uptake rates (MW/year and projects/year) are reflective of only solar PV installations, which includes a small number of commercial projects >100kW

⁷⁵ Measurement Canada, E-27 — Policy on the use of Electricity Meters in Net Metering Applications, http://www.ic.gc.ca/eic/site/mc-mc.nsf/eng/lm00030.html.

⁷⁶ IREC is a well-recognized, non-profit organization that educates and promotes the uptake of renewable and clean energy. IREC publishes regulatory policy best-practices reports, offers training programs, publications, accreditation and certification programs.

 $^{^{77}}$ Interstate Renewable Energy Council (IRE C), Model Net Metering Rules: 2009 Edition,

NAVIGANT

- Utilities should not be permitted to impose any charges or fees for NM that would not apply if the customer were not engaged in NM.
- Utilities should not be permitted to force customers to switch to a different tariff. Customers should have the option to switch to a different tariff, including a time-of-use tariffs, if they choose to do so. If a customer is on the time-of-use tariff, they should be credited for the appropriate time-of-use period in the billing period.
- Customers should have ownership of any renewable-energy credits (RECs) associated with the customer's electricity generation.
- Customers should be permitted to offset load measured by multiple meters on the same property using a centrally-located system.
- The state public utilities commission should adopt comprehensive interconnection standards for customer-sited systems."

While this Model Rule identifies "best practices" from the stand-point of renewable energy producers and are recognized by agencies such as the US Department of Energy, they do not necessarily align with the context in NL.

While some "best practices" can be judged from standard industry practices, in many cases the "best practice" depends on what is appropriate for the context in which the policy is to be implemented considering the policy objectives to be met and the starting conditions. As discussed, the NL system has one of the highest proportions of renewable hydraulic generation of any jurisdiction in North America⁷⁸. As a result, the focus of a NM policy in NL may differ from that in other jurisdictions.

In its 2007 Energy Plan the Government of Newfoundland and Labrador committed to develop and implement a NM policy for small-scale renewable energy sources. We have interpreted this focus on small scale, renewable sources and providing a regulatory framework for these customers as key elements to consider when developing a NM policy for the Province and recommends that the following policy elements be considered in developing a NM policy for the Province.

http://www.epa.gov/cleanenergy/energy-and-you/)

As indicated in the Introduction, NL anticipates that after Muskrat Falls and the associated transmission ties come on line the province will generate approximately 98% of its electricity from renewable sources. In Canada and the US, only Manitoba, Quebec, BC, Washington and Oregon come close to this level of renewable supply. In most other provinces, territories and states fossil fuels supply a significant portion of generation. Across the US, coal supplies about 40% of generation, with natural gas supplying just under 30%. (see US EPA, US Fuel Mix 2001-2013,



3.2 Policy Considerations

Navigant recommends that a NM policy for NL address the following issues.

- Eligibility Criteria
 - Types of generation or energy sources permitted,
 - o Customer class,
 - o Limits on system capacity, and,
 - o Limitations relative to customer load.
- Connection Requirements, including the need for a technical review, standards to be applied for generator connections, safety inspections, etc.
- Meter aggregation rules
- Allocation of costs for technical reviews, incremental meter costs, distribution system upgrades required, billing and administrative costs, etc.
- Rates applicable to net consumption and excess generation
- Settlement process to be used for excess generation supplied to the system
- Subscription limits or "Aggregate Capacity Limit" for the program as a whole
- Treatment of any credits that may be associated with the generation (Renewable Energy Credits, carbon credits, etc.)

Based on our review of industry practices with respect to Net Metering and the NL policy context we offer the following recommendations for consideration.

1. Eligibility Criteria:

- i. In keeping with the Government's policy direction, it is recommended that NM be made available for small-scale renewable resources.
- ii. It is recommended that NM be made available for customer classes which cover "homeowners and small business operators"⁷⁹ and for customer systems sizes consistent with the emphasis on small scale. It may be appropriate to interpret this limitation differently for connections for different portions of the system (i.e. the Island system and isolated and coastal communities served by diesel systems) based on differing system capabilities; with a lower limits applied in smaller diesel systems.
- iii. Navigant suggests that it would be appropriate to adopt the IREC model rule requirement that "individual system capacity should not exceed the customer's service entrance capacity" or jurisdictions which limit the connected generation relative to the customer's load (i.e. Arizona limits generation to 125% of the customer's load). This would be consistent with the Government's stated policy goal of

⁷⁹ Newfoundland and Labrador, *Focusing Our Energy* – Energy Plan, page 40.



allowing residential and small business "to install small generation units to produce power for themselves and feed some back in the system when they produce more than they need"⁸⁰. Limiting system capacity to the customer's load will also help limit issues relating to settlement for excess generation from NM systems.

- 2. It is recommended that transparent requirements for connecting NM customers be established by the utilities and made publically available for potential NM customers prior to implementing the policy. These requirements would be expected to address the need for review of connection requests by the utility. We anticipate that the utilities will be able to adopt existing standards for customer and generator connections for this purpose, but it is recommended that consideration be given to means of streamlining these processes in order to provide a timely response and minimize administrative costs. Navigant suggests that NL consult with BC Hydro regarding their experience in streamlining their processes.
- 3. Navigant suggests that meter aggregation not be permitted under the policy, though there may be reason to allow multiple meters on the same property to be consolidated as recommended by IREC. Excluding aggregation is consistent with most other jurisdictions and will help limit administrative issues, including settlement issues that may arise if aggregation is permitted.
- 4. The NM policy should clearly articulate responsibility for different costs associated with NM installations. While there is no standard industry practice, most jurisdictions require the customer to pay for additional meter costs and any permits required. We concur with the IREC recommendation that under a well-designed program, limited to small-scale generation, the costs of technical reviews of connection requests, incremental meter reading and billing costs, and administrative costs should be negligible over the rate base, however, consultation with the utilities is recommended.

It should also be noted that some customer connection requests could require distribution system upgrades to accommodate. In these instances, we recommend that the utility be provided discretion as to whether a connection request can be accommodated and whether the costs of any required upgrades should be recovered from the NM customer.

5. Settlement for NM installations can be managed in several ways. Navigant suggests that NL consult with the utilities as to the most efficient and equitable solution. We recommend that the customer's net consumption be billed using the tariffs which would normally apply to a customer of the same size, type and location and that the

⁸⁰ Focusing Our Energy, page 24.



customer be compensated for excess power at the same rates (i.e. a periodic settlement process be implemented and any the customer be compensated for any excess generation).

With regards to settlement for excess generation produced from NM systems and fed into the utility system we suggest two options be considered.

- i. Credit "net excess generation at the end of a billing period" to the customer's next bill as a kWh credit (as recommended by IREC). This offers a simple solution if NM systems are limited to be approximately the same size as the customer's load. It is recommended that if this approach is taken that these accounts be monitored annually to identify any accounts which are developing a significant credit over a 12-month period.
- ii. Separately track net excess generation for NM installations and settle annually with a cash payment or bill credit. It is anticipated that this would be an off-line process separate from the utility's normal billing process and would therefore add some administrative costs. The alternative, used by a number of utilities of simply absorbing any excess generation would serve to discourage oversizing of customer generation but is likely to be perceived as inequitable by customers.

Under the second approach a separate decision will be required regarding the rate at which to compensate for excess generation. One solution is to calculate any resulting credit at the rates normally applicable to the account. This has the advantage of simplicity and provides a settlement that is consistent with the credit normally provided in "netting" at the meter. The drawback of this approach is that it may result in some cross subsidization⁸¹ if the applicable rates differ from avoided costs. If avoided costs are expected to differ significantly from applicable rates, then the use of avoided costs in the settlement process will reduce the risk of cross-subsidization.

- 6. Navigant does not expect that an overall subscription limit for the program as a whole is required for NL given the policy objective and Provincial context. We recommend, however, that the utilities be encouraged to monitor the response to the policy and provided the opportunity to recommend an overall capacity limit should the need develop.
- 7. While there is not currently a significant market for Renewable Energy Credits or Carbon Credits that could be associated with small-scale renewable generation, we

⁸¹ Note that depending on how rates differ from avoided costs, the NM customer may subsidize other customers or be subsidized by other customers.



recommend that the policy be clear in stating that the system owner would retain these credits.

8. As discussed, NM policies have been introduced in different jurisdictions by legislation, through government direction to regulators, and voluntarily by utilities. We suggest that the most appropriate path for NL would be to have a NM policy developed under the auspices of the PUB, either directly as part of a PUB process or by directing the utilities to develop a policy for PUB approval. This approach would be consistent with the Government's statement that it will ensure that "regulatory support is in place for customers who wish to develop these alternatives" A policy developed by the PUB would also be subject to its normal considerations that rates be "just and reasonable" and that the service provided be "safe and reliable".

We understand, however, that the PUB may be restricted by its mandate if it deems that there is some risk of cross-subsidization. We therefore recommend that Natural Resources discuss the proposed approach to a NM Policy with the PUB to determine if it would be acceptable. If it is determined that concerns about potential cross subsidization would preclude the PUB from implementing a NM policy, then legislation should be considered to authorize the PUB to implement NM.

⁸² Focusing Our Energy, page 40.



Appendix A: Summary of Net Metering Policies by Jurisdiction

NM Jurisdictional Review

Alberta

Aiberta

Micro-Generation

Driving force:
The AB Government passed the Micro-Generation (MG)
Regulation (27/2008) on Feb 2008, under the Electric Utilities Act. The Alberta Utilities
Commission (AUC) implements the regulation, and hence developed Rule 024 – Micro-Generation. The regulation came into effect January 2009, then was extended on Dec 2013 to Dec 31, 2015.

<u>Market</u>: Deregulated, wholesale market; system owned/operated by IOUs, munis, wire service providers (WSP), retailers

Generation Capacity:

Sept 2014	MW	%
Coal	6,258	43%
Gas	5,812	40%
Hydro	900	6%
Waste Heat	86	1%
Fuel Oil	12	0%
Renewable	1,530	10%
Total	14,598	100%

Program Design/Framework

Legislative Consideration: Electric Utilities Act:

The distribution tariff is determined by each distribution system owner (not

- The distribution tariff is determined by each distribution system owner (no provincially dictated or likewise)
- Rate tariffs are determined –at a first level- by the distribution system owner, followed by the retailer –at a second level.
- "A customer has the right to obtain retail electricity services from a retailer" (WSP) Micro-Generation Regulation:
- · Retailer acts as participant in AESO's market
- Article 7(5) states "Unless a [MG] and a retailer agree in writing to different
 compensation...". This effectively allows retailers to set up a subsidy-type
 compensation scheme (i.e. FIT). Multiple retailers (at least 13) created the
 Light Up Alberta program wherein MGs where paid 15c/kWh for their
 renewable electricity exported. The Alberta Electricity System Operator
 (AESO) and the Ministry pushed back, but the regulation has not changed
 the language.

Eligibility Requirements:

- Must be renewable resources or alternative energy, meaning:
- o Solar, wind, hydro, fuel cell, geothermal, biomass, or other source with GHG intensity less than 418 kg/MWh
- o Product having EcoLogo certification
- <1MW
- (Sized to needs) Nominal capacity does not exceed the rating of the customer's service. AUC uses the transformer rating –that serves a customer- to determine the max capacity of a customer's MG system
- Meter Aggregation: unit located on or adjacent (if owned/leased) to customer's site
- Subscription limit: Not included

Implementation (Application Process):

- · Submit Micro-Generation application form
- · Include site plan, single line diagram, system certification
- Obtain WSP/PUC approval as required (see below)
- · Electrical inspection
- · Meter installation/modification

WSP/PUC Approval:

 Customers (<1MW) don't need to file an application to the AUC, only submit application directly to the WSP - if (1) no person is adversely affected, (2) complies with AUC Rule 012: Noise Control [required for wind projects], and (3) no effect on the environment.

If fails to comply with (1)-(3), customer must follow Rule 007-Section 4 procedure (PUC approval required).

Customer & Program Costs/Benefit Bill Determination/Rate Structure

- Provides for a credit for the excess electricity sent into the grid.
- Bill includes associated distribution charges, as well, monthly administration, and billing
- A credit may be carried forward for up to 12 months to offset a charge for any month
- At least once in each calendar year, microgenerators are provided a payment for any unused credits accumulated
- Small MG (0-150kW): compensated at that retailer's retail energy rate and on a monthly electricity bill
- <u>Large MG (150-1,000kW)</u>: compensated at the hourly pool price for each hour in the billing period

Responsibility for associated NM costs

Customer Costs:

- Monthly base charge
- · Municipal permits

Utility Costs

- WSP is responsible for the cost of the meter, installation, metering
- Cost of connecting MGs are borne by the WSP, and recovered by the WSP's customer rates (unless connection costs are 'extra-ordinary')
- MG distribution charges applied to MG are only for the electricity

Cross Subsidization Issues:

 $\bullet \quad \text{Meter, metering, installation costs are added to rate base, and recovered from all customers} \\$

AUC Evaluation [1]:

Regulatory Treatm

- Under Rule 021, retailers report the retail rate to the ISO to recover costs through the transmission tariff.
- If due to Article 7(5) of the regulation, a retailer negotiates with a customer a higher price
 than the retail rate, the retailer cannot report this contracted price to the ISO to have all its
 electricity customers subsidize the higher price paid to micro-generators.
- In this case, the retailer is <u>responsible</u> for paying the premium (the difference from the micro-gen price and the retail rate) to the micro-generation customer. The retailer is not allowed to recover the premium from the ISO.

Other Information

Meter:

Alberta uses net billing which employs a meter with two registers - one for electricity fed to the grid and one for electricity taken from the grid. Having two registers allows microgenerators to keep track of how much electricity their system has generated.

- 0-150kW: bi-directional cumulative meter
- 150-1,000kW: bi-directional interval meter

Alberta Carbon Offset Credit System

- For emitter with >100K tCO2. Emitters must reduce by 12% their emissions per production unit. Emitter can purchase credits from any of the government-approved protocols.
- In 2013, the Protocol for Distributed Renewable Energy Generation (for micro generators was approved). With this protocol, micro-generators have the possibility of additional revenue.
- As of April 2014, there was interest in carbon credits purchased from micro-generators, but
 emitters are not using them because of –among a few reasons- potential tCO2 size (relative
 to larger renewable, EE projects in the GHG registry yielding 1,000s tCO2 credits)

HatSmart Renewable Energy Incentive

 Rebate program for Medicine Hat residents for 25% (up to \$2,500) of installation costs of renewable energy systems.

NM Experience (Jan 2014): • 888 sites

- rogen.a
- 4.5MW total

See Micro-Generation General Website, Q: How many microgenerators are there in

Micro-Generation General Website: http://www.energy.alberta.ca/Electricity/mic

egulation: ttp://www.gp.albe

http://www.qp.alberta.ca/1266.cfm?page=20 08 027.cfm&leg_type=Regs&isbncln=978077 9730308

Rule 024:

http://www.auc.ab.ca/acts-regulations-andauc-rules/rules/Documents/Rule024.pdf

Application Guidelines: http://www.auc.ab.ca/ruledevelopment/microgeneration/Documents/Micro Generation/M icroGenerator/Application Version1-2.2012/078829.04.

Alberta Profile: http://www.energy.alberta.ca/Electricity/682

.asp http://www.energy.alberta.ca/Electricity/mic rogen.asp

Carbon Offsets-Micro Generation Protoco (summary)

http://www1.agric.gov.ab.ca/\$department/d eptdocs.nsf/all/cl14883/\$file/microgen4.pdf? OpenFlement

Protocol for Distributed Renewable Energy

Generation: http://esrd.alberta.ca/focus/alberta-andclimate-change/regulating-greenhouseemissions/alberta-based-offset-creditsystem/offset-credit-systemprotocus/documents/8816 pdf

HatSmart Renewable Energy incentive: http://www.hatsmart.ca/Residential%20Inc ntive%20Programs/Renewable%20Energy% 20Installations/Purchase.asp

[1] Reporting of retail energy rate information in the micro-generation retaile summary transaction of AUC Rule 021 http://www.auc.ab.ca/newsroom/bulletins/Bulletins/2014/Compliance/ 20Guide%202014-03-03.pdf

AUC Transformer Ruling: http://www.auc.ab.ca/applications/decisions/ /Decisions/2012/2012-103.pdf

NAVIGANT

NM Jurisdictional Review

British Columbia

Drivers for NM Driving force:

Net Metering (RS

In 2002, the BC Government's 2002 B.C Energy Plan, -through (Action #20) required 50% of new supply to come from clean electricity

> In July 2003, the BC Utilities Commission (BCUC) directed BC Hydro to file a NM application. Since then BC Hydro, FortisBC, etc. have developed NM programs.

Market:

BC Hydro (1.2M customers) and FortisBC (0.1M). BC Hydro is vertically integrated, and regulated by BCUC.

Generation Capacity:

Dec 2012	MW	%
Gas	1,464	9%
Hydro	13,160	84%
Renewable	767	5%
Total	15,631	100%

Program Design/Framework

Legislative Considerations:

BCUC operating under the Utilities Commission Act:

- "the commission must have due regard to the setting of a rate that...provides to the public utility for which the rate is set fair any reasonable return on any expenditure
- · Expenses defined as "to encourage public utilities to produce, generate and acquire electricity from clean or renewable sources"

The Clean Energy Act, and BC Hydro IRPs have supported the development of renewable resources through RS1289 and the Standard Offer Program (SOP)

Clean Energy Act:

- "to generate at least 93% of the electricity in British Columbia from clean or renewable resources'
- "To facilitate the achievement of one or more of British Columbia's energy objectives, the Lieutenant Governor in Council, by regulation, may require the authority to establish a feed-in tariff program"

RS 1289 originally written in 2004, then amended in 2014.

Eligibility Requirements:

- 50kW (amended to 100kW on July 2014, after interveners challenged the 50kW limit when BC Hydro filled for an RS 1289 amendment in 2011)
- · Residential or any General Service
- Clean or renewable resource (as defined by BC's Clean Energy Act)
- Meter aggregation: Unit must located on or adjacent (if owned/leased) to the customer's property
- · Subscription limit: Not included

Implementation (Application Process):

If Simple NM Gen (<27kW, CSA certified, self-contained revenue metering):

- · Submit a "Simple Net Metering Interconnection Application Form"
- No drawings required

Otherwise:

- · Submit a "Complex Net Metering Interconnection Application Form", plus additional documents required
- · Electric single-line diagram, site plan

Overall, 90% of projects are streamlined (skips engineering review) through the Simple NM Gen. application process. BC Hydro is considering introducing a streamlined process for standardized designs, rather than simply being qualified as a Simple NM based on technical requirements deemed 'too technical for the layperson'.

Bill Determination/Rate Structure

- · Excess energy is credited to customer's account and carried over
- · At the anniversary date, remaining credits paid through a cash payout at 9.99c/kWh
- o Reasoning for 9.99c/kWh: "generally consistent with SOP prices"; which varies from approximately 9.5 to 10.4c/kWh
- The overarching premise for 9.99c/kWh is rate simplicity (BC Hydro did not consider losses, upgrades costs, etc. -i.e. not cost-of-service)

Responsibility for associated net metering costs Customer Costs:

- · meter base, wiring, protection-isolation devices, disconnect switches, etc. (any equipment on the Customer's side of the delivery point)
- · For >5kW (and if determined by BC); must also pay a Net Metering Site Acceptance Verification Fee
- Synchronous Generators; required to pay additional costs for interconnecting the generator relative to a non-sync generator (until July 2014 amendment used to require all costs)
- · Similarly, for all generators >50kW will be required to pay additional costs relative to a generator <50kW (an intervener suggested that BC Hydro adopt the Alberta approach to only charge for 'extraordinary' connection costs)

Utility Costs:

- · Meter, connection to grid
- RS 1289 F2013 administration costs: \$125,000 (Technical Review only accounted for \$2,000; this low costs for engineering review is significant in that it follows from having 90% of project streamlined through the simple application process)

Credits and Payments:

As of March 31, 2013:

- · Customers received approximately 107MWh of
- In F2012, BC Hydro delivered 29.5GWh to NM customers
- · BC Hydro also purchased 529MWh of surplus energy from 13 customers (with one customer accounted for 80% of purchases)
- · The overarching conclusion is that in general the energy credits/kWh of payout only account for a tiny fraction of the electricity delivered by BC Hydro. Vast majority of customers are still highly dependent on grid.

Cross Subsidization Issues:

Regulatory Treats

- Level of cross-subsidization is limited to meter, metering, program administration, and
- "Given the minimal volume of RS 1289 energy, the financial impact on non-participating ratepayers is currently not significant and BC Hydro therefore does not have any pricing concerns"
- · The BCUC first imposed the 50kW to limit potential for cross-subsidization BC Hydro Analysis:

Three evaluation reports to date by BC Hydro (last on April 30, 2013).

- Due to 2014 amendment, BCUC has agreed with BC Hydro to produce a report in 2017, to allow for 2-3 years of experience with the amended program
- . Cost of power: "At this time, the installed capacity of RS 1289 generators and the volume of energy generated by those customers is simply too small to result in any appreciable avoided cost benefits to BC Hydro and other ratepayers, both in terms of the impact on BC Hydro's Load-Resource Balance and avoided system costs," (BC Hydro 2013 conclusion)
- "the impact of RS 1289 on the load is inconsequential"
- "BC Hydro agrees that if a supplier designs a standardized system [i.e. PV, micro Hydro] and BC Hydro has reviewed that system and is satisfied with it, any subsequent projects using the same design are likely to be resolved more expeditiously" [1]; intention is to speed up the lengthy process, though BC Hydro states that interconnection impacts are drive by project size/location, hence the statement above may not necessarily speed up applications, though it's worth considering.
- · BC Hydro considers that 100kW increase will not affect PV participation since PV system capacity is most often than not limited by residential roof-top area

Capacity Reasoning:

50kW:

Residential customers would not require 100 kW generators to displace their electricity load; 50 kW is more than enough, and is consistent with max amperage and voltage for residential customers. 50kW would not result in costly interconnection costs, and volume of energy coming onto grid could be managed. Most importantly; size limit is intended to reduce potential cost-shifting (cross subsidization) to non-NM customers.

BCUC considers that RS 1289 need be driven not by maximum theoretical residential load, but by economically available clean energy. BCUC, given the legislative/regulatory emphasis on NM/clean energy, opined that lowering participation barriers was of most importance. 100kW gens are appropriate for General Service customers, whereas 50kW is limiting. Capped at 100kW since large generators tend to incur higher interconnected-related costs, and affect simplicity of program implementation.

No need to go over 100kW given:

- >70% of RS1289 customers use gens of <5kW
- · >90% of RS1289 customers use gens of <25kW

Other Information

Meter:

Single meter capable of measuring flows of electricity in both directions. If meter is unreliable, BC Hydro may require two meters

Standard Offer Program

The SOP is meant for clean energy generators 50kW-15MW that intend to sell electricity to BC Hydro. Base price varies from 9.5 to 10.4c/kWh (before annual CPI escalation).

A proposed micro-SOP program would look after generators in the range 50kW-1MW who want to sell electricity to BC Hydro.

The intent is that there by cross-over between micro-SOP and RS 1289 to give customers room to decide which program is best for them.

(March 2013)

228 sites (206 PV)

• 1.138 MW (78% PV, 15% hydro, 2.5% wind, 2.5% wind/PV and 2% biogas)

See Net Metering Evaluation Report

http://www.bchydro.com/energy-inbc/acquiring power/current offerings/net metering.html

Eligibility Requirements: http://www.bchydro.com/content/dam/BCH portal/documents/corporate/independentpower-producers-calls-for-power/netmetering/schedule-1289-net-metering-

service.pdf Net Metering Evaluation Report No. 3 - BC https://www.bchydro.com/content/dam/BC

portal/documents/corporate/independentpower-producers-calls-for-power/netmetering/net-metering-evaluation-report april2013.pdf

http://www.bchydro.com/content/dam/BCH ydro/customerportal/documents/corporate/independentpower-producers-calls-for-power/netmetering/simple-net-metering-applicationform.pdf

BCUC Final Decision http://www.bcuc.com/Docun gs/2014/DOC 41819 G-104-14 BCH RS1289-Net-Metering Decision.pd

Application:

[1] BC Hydro Reply Submission http://www.bcuc.com/Documents/Argume ts/2014/DOC 41350 05-14-2014-BCH-ReplySubmission pdf

[2] BC Hydro, Responses to BCUC http://www.bcuc.com/Documents/Proceedin gs/2014/DOC 41257 B-4 BCH-Responsesto-BCUC-IR1.pdf



NM Jurisdictional Review

Manitoba

Customer Owned Generation

Driving force: Manitoba Hydro (MH) offers the Customer Owned Generation program. The driving force for this

Drivers for NM

Market:

program is unknown

Manitoba Hydro (MBH), fully integrated, regulated by the Public Utilities Board (PUB).

MB's Clean Energy Strategy Plan (2012) states that MB's priorities are the construction of the Keeyask (695MW) and Conawapa (1,485MW) hydroelectric plants given the need for new capacity for 2023.

Generation Capacity:

Dec 2012	MW	%
Diesel	10	0%
Natural Gas	353	6%
Coal	105	2%
Hydro	5,217	88%
Renewable	252	4%
Total	5,927	100%

Program Design/Framewor

Legislative Considerations:

Manitoba Hydro Act

- Section 38 (1), Purchase of Power: "The price to be paid by the corporation for power supplied to it....shall be computed by the board at the amount of the actual costs of producing it"
- o This sets a framework where any cash payout will be determined by an avoided-cost approach
- Section 15 (4), Transmission access: "The corporation may enter into agreements...under which the corporation may provide access to the transmission facilities of the corporation to any person...for sale"

There is no relevant legislation or regulation regarding Customer owned generation

Eligibility Requirements

- Any customer
- Renewable energy (solar, wind, hydro, organic matter)
- · Non-renewable energy (e.g. fossil fuels)
- · Single Phase: 50 kW
- Three Phase: 10 MW
- · Meter aggregation: no mention of aggregation, project location, etc.
- · Subscription limit: Not included

Types of Customer Owned Generation

MBH has 5 types of Distribution Resource interconnections. The two most relevant, known as Parallel Generation, for NM are:

- Type II Load displacement only (no export)
- . Type III Load displacement plus excess to grid: Similar to Type II except that power is allowed to flow back to the utility.

Implementation (Application Process):

All generators must meet technical requirements in DR Interconnection Guideline

For <10kW:

- · CSA-certified, electrical inspection
- · Registered with MBH using the "DR Interconnections 10 kW or Less Registration Form"

For >10kW, undergo a 5 Stage Process (case by case):

- · Stage 1 Exploratory, initial meeting with MBH
- Stage 2 Scoping & Preliminary Estimates
- (incl. single line diagram, generation information, generation profile)
- Stage 3 Interconnection Study, composed of (a) engineering study, and (2) energy purchase price
- Stage 4 Agreements (PPA, and Interconnection and Operating Agreement)
- Stage 5 Construction & Commissioning

Customer & Program Costs/Benefit Bill Determination/Rate Structure

- Based upon PPA in Stage 4, a customer may be entitled to sell excess kWh-s to MBH.
- · Energy Purchase Price:
- o Preliminary estimate determined in Stage 2 of interconnection process
- o Final estimate in Stage 3: Energy Purchase Price (actual) is based on the cost of integrating the generator's output into the system (e.g. environmental premiums; government subsidies, integration into peak hours; M-F, 6am-10pm)
- · There is no mention of kWh credits, carry-over, or cash-payouts and anniversary dates.
- · It is understood that the T&C of the PPA will determine the bill determination/rate structure. Type II customers would not be entitled to energy payments, only Type III

Responsibility for associated net metering costs Customer Costs:

- · Bi-directional revenue meter
- · Cost of the interconnection protection equipment, and all additional interconnection upgrades, equipment required
- · Construction costs (if any) will be determined in Stage 2 of interconnection process
- Engineering study (Type II: \$500, Type III: \$1,000 deposit prior to determining actual cost)
- Metering

Utility Costs:

· Program administration costs

Cross Subsidization Issues:

Regulatory Treatm

• Level of cross-subsidization is only limited to program administration costs

Analysis:

MH Development Plan and NFAT (Need for Alternatives to), Appendix 7.1 Emerging Energy Technology Review [November 2013):

MBH was asked to evaluate the c/kWh price for a 1,300kWh/kW, 4kW PV system for 6%ROI over 20 years, and compare it with the current residential rate

- The 2013\$ LCOE was determined to be 10.55c/kWh, compared to the residential rate of
- MH recognized that it "[does] not have an appropriate net metering pricing mechanism to cover solar integrations costs (costs of dealing with the intermittency)"

Other information

Type II: regular one way Type III: bi-directional

Bioenergy Optimization Program

This program is part of MBH's Power Smart Plan (2008-present) which encourages customer self-generation using biomass systems. The program targets large (general service class) agricultural and industrial customers with low-cost sources of biomass that are Load Displacement (Type II and III) customers. MBH provides incentives and financial support. The (cumulative) expected capacity savings up to 2013/14 was 1.4MW (12GWh).

N/A

http://www.hydro.mb.ca/customer services /customer owned generation/index.shtml? WT.mc id=2704

http://www.hydro.mb.ca/customer_services /customer owned generation/distributed r esource interconnection request.pdf

Technical Requirements http://www.hydro.mb.ca/customer services

/customer owned generation/connecting di stributed resources.pdf

http://www.hydro.mb.ca/customer_services /customer owned generation/distributed r

Need For Alternative To (NFAT) - Report: http://www.hydro.mb.ca/projects/development plan/bc documents/new/round 1 supp lemental response november 22.pdf

Bioenergy Optimization Program http://www.pub.gov.mb.ca/nfat/ application/appendix e 2013 16 power sm

Clean Energy Strategy: http://www.gov.mb.ca/ia/energy/pdfs/energy y strategy 2012.pdf



Drivers for NM

NM Jurisdictional Review

New Brunswick

Net Metering

Driving force: In 2001, the NB Government appointed a Market Design Committee (MDC) to advice on electricity policy that the NM & Energy had outlined in its Energy Policy white paper. The MDC recommended a few initiatives; NM, embedded generation, RPS, Energy Efficiency, CO2 emissions trading. In 2005, NB Power introduced the NM and Embedded Generation programs

Market:

NB Power, single vertically integrated crown utility. NB power is regulated by the Energy & Utilities Board (EUB)

Generation Capacity:

Dec 2012	MW	%
Diesel	1,497	35%
Natural Gas	351	8%
Coal	467	11%
Nuclear	638	15%
Hydro	939	22%
Renewable	332	8%
Total	4,223	100%

NB's 2011 Energy Action Plan, Immediate Priority includes:

· "Encouraging public awareness and adoption of net metering and embedded generation"

NB Climate Change Action Plan 2014-2020:

· NB Power and Gov. will review NM & embedded generation to ensure it continues to meet goals, keeps rates low.

Program Design/Framewor

Legislative Considerations:

Electricity Act:

Note: the 2013 Electricity Act required the reintegration of NB Power

- 103(7): "In approving or fixing just and reasonable rates, the Board....taking into consideration...any requirements imposed by law on the [NB Power] that may be relevant to the application, including....renewable energy requirements"
- The minister can be responsible for "setting the purchase price...for electricity obtained from renewable resources" (i.e. Large Industrial Renewable Energy Purchase program)
- 136(1): "The Corporation shall, in accordance with the regulations, ensure that a portion of the electricity that it obtains is from renewable resources"
- o As outlined in the 2011 Energy Blueprint, this portion is a 40%RPS by

Eligibility Requirements

- 100 kW
- Meter aggregation: no meter aggregation allowed, exception apply for farmers
- · Subscription limit:
- o In 2008, the aggregate capacity of the Net Metering and Embedded Generation programs was capped at 21MW
- o Evaluation: Nov 2010: "The current net metering program has a peak demand capacity limitation of 0.5% of NSPI's historical annual capacity (approximately 12 MW), with only approximately 600 kW of that amount currently subscribed."

Implementation (Application Process):

- · Net Metering (Distribution Voltage) Interconnection Application
- · Single-line diagram and site location drawing
- · Inverter's technical specifications
- A licensed electrician will need to provide NB Power with an electrical
- · Approval by the NB Dept. of Public Safety, Technical Inspection Services

Customer & Program Costs/Benefit Bill Determination/Rate Structure

- · Excess electricity carried over as a credit
- · Credits are carried up to March 31 of each year.
- · After March 31, credits are reduced to zero.

Responsibility for associated net metering costs Customer Costs:

- · Service call fee for changing to a bi-directional meter;
- · Connection fees
- · Costs to purchase and install equipment;
- · Monthly service charge
- · Rental charges if applicable
- · HST on the total amount of electricity delivered, not the net amount of electricity billed
- · A meter connected-telephone line

· Program administration fees, metering, meter

Cross Subsidization Issues:

NB Market Design Committee (MDC)'s 2002 final report:

• MDC members raised concerns with the potential for cross-subsidization; hence the MDC recommended that NM system capacity be set at 100kW, and cumulative capacity should be 1% of utility's max demand.

Other information

Regulatory Treatm

Embedded Generation Program

- Connect environmentally sustainable generation unit to the 12kV distribution system
- 100kW-3MW (exact capacity size limit to be determined in application process)
- · Generator's energy output not used to offset customer's electricity consumption, but rather purchased as in a FIT program (as of June 1 2010, 9.728c/kWh)

Large Industrial Renewable Energy Purchase

- NB Power purchases (at \$95/MWh) renewable energy generated from large industrial facilities. The purpose is to reduce the overall electricity costs of such facilities to be in line with the Canadian average.
- · Aggregation is valid, so as long as facilities are owned by larger enterprise
- · Purchased renewable energy will contribute to the NB's RPS (40% by 2020)
- For F2013, F2014, 779GWh was purchased.

N/A

Genera Informationl:

http://www.nbpower.com/html/en/save_ene rgy/renewable projects/net metering/net m

Technical Specification for Net Metered

http://www.nbpower.com/html/en/save_ene rgy/renewable projects/net metering/Techn ring%20APR%2010%20EN.pdf

http://www.nbpower.com/html/en/save_ene rgy/renewable projects/net metering/Appli cation%20Net%20Metering%20%20EN%20R evised%202009.pdf

MDC Report (2002)

rtments/en/pdf/Publications/2002MDCFinal

Energy Blueprint (RPS):

rtments/en/pdf/Publications/201110NBEne

Laree Industrial Renewable Energy

http://www.electionsnb.ca/content/gepartments/energy/industrial.html

Energy Action Plan:

http://www2.gnb.ca/content/dam/gnb/Depa

NAVIGANT

Drivers for NM

NM Jurisdictional Review

[urisdiction

Nova Scotia

NSPI - Enhanced Net Metering Driving force:
Nova Scotia Power Inc. (NSPI has offered NM since 1989. The Utility and Review Board (UARB) officially approved it as NSPI Regulation 3.6 in 2006. Further, with the Ministry of Energy's 2010 Renewable Electricity Plan; it established targets for (1) its large renewable procurement program, (2) COMFIT program, and (3) it also proposed enhancing the NM program. The current structure of the

NSPI Regulation 3.6 follows the

2010 Electricity Act amendment.

Market:

NS Power (NSPI), near monopoly, 6 munis, IPPs. Regulated by the UARB.

Generation Capacity:

Dec 2012	MW	%
Diesel	222	8%
Natural Gas	321	12%
Coal	1,243	47%
Hydro	400	15%
Renewable	453	17%
Total	2,640	100%

Program Design/Framework

Legislative Considerations:

Electricity Act:

- 3A(1): "A public utility may develop and maintain a program that will permit any
 customer to generate electricity for the customer's own use and to sell any excess
 electricity to the public utility at a rate equivalent to the rate paid by the customer
 for electricity supplied to the customer by the public utility"
- Under 3A, the electricity act sets the framework for the NM program (Electricity Act) Renewable Electricity Regulations:
- "Each year beginning with the calendar year 2020....each load-serving utility must supply greater than 40% of the total amount of electricity supplied"
- "Beginning with...2014...NSPI must produce or acquire at least 350GWh of firm renewable electricity each year"

Eligibility Requirements

- All NS Power customers who are served from NS Power's Distribution system and who are billed under NS Power's metered service rates
- o Class 1: Residential and commercial (<100kW)
- o Class 2: Larger commercial or industrial customers (1MW)
- Solar, Wind, run-of-the-river, ocean, tidal, wave, biomass, landfill gas (as
 defined in the Renewable Electricity Regulations under Section 5 of the
 Electricity Act)
- Two class proposal intended to reflect the current break point for generation interconnection standards (projects >100kW are subject to more complex assessments/interconnection process)
- Meter aggregation: Credits may be used for multiple accounts within the same distribution zone (Definition: "All NS Power distribution feeders that emanate from a single distribution supply transformer within a substation")
- Generators must be sized to meet a customer's electricity consumption (NSPI to evaluate).

Implementation (Application Process):

Class 1:

- Expedited process for <10kW (submit interconnection form, manufacturer information, single line diagram)
- 11kW-100kW (interconnection form, manufacturer information, single line diagram, site plan, protective device data, point-of-contact info.)

Class

 101-1,000kW (distribution interconnection form, preliminary assessment, class 2 form, distribution impact study)

Bill Determination/Rate Structure

- Customers billed for the difference at their regular retail rate (applicable also for TOU customers)
- Any monthly surplus carried over to the next monthly bill as credits
- End of year: Customers are provided a cash payout at the retail rate

Responsibility for associated net metering costs Customer Costs:

- Monthly base charge
- All costs incurred by NSPI to deliver the NM service relative to regular customers.
- Incremental costs to install a bi-directional meter Utility Costs:
- · Program administration, metering, meter

Regulatory Treatmen

Cross Subsidization Issues: UARB Ruling, Regulation 3.6:

- Halifax Regional Water Council (HRWC) challenged the 20MW limit, proposing get rid of
 the limit. NSPI replied: "The uptake of the net metering service will lead to a reduction in NSPI's
 kWh sales without a parallel reduction in the total amount of non-fuel related costs (that is, fixed
 costs) to be recovered by the utility"
- NSPI went on to say that this will result; first, in under-recovery of fixed costs, and second, in an increase rate charge to all customers. NSPI noted that once they gain an understanding and experience with the enhanced program the 20MW limit will be revisited if needed.

Electricity Act (NSPI Regulation 3.6):

(March 2011)

"as a condition of participation, the customer transfer or assign all emission credits or allowances arising from the use of renewable energy sources to the public utility to enable the public utility to comply with the requirements of any enactment regulating emissions"

This amendment follows from the Board's Decision 2009 NSUARB 116: "The Board orders
that all environmental credits created by projects funded by DSM investments are to stay
with the DSM Administrator for the benefit of all customers"

UARB Ruling, Regulation 3.6:

NSPI argued for the following capacity limits: 5MW allocated to Class 1, and 15MW allocated to Class 2; for a total capacity limit of 20MW.

- In the regulatory process; Halifax Water argued that the 5, 15, and 20MW limits were set
 arbitrarily. NSPI countered citing an almost 100% increase (from 12MW capacity), and that
 "allocating 20MW to this enhanced program will allow NSPI to monitor and evaluate the
 program's cost recovery implications for the utility and its customers".
- The UARB ruled to not include any capacity limit (5, 15 nor 20 MW) because (1) the Electricity Act made no reference to capacity limits, and only encouraged increasing levels of renewable energy, and (2) NSPI provided no evidence for those limits.

Finally, the UARB requested that NSPI submit an annual Enhance NM progress report.

Other information

Community Feed-In Tariff (COMFIT)

Allows small scale producers to bypass renewables procurement program (for large capacities). Intended for community-based, local projects.

(Jan 1, 2014):

157 sites with 1,152.4kW

 Solar: 78 sites, 364.7kW

 Wind: 78 sites, 779.0kW

 Solar/Wind: 1 sites, 8.8kW

ources

Genera Information: https://www.nspower.ca/en/home/for-myhome/make-your-own-energy/enhancednet-metering/default.aspx

http://nslegislature.ca/legc/statutes/elctrcty.htm

Regulations: http://www.gov.ns.ca/just/regulations/regs/

d: 1 NSPI Regulation 3.6:

https://www.nspower.ca/site/media/Parent Regulation.3.6.Net.Metering.pdf

Guidelines

https://www.nspower.ca/site/media/Parent/l nterconnection.Technical%20Guideline-Net.Metering.pdf

Application and process flowcharts: http://www.nspower.ca/en/home/environm ent/renewableenergy/enhanced/apply/defau lt.aspx

Regulation 3.6 UARB Ruling: http://nsuarb.novascotia.ca/sites/default/ s/documents/electricityarchive/netmeteri

2/23/2011, NSPI Reply Submission: http://uarb.novascotia.ca/fmi/iwp/cg db=UARBv12&-loadframes



NM Jurisdictional Review

Ontario

Net Metering

Drivers for NM Driving force:

The Ontario government passed the Ontario Regulation 541/05 under the Ontario Energy Board Act in 2005, and effective January 23, 2006. Then in 2009, the Green Energy Act (GEA) introduced the FIT program.

Market:

Deregulated, multiple generators, Hydro-One owns transmission system, 75+ LDCs, all are regulated by Ontario Energy Board (OEB)

Net metering has been specified as a policy objective in the 2013 Long Term Energy Plan (LTEP): "Ontario will examine the potential for the microFIT program to evolve from a generation purchasing program to a net metering program"

Given this emphasis -under the current rate design- increases in NM would decrease LDCs revenue as NM consumers reduce their electricity use.

Generation Capacity:

Dec 2012	MW	%		
Natural Gas	7,180	23%		
Nuclear	12,856	41%		
Hydro	8,445	27%		
Renewable	2,352	8%		
Total	31,222	100%		

Program Design/Framework

Legislative Considerations:

Ontario Regulation 541/05 made under the Ontario Energy Board Act, 1998

Green Energy Act (GEA):

- Preamble: "The Government of Ontario is committed to fostering the growth of renewable energy projects, which use cleaner sources of energy, and to removing barriers to and promoting opportunities for renewable energy projects and to promoting a green economy"
- "The Minister may direct the OPA to develop a feed-in tariff program that is designed to procure energy from renewable energy sources"

Eligibility Requirements

- 500 kW (must produce electricity primarily for own use)
- · Eligibility: no reference to residential/general service
- · Renewable energy source
- · Meter aggregation: No
- Subscription limit: 1% (last update was in March 2006)
- Generators must be sized to meet a customer's electricity consumption Implementation (Application Process):
- <10kW (Micro-embedded Generation)
- · Micro-Generation Connection Application Form
- · meeting Technical Interconnection Requirements (TIR)

>10kW (Small, Mid-sized & Large Embedded Generators)

- · Connection Impact Assessment (CIA) form
- · Study Agreement
- Distribution Operating Map (DOM) Request (from Hydro One)
- · Single Line Diagram, and TIR

Bill Determination/Rate Structure

- · Credits for excess electricity are carried over
- Credits can be carried over up to 12 months
- · Any unused credits remaining at the end of 12 consecutive months cleared

Responsibility for associated net metering costs Customer Costs

- · Distributor may bill a customer for incremental metering and other costs incurred in order to connect the eligible generator's generation facilities to its distribution system
- · Customer pays for charges that are not calculated on the basis of the customer's consumption of or demand for electricity (i.e. admin, demand charges, T&D fees)

· Program administration, metering, meter

Regulatory Trea **Evaluations**

Distribution System Code:

An LDC must make NM available upon request, "unless the cumulative generation capacity from net metered generators...equals [1%] of the distributor's annual maximum peak load" averaged over three years. It was set at 1% having the OEB recognize the revenue impacts of a large uptake of NM and to limit their exposure to revenue decreases.

Since the last revision (March 2006), the total provincial capacity limit is 260MW (which is approximately 3/4 of 1% of the current provincial capacity, 35GW)

LDC's are required to submit NM participation rates (and capacity, and project type) annually to the OEB

In its Notice of Proposal to Amend a Code; the OEB states that "It is not anticipated that electricity distributors will incur substantial costs as a result of the proposed amendments."

- · Hydro One commented that they would be implementing a manual solution to settlement costs, which would entail costs of \$75K CAPEX, and \$50K OPEX, though noting that a manual solution would not be sustainable given large NM customers. An automated system could costs \$1M.
- . ENWIN Powerlines argued that an LDC's customer base with a large base of industrial customer would have an inflated NM capacity limit (1% as noted above), given that NM is intended at encouraging residential and small-commercial customers.

(Oct 2014):

• 167.3MW (99%

• 19,275 projects

This data is representative of only Ontario's microFIT program (for <10kW), and accumulates projects from microFIT 1.3-1.6, 2.0 and 3.0

See OPA Micro-FIT Weekly Report (Oct 3, 2014)

Green Energy Act: laws.gov.on.ca/ht

2009/elaws src s09012 e.htm Net Metering (Hydro One) http://www.hydroone.com/Generators/Page s/NetMetering.aspx

http://www.e-

laws.gov.on.ca/html/source/regs/english/200 5/elaws src regs r05541 e.htm

Distribution System Code http://www.ontarioenergyboard.ca/OEB/ D ocuments/Regulatory/Distribution System

OEB. Distribution System Code: http://www.ontarioenergyboard.ca/OEB/Inc ustry/Regulatory+Proceedings/Policy+Initial ives+and+Consultations/Archived+OEB+Ke y+Initiatives/Proposed+Amend

Proposed Amendments to the Distribution System Code (see for Hydro One and ENWIN comments):

http://www.ontarioenergyboard.ca/OEB/Ind ustry/Regulatory+Proceedings/Policy+Initiatives+and+Consultations/Archived+OEB+Ke stribution+System+Code

OEB - Notice of Proposal to Amend a Code http://www.ontarioenergyboard.ca/doonts/cases/EB-2005-

http://powerauthority.on.ca/sites/default/file s/planning/LTEP 2013 English WEB.pdf

OPA Micro-FIT Weekly Report (Oct 3, 2014): weekly reports/mFIT%20Report%20Bi Weekly%20October 3 2014.pdf



NM Jurisdictional Review

Prince Edward

Island

Maritime Electric Net Metering

Drivers for NM Driving force: The Renewable Energy Act,

> came into effect in 2005, introduced the Net Metering program

Market:

Maritime Electric (MECL) regulated by Island Regulatory & Appeals Commission (IRAC), Summerside Electric (muni), not as closely regulated by IRAC. Government's intent in introducing NM is to assist customers who want to supply a portion, or all, of their annual electricity load from their own small capacity renewable energy generator. There seems to have been a shift in focus -as outlined in PEI Energy Commission's reportstowards community-based

Generation Capacity:

wind projects.

Dec 2012	MW	%
Diesel	161	39%
Renewable	247	61%
Total	408	100%

Reliance on NB Power has been in the range of 80-90% for electricity generation. MCEL relies primarily on two 100MW cables from NB Power. MECL is looking at options to build a 3rd -180MW- cable to be in-service by 2016

Program Design/Framework

Legislative Considerations:

Renewable Energy Act (came into effect 2005) includes:

- RPS of 15% by 2010
- Minimum purchase price of 7.75c/kWh for renewables (applicable to Wind until 15%RPS achieved, but will remain in effect for other renewables), fixed 5.75c/kWh and 2c/kWh subject to CPI.
- REJECTED (not passed into law): 100% renewable by 2015

Eligibility Requirements

- 100 kW
- · Eligibility: MECL customers who are served from the distribution system and are billed under one of the metered service rates (unmetered not eligible)
- · Meter aggregation: No
- Subscription limit: No

Implementation (Application Process):

Single Process for all applicants:

- · Two copies of the prescribed net-metering system agreement that
- · Drawings or information concerning the interconnection equipment or renewable energy generation facility

Bill Determination/Rate Structure

- · Billed for net usage during the month
- · Excess kWh are credited
- · Credits don't accumulate indefinitely (on Oct 31of each year, or as set out in agreement, credits

Note: Prior to Renewable Energy Act the customer was paid based on avoided generation costs, which was usually taken as the wholesale price. The difference was recovered from all customers

· Monthly service charge always included

Responsibility for associated net metering costs Customer Costs:

- · Permits and licenses required for the construction and operation of generation unit
- · Upgrade cost to utility's its electric system
- Incremental costs relative to regular customers
- · Liability insurance

Utility Cost:

· Covers costs associated with customer having two meters (The Renewable Energy Act provides for the costs that the utility incurs in complying with the provisions of the Act to be passed on to all customers through rates.)

Regulatory Treat Other information

PEI Energy Strategy, Securing Our Future (2008) Government actions:

- · Govt. will double its RPS to 30% by 2013 o By 2013, achieved 43%.
- · Govt. will maximize the benefits of future large-scale wind developments (historically, primary focus has been on large scale wind generation)
- · Govt. to evaluate and develop appropriate policy mechanisms, such as net-billing and the allocation of electrical capacity, to facilitate the development of smaller community-based wind and other renewable energy projects

Island Wind Energy, Securing Our Future: The 10 Point Plan (2008) Goal:

- 500MW of Wind by 2013
- o (3 point) "Demonstrating Community Support; engaging the community in discussion and secure support for their proposal, local communities must share in the benefits from wind energy, and proceeds from wind farms will be invested in a Community Trust Fund"

Charting our Electricity Future (2012)

The PEI Energy Commission received input calling for a strong commitment by the province toward community-based renewable energy development (especially Wind energy), and recommended the use of DR policies such as NM. The commission highlighted the Wind Energy Institute of Canada's NM Initiative. The Institute evaluated 17 proposals from ice rinks across Prince Edward Island. Four rinks qualified for the program, w/ funding up to \$180K (72% of project costs). 50kW turbines were installed

Renewable Energy Equipment Tax Exemption

On April 2013, PEI adopted the HST, replacing the PST. Prior, renewable energy systems (incl. wind, solar PV/thermal, biogas <100kW) were exempted from the PST.

http://www.maritimeelectric.com/about_us/ regulation/reg irac regulations det.aspx?id =165&pagenumber=36 http://www.canlii.org/en/pe/laws/stat/r

1988-c-r-12.1/latest/part-1/rspei-1988-c-r-

http://www.irac.pe.ca/document.aspx?file=1

Renewable Energy Act:

12.1-part-1.pd

Data reported from four community based projects that installed 50kW turbines, sponsored by WEICAN

See WEICAN-Annual

Operational Update

Fall 2012

NM Experience

NM ():

200kW

egislation/RenewableEnergyActNet-MeteringSystemsRegulations.asp Net Metering Brochure:

http://www.maritimeelectric.com/document s/environment/Net Metering Brochure.pdf PEI Energy Strategy: Securing our Future http://www.gov.pe.ca/photos/original/env_s

Island Wind Energy: 10 Point Plan http://www.gov.pe.ca/photos/original energy.pdf

Changing our Electricity Future http://www.gov.pe.ca/photos/original/NRC Commish 13.pdf 2014 Statistics http://www.gov.pe.ca/photos/original/pt_an

nualreview.pdf WEICAN - Annual Operational Update Fall

Operational2012 ENG.pdf NET METERING INITIATIVE – WIND

Arena Information Turbine suppliers v6.



Hydro 37,137 90%

41,336 100%

Total

Enrollment Form with a description of the equipment you plan to buy and

• Hydro-Québec will then inspect your facility, for a charge of \$400, to make sure it complies with the terms of the Interconnection Agreement; install a

 Sign the Interconnection Agreement and mail it to Hydro-Québec • purchase your generating equipment and have it installed

return it to Hydro-Québec for technical validation

dual-register meter, at no expense to you.

Jurisdiction	Drivers for NM	Program Design/Framework	Customer & Program Costs/Benefits	Regulatory Treatment	NM Experience	Sources
Quebec Hydro-Québec - Metering Rate Option	Driving force: The Regie de l'energie (The Regie), the energy regulator in Quebec, passed a NM regulation (3535-04) on June 2004. The Regie's intent was designed to help customers meet all or part of their energy needs, not to sell their surplus power to the Distributor. Generation Capacity:	 Eligibility Requirements 50 kW Renewable energy sources including: wind, solar, hydro, geothermal, bioenergy Residential customers, farmers billed at Rate D or DM (without billed power demand*) and small-power business customers billed at Rate G (without billing power demand*) - *Less than 50 kW. Generating capacity must not exceed the estimated capacity required to meet all or part of power needs Quick estimate: Eligible kW ≤ Annual Consumption (kWh)/(8,760 hours x 35%) Meter aggregation: No Subscription limit: No 	Bill Determination/Rate Structure Surplus kWh are carried over as credits Accumulated credits must be used within 24 months (customer can inform utility of the chosen expiry date; otherwise the default date of March 31 will apply) March 31; any credits are lost. Responsibility for associated net metering costs Customer Costs: purchasing, installing, maintaining and inspecting the equipment pay utility \$400 to inspect the unit	Other information Hydro-Québec does not provide any rebates to homeowners for the installation of onsite renewable customer owned generation sources. Self-generation without compensation plan If project is not renewable, HQ does not provide kWh credits for surplus generation	N/A	Hydro Quebec, Net Metering: http://www.hydroguebec.com/residential/r inderstanding-your-bill/trackersidential- rates/net-metering-option/ Net Metering Brochure: http://www.hydroguebec.com/self- generation/docs/depliant-mesurage-net-pdl Net Metering Enrollment Application: http://www.hydroguebec.com/self- generation/docs/guide-mesurage-net-pdf The Regie, Acts and Regulations: http://www.regie- snergie.qc.ca/en/regie/reglements.html
	Dec 2012 MW % Diesel 625 2% Natural Gas 1,463 4%	Implementation (Application Process): Application process: Expellment Form with a description of the equipment you plan to buy and	Utility Costs: • install a dual-register meter, program			

administration costs, metering



NIM Inviod	istional Daviau					
		. D. 1/2 1		. n. 1,		
NM Jurisd: Jurisdiction Saskatchewan SaskPower - Net Metering	Drivers for NM Driving force: The SK Ministry of Environment launched net metering in 2007, as part of its Green Power Portfolio. SaskPower developed the NM policy Generation Capacity: Dec 2012 MW % Natural Gas 1,337 33% Coal 1,682 41% Hydro 853 21% Wind 198 5% Total 4,089 100%	Program Design/Framework Eligibility Requirements 100 kW Biogas and biomass; flare gas; heat recovery; low-impact hydro; solar; turbo expander; wind Available to all metered, non-seasonal customers Meter aggregation; No Subscription limit: No Implementation (Application Process): Complete: "Application for Net Metering and Preliminary Interconnection Study" form SaskPower will provide a quote of the total costs (connection, commissioning, new meter), and the "Interconnection Agreement for Net Metering". Application for rebate program System installation, commissioning Electric permit and inspection	Customer & Program Costs/Benefits Bill Determination/Rate Structure Excess electricity is carried over as credits Excess electricity should be used within 12 months, otherwise on the anniversary date, any credits will reset to zero To maximize credits built up in a 12-month period, SaskPower sets the anniversary date based on the type of generation system (however the date can be adjusted by customer) Solar PV – March/April: maximizes credit build up over summer Wind: Aug/Sept: maximizes credit build up over winter/spring Others: anniversary reflects month when meter installed Responsibility for associated net metering costs Customer Costs Responsible for all interconnection costs preliminary interconnection study (\$315 including GST) bi-directional meter and interconnection cost (\$475 plus GST) electrical permit fee installation, commission and electrical inspection of the system Government Rebate Program: One-time rebate, equivalent to 20 per cent of eligible costs to a maximum payment of \$20,000, for an approved and grid interconnected NM project (up to November 30, 2014), launched in 2013. Prior, the SK Ministry of Environment (through the Go Green Fund) introduced a NM Rebate in 2007, which provided up to \$35,000 to program customers. The program was to expire in March 2011, but was extended and given a funding boost due to an 'unexpected influx of applications'	Regulatory Treatment NM Evaluations & Other Information Net Metering Program SaskPower owns all environmental and GHG offset credits. No program subscription limit Evaluation: As per regulation, the Net Metering Program is reviewed annually, though these reports have not been made available publicly. SaskPower Presentation: Net Metering and Small Power Producers (as of 2010): For 2017, SaskPower projects 8MW of NM projects Solar projects ranged from 1-9kW, and wind projects ranged from 1-40kW. No projects were close to the 100kW limit. The average processing time went from 10months (2007) to 5months (2010). A plan was developed to allow for a cash payout for remaining credits after 12months, though never came to life. A plan for a simpler application process for <20kW, with standard pricing, contract, installation CanSIA Evaluation: Recommends a transition to incentivize power system performance. NM customers would be encouraged to purchase subpar equipment (compared to better performing equipment) in order to benefit from the equivalent rebate. A future program should be incented to pursue optimum performance systems; such as to maximize ROI (from the province's and NM customer's point of view). Executive Summary on the Go Green Fund Program (which includes the NM rebate) "the net metering program was a great catalyst for growth of the solar industry in Saskatchewan" As of F12Q1, 316 projects received rebates Inquiry into Saskatchewan's Energy Needs Final Report (April 5, 2010) The Committee made series of recommendations: Recommendation 8: "that SaskPower evaluate its net metering program and determine its potential expansion" Recommendation 9: "that SaskPower examine net metering options for customers who have more than one meter on an account" Recommendation one of the solar informing customers about the program and that Ontario's	NM Experience NM (2014): • 400 sites (expected 100 new/yr.) • 5.1MW (estimate based on 1.3MW in 2010, and 8MW estimate to 2017) Note: In 2010: • 1.3MW (target was 1.1MW) • PY: 154kW • Wind: 1,143kW • 184 projects See SaskPower Presentation	General: http://www.saskpower.com/efficiency-programs-and-flp/generate-your-own-power/self-generation-programs/net-metering-programs/ SK Power NM Policy: http://www.saskpower.com/wp-content/uploads/net-metering-policy.pdf News-release: http://www.saskpower.com/wp-content/uploads/net-metering-policy.pdf Application: http://www.saskpower.com/wp-content/uploads/net-metering-application.pdf Co-Green Fund Program Review: http://www.self-power-com/wp-content/uploads/net-metering-application.pdf Co-Green Fund Program Review: http://www.environment.gov.sk.ca/ac/ds/aspy/ads/Gelf/Media-aspy/Doct/D=1606.1601.104. 1.1.Documents&MediaID=298c96c9-0994- 48ff_a887. self-190dde/off-filenams=Go+Green+Fund-Review.pdf Inquiry into SK's Energy needs final report- http://www.eleasses/mbl/sk-ca/fegislative- business/fegislative-committees/crown-and- certarl-agencies/10040/srpport-cc-30-pdf SaskPower Net Metering and Small Power Producers http://www.cansia.ca/sites/default/files/poli- y-and-research/2011/070.cansia-submissin n-solar-power in-asskatchewan.pdf SaskPower Presentation: http://www-organicconnections-ca/archives- conference/2010/docs/CV-2/0pdf/s/20present- ations/A-onghran.pdf
			Prior, the SK Ministry of Environment (through the Go Green Fund) introduced a NM Rebate in 2007, which provided up to \$35,000 to program customers. The program was to expire in March 2011, but was extended and given a funding boost due to an 'unexpected influx of applications' received, and lobbying form the Saskatchewan	Recommendation 9: "that SaskPower examine net metering options for customers who have more than one meter on an account" Recommendation 8: "that SaskPower explore better avenues to promote the net metering program and small power producers program" (see below for program) These recommendations were raised due to a series of public concerns including that		
			Chamber of Commerce The Ministry's rebate program was designed as a demonstration project to assess the feasibility of promoting the adoption of small scale solar technologies	Small Power Producers Program For customers w/ <100kW, who will sell the excess or all electricity to SaskPower; under certain contract rules: • 9.8c/kWh (2012), escalating at 2%/yr. • Electricity banking (NM) not allowed • 20yr contract (40 for hydro) • No program capacity • Environmental credits owned by SaskPower • In 2010, program reached 320kW in cumulative capacity (projection to 2017 is 2MW)		



NM Jurisdic	ctional Review					
Jurisdiction	Drivers for NM	Program Design/Framework	Customer & Program Costs/Benefits	Regulatory Treatment	NM Experience	Sources
Micro-Generation Policy and Micro- Generation Production Incentive Program (This program is the 'net metering' portion of the Micro-Generation Policy)	Drivers for NM Driving force In the Government's Energy Strategy for Yukon (2009), it set out to develop a NM policy. After a period of public consultation, the Government released the final version of Micro-Generation policy in October 2013, and policy implementation began in Feb 2014. Policy objectives: • adoption of new individual renewable energy sources to reduce GHGs diversify renewable energy sources Market: Yukon Energy Corp (YEC, a public utility) generates most of the electricity, and distributes to a small portion of communities outside Whitehorse. Yukon Electrical Company (YECL), an IOU, distributes to Whitehorse and most other communities. Both utilities are regulated by the Yukon Utilities Board Generation Capacity: Dec 2012 MW % Diesel 55 37% Hydro 94 62% Wind 0.8 1% Total 150 100% YEC generates 98% of electricity from hydro.	Legislative Considerations YEC required to serve areas of the territory not served by an IOU Eligibility: • Customers on a shared transformer = 5 kW • Customers on a single transformer = 25 kW • Projects up to 50kW will be review on a case-by-case basis (review costs are on the customer) • Residential, general service and industrial customers • Renewable technology including: wind, micro-hydro, biomass, solar Meter aggregation: No Subscription limit: No limit specified Application process: 1. Micro-Generation Project Interconnection Application, including single-line diagram, site plan, electrical permit 2. Micro-Generation Interconnection and Operating Agreement 3. Meter Installation System installation	Bill Determination/Rate Structure Compensation is on an annual basis (no concept of monthly credits carried month after month since program is not net-billed monthly, rather annually). Anniversary based on utility-approval date for system The incentive for the net electricity exported is reflective of the current avoided cost (2013 rate application) of new electrical generation in the territory. Rate will be evaluated 2 years later 21c/kWh for grid-interconnected customers 30c/kWh for isolated communities (reflective of diesel gens) (for reference, the residential rate for grid-interconnected and isolated is 12.14c/kWh) Annual metering and compensation (and exclusion of monthly-carry-over of credits) encourages customer energy efficiency given that every kWh exported is summed into the annual payout, such that less energy usage directly affects the annual payout (unlike with monthly metering, which generally will create a scenario where credits will be used up). Responsibility for associated net metering costs Customer Costs interconnection costs and any potential transformer upgrade requirements Utility Cost: Utilities will be limited to paying for and maintain the meter	Evaluation Government and Utility to evaluate the policy two years from the effective date to ensure its implementation is meeting the set objectives. At this point, no evaluation has been performed. Other information Solar Energy Pilot: An evaluation of solar projects in YK yielded an average of 11.5% capacity factor (approximately 1,000Wh/1kW/yr.). They estimated that payback periods for micro-generation customer with a 5kW PV system, payback would likely be >20years. They concluded that PV systems are price competitive in remote communities that use diesel generation, but "will likely never be economically competitive with legacy hydro generation", which means that there is no economic case for grid-interconnected PV systems.	N/A N/A	Government's Energy Stralegy (2009): http://www.energy.gov.yk.ca/pdl/energy-st-ralegy.pdf Micro-Generation Policy: http://www.energy.gov.yk.ca/pdl/20131023-micro_generation_policy.pdf Solar Pilot Evaluation: http://emilibrary.gov.yk.ca/energy/yukon_government_solar_energy_pilot_2014.pdf Avoided costs: http://www.atcoelectricyukon.com/Documents/Regulatory/2013-05: 27%20/RECT-%20/D13-2015%20/GRA%20/Part%202.pdf Draft Net Metering Policy: http://www.energy.gov.yk.ca/pdl/EMR_Net_Metering_Policy_Draft.pdf 2009 paper http://www.esc.gov.yk.ca/pdl/fipp_net_metering_discussion_paper_nov2009.pdf



	ctional Review					
			Customer & Program Costs/Benefits		NM Experience	
Jurisdiction Nunavut (NM - policy still under development by Nunavut Government)	Drivers for NM Qullig Energy is the sole provider of electricity in Nunavut. Serving Nunavut's 17,000 customers through 25 diesel generators in 25 communities. Each community has its own independent grid, and all are entirely dependent on fossil fuels. Qullig Energy uses community based rates, but with its 2014/2015 (according to its 2012/2013 Annual Report) rate application plans to move towards a territorial based rate Its 2014 rate schedule (effective May 1, 2014) still presented community-based rates, ranging	Program Design/Framework Legislation: Qullig Energy is subject to the Qullig Energy Act, and the Utility Rates Review Council Act.	Customer & Program Costs/Benefits	Programment 2012/2013 Annual Report: "A Net Metering Policy is currently being developed to allow small amounts of alternative energy from our customers to be introduced to the power grids. The limit on any Net Metering installation will be 10 kW with additional limits based on the individual communities as to the total amount of alternative energy QEC will accept" 2014/15 General Rate Application: "QEC also researches emerging alternative energy technologies to determine if they can be incorporated into the capital planning cycle" " continued work on a potential hydroelectric development outside Iqaluit": Qullig Energy will conduct a draft environmental impact statement for a potential hydroelectric site. In 2009, Iqaluit had a distribution system upgrade for its substation from 5kV to 25kV. The new 25kV is expected to meet the requirements of potential future interconnection of renewable energy sources or the hydroelectric plan.	NM Experience	Sources 200 Discussion Paper: http://www.energy.gov.yk.ca/pdi/ipp_net. metering_discussion_paper_nov.2009.pdf 2012/2013 Annual Report: http://www.qec.nu.ca/home/index.php?op onecom_docman&task=doc_download&g d=1108 2014/15 Rate Application: http://www.qec.nu.ca/home/index.php?op onecom_docman&task=doc_download&g d=1086
	from 60c/kWh (Iqaluit) to 114c/kWh (Kugaaruk). Peak load is in 2012/2013 was 34MW, and annual electricity generation was 177GWh. Generation Capacity: Dec 2012 MW % Diesel 61 100% Total 61 100%					



NM Jurisdictional Review

Northwest Territories

Net Metering

Driving force Net-billing pilot program started voluntarily by utilities, then supported/encouraged by ENR to transition into a NM

Drivers for NM

project. Market:

public utility) generates most of the electricity in NWT, and also distributes to most communities (aka Thermal zone: served by diesel gens) Northland Utilities (NUL, an IOU) serves Yellowknife and the communities in the Hay River area (aka Hydro zone) The NW PUB regulates NTPC and NUL.

NWT Power Corp (NTPC, a

Net Billing Pilot:

NTPC/NUL initiated a 2-yar net billing pilot in 2010, with the intent to better understand issues associated with customer self-generation and understand DG policy initiatives. The utilities attained support from the Dept. of Environment and NR (ENR). After 2 years (2012) the ENR released its Solar Energy Strategy 2012-2017, which outline net-metering relevant actions points. The net billing pilot was structured such that any excess generation would automatically be sold to the utility (no carryover of credits)

Generation Capacity:

Dec 2012	MW	%
Diesel	37	30%
Natural Gas	22	18%
Renewable	65	52%
Total	124	100%

Program Design/Framework

Legislative Considerations

NTPC required to serve areas of the territory not served by an IOU

Eligibility:

- 5kW
- · Small, commercially proven wind generators, mini-hydro, solar, or other renewable energy technologies
- · "As the program is intended for small renewable energy generation, the size of such generation would generally not exceed 5kW" though systems greater than 5kW may be accommodated as long as they don't pre-empt access by smaller
- · All customers (incl. government customers, thought their effective eligibility is delayed till Phase 2 of the utilities' 2014/15 rate application)

Meter aggregation: Not addressed

Subscription limit:

- For Thermal zone: 20% of the annual average demand for each community (20% determined from NTPC system simulations)
- o The cumulative NTPC (thermal zone) average load was 13MW, such that 2.6MW was the limit.
- o (March 31, 2014) 202kW (all PV) of NM capacity, which is 1.6% of the
- o Fort Simpson had installed 119kW (70% of its allotted 175kW)
- · For Hydro zone: limits determined annually, on the basis of system impacts

Application process:

Single application process for all system sizes:

- Submit "Grid-Connect Micro Generation Application" form (along with single line diagram, site plan)
- · Upon approval form utility; conduct an electrical inspection, and get Site & Field Verification approval from utility

All projects are exempted from the standby service charge. Initially -under the net billing pilot-thermal zone customers were subject to the standby service charge. This charge was developed to provide NM customers a fair allocation of costs to maintain diesel generation for it to provide standby service to those customers, and to protect other customers from subsidizing NM customers' fair share of standby generation. NTPC's reasoning for dropping the charge, was that given a 5kW limit, customers would still purchase a material portion of their electricity from the grid, thereby contributing to those costs.

For comparison, given a 10kW limit, NM customers would be -to a greater amount- partially self-sustaining; in this case there is a better case for charging the standby charge since they would contribute minimally to the diesel costs.

Bill Determination/Rate Structure

- · Customers in NM receive a credit in kilowatt hours equal to the excess energy.
- · Excess generation can be carried month over month as kWh credits.
- · The anniversary date, on which remaining credits on the account will be reset to zero, is March 31

Responsibility for associated net metering costs Customer Costs:

- · Responsible for all cost incurred on their side of the
- · All costs associated with purchasing and installing the renewable energy system.
- · Any costs associated with permits, inspection or other requirements
- · Customers continue to be billed the basic monthly charge.
- Utility Costs
- · O&M costs for the meter, and for the transmission/distribution system
- Utilities will cover all capital and installation costs for changes to their own infrastructure, necessary to connect a proposed generation project.

Regulatory Treatmen

Cross subsidization issues (see PUB Approval of NM) Potential of Cross-subsidization:

The PUB identified the following as having potential to cause rate impacts:

- · Meter/metering costs
- · Customer communications/administration
- · Incremental costs from real-time monitoring of projects
- · Planning for new generation capacity, from a firm-capacity perspective
- · Fixed costs for generation/transmission/distribution not recovered due to netting

· Compensation of hydro customers at a rate reflective of displaced diesel and hydro The PUB concluded that these could be assessed better at Phase 2 of the 2014/15 rate application, though until then the PUB asked utilities to impose a charge to help defray those NM-relevant incremental costs.

Other information

NWT Solar Energy Strategy 2012-2017

Action points:

- 5: the Govt. & utilities are to develop a program for grid-interconnected PV systems
- 6: deploy solar systems sized up to 20% of the avg. load at diesel communities
- · 7: investigate effective ways to size up to 75% of load
- · (though here the Govt. encourages utility action, initially this started as voluntary utility program)

Funding:

· Funding is available from the Arctic Energy Alliance to help residential and business customers purchase their renewable energy technology system. Funding for community projects is available from the Department of Environment and Natural Resources.

Net Billing to Net Metering:

• Implementation approved by the Public Utilities Board (PUB) as of January 31, 2014, following a 3 year period of a net billing pilot capped at 50kW.

Net Billing Program Debate:

- · NTPC originally requested to exclude the Hydro zone from the program, citing different variable generation costs at the margin in thermal versus hydro zones.
- · An intervener noted that in the hydro zone, customers would effectively strand one renewable resource for another, and that stranded hydro costs should only be borne by Hydro customers. (In essence, there is environmental/economic reason for providing the program to hydro customers.
- · NUL, the PUB, and another intervener agreed that even in Hydro communities, NM could potentially assist in deferring future power plant need. NUL noted that PV generation could "assist the Hay River [diesel station] during the Taltson Hydro annual maintenance shut
- · An intervener proposed rolling reset dates. The PUB and NTPC argued that it would significantly increase the administrative burden for tracking and managing those.
- · An intervener noted that in hydro communities, NM customers would be compensated at a NM rate reflective of both displaced diesel and hydro generation, which would not be fair. The PUB agreed, but noted that the difference would be insignificant, though asked the utilities to address it if it became material.

Participation:

NUL: 3 customers (July 31, 2013) NPTC: 202kW -all solar (March 31, 2014)

Net Metering Overview:

https://www.ntpc.com/docs/defaultsource/default-document-library/netmetering.pdf?sfvrsn=0

Application Process: https://www.ntpc.com/docs/default source/default-documentlibrary/application-process-flow-

Application Form: https://www.ntpc.com/docs/defaultsource/default-document-library/netmetering-application.pdf?sfvrsn=0 Interconnection Guidelines

https://www.ntpc.com/docs/defaultsource/default-document-library/technicalinterconnection-guideline.pdf?sfvrsn=0 PUB Approval of NM:

2014%20DECISION%20NTPC%20NUL%202 013%20Net%20Metering%20Applications.t

NTPC 2013 Annual Report http://www.ntpc.com/docs/d

Solar Energy Strategy 2012-2017 ult/files/Solar Energy Strategy 2012-

NAVIGANT

NM Jurisdictional Review

urisaictio

Arizona

Renewable Energy Standard and Tariff – Net Metering

Drivers for NM

Driving force:
In 2006, the ACC approved the
Renewable Energy Standard
and Tariff (REST).
Driven by renewable goals. NM

was created from REST.

Market:

The Arizona Corporation
Commission (ACC) oversees
the electric power industry in
Arizona. The ACC regulates
IOUs and co-ops (not munis,
and distrital utilities). Arizona
Public Service Company (APS)
is the largest electricity utility in
Arizona.

Generation Capacity:

July 2014	MW	%
Coal	6,157	22%
Hydro	2,720	10%
Natural Gas	13,557	49%
Nuclear	3,937	14%
Petroleum	91	0%
Pumped	216	1%
Storage		
Renewable	909	3%
Total	27,587	100%

APS: Total Generation Capacity: 9,186MW (April 2014)

Program Design/Framework

Legislative Considerations

SRP and municipal utilities do not fall under the jurisdiction of the ACC, and therefore are not subject to the state rules.

The ACC requires that net metering charges be assessed on a non-discriminatory basis. Any new or additional charges that would increase an eligible customer-generator's costs beyond those of other customers in the rate class to which the eligible customergenerator would otherwise be assigned must be proposed to the ACC for consideration and approval.

REST (AZ Administrative Code):

 REST was approved by the ACC, and established a requirement that 15% of retail energy sales from ACC utilities need to come from renewable resources by 2025, and 30% of that 15% baseline must come from DG resources.

One of the incentives that developed from REST was the development of the net metering:

The current net metering regulation was passed in 2008 NM (AZ Administrative Code):

 "Electric utilities may include seasonally and time of day differentiated Avoided Costs rates for purchases from Net Metering Customers, to the extent that Avoided Cost very by season and time of day"

More incentives:

Federal level:

 Investment Tax Credit, for rooftop PV, provides financial benefit amounting to 30% of a solar project's value.

State level:

- Property and sales tax exemptions
- · Tax credits for installing PV
- NM
- Up Front Incentives (UFIs)

UFIs: provided incentive since 2008 at \$3/W, and since 2010 gradually decreased to \$0.1/W in 2013, and has been phased out due to the high participation.

Eligibility:

- ACC has no specified kW limit: System has a generating capacity less or equal to 125% of customer's total connected load
- · Technologies: all renewables and clean, CHP, fuel cells
- · available to customers
- · Third parties allowed

<u>Meter aggregation:</u> Not addressed <u>Subscription limit</u>: No limit specified

Application process:

Single process for all NM systems

Customer & Program Costs/Benefits Rate Structure/Bill determination

- Basic charges are included in bill, and cannot be credited off
- Any excess generation will be carried over to the customer's next bill (valued at the utility's retail rate) as a kilowatt-hour (kWh) credit.
- For customer using TOU, crediting will also follow TOU structure, such that credits can be classified as off or on-peak kWhs.
- The customer owns the Renewable Energy Credits (REC), though they are transferred to the utility in exchange for annual payout

Compensation rate

- Annually, excess kWh are paid at avoided-cost rate (2.9c/kWh +/- <2% for off/on peak)
- The avoided costs is calculated annually as part of the corresponding tariff application

Regulatory Treatment Cross subsidization issues

 ACC ordered a \$0.70 per kW charge for all residential net metered systems installed on or after January 1, 2014. (December 2013, in response to an application from the Arizona Public Service Company (APS) to address cost shifting)

APS Cost Shift Application:

- Reported that for 2012-2013, saw an average of 500 application per month
- (more recent data showed that in 2014 it went up to 600/month)
- The cause of these was the combination of NM, federal/state incentives, and the solar resources.
- As participation update has grown, so have APS's concerns with cross-subsidization.
 Cross subsidization is most apparent for the residential consumer class.
- On average, the cost shift each year is approximately \$1,000/residential NM system; such
 that in 2013, the costs shifting to non-NM customers was \$18M
- · APS proposed two solutions:
- o Introduced a demand-based rate under a TOU tariff
- o A buy-all, sell-all approach under a different tariff rate

Evaluations:

- Under the ACC rules, each utility must file an NM annual report, and as of 2014 a
 quarterly report outlining participation rates and revenue collected through the \$/kW
 premium
- The ACC noted that a series of solutions arose from interveners; enforcing a service charge, demand charge, or standby charge.
- Another possible solution was to have NM customers charged for all the kWh they
 consume, but receive a credit for all the kWh produced
- ACC noted that because residential rates are typically designed to recover much of the
 utility's fixed costs through volumetric energy rates, NM customers effectively pay less
 for these fixed costs. The additional fixed costs then must be picked up by non-NM
 customer either through higher energy rates or through APS's Fixed Cost Lost Recovery
 mechanism.
- ACC rejected both of APS suggestion, noting that they were not revenue neutral and APS did not propose a system of returning the incremental revenue to non-NM customers.
- (in a three to two vote) ACC decided to impose a fixed charge of \$0.70/kW to new NM customers as a short term solution until the next rate setting period.

2014 SC Energy Advisory Committee report (for source see SC):

As of Q2 2012, 80% of residential installations where third party owned

NM (Dec31, 2013,

- data only for APS): 14/14-0

 375MW (149MW of residential) http://www.acc., I
- 20,696* (20,582 of residential NM APS N http:/// customers)

 APS N
 http:///
- *Assumption: 17,696 + 6mth x (500/mth))

See 2013 RES Compliance Report, pg.

ırces

Arizona Administrative Code, Net Metering http://www.azsos.gov/public_services/Title 14/14-02.htm#ARTICLE_23

ACC, Final Order Re: APS 2013 Application http://www.dsireusa.org/documents/Incentives/AZ%20Final%20Order%2074202.pdf

APS Net Metering schedule: http://www.aps.com/library/rates/epr-6

2013 RES Compliance Report: http://www.aps.com/library/renewab S2013ComplianceReport.pdf

APS Cost Shift Application to ACC: http://images.edocket.azcc.gov/docketpd 00146792.pdf

> Energy Policy Innovation Council Report: http://energypolicy.asu.edu/wpcontent/uploads/2013/12/APS-Net-Metering Brief-Sheet-Draft--Final updated-Dec-2013.pdf



Drivers for NM

Driving force:

NM Jurisdictional Review

Washington

Net Metering

The development of renewables in Washington state traces back to policy actions in the 1980s. In 1998, the legislature passed bill 2773 that directed utilities to make NM available to customers. The intent of the bill was to encourage private investment in renewable energy resources

Market:

Washington's Utilities and Transportation Commission (UTC) is the regulator body. UTC regulates all IOUs.

The three IOUs (Avista, Pacific Corp and Puget Sound) provide NM programs

Generation Capacity:

July 2014	MW	%
Fossil Fuels	4,894	16%
Hydro PH	314	1%
Nuclear	1,132	4%
Other	16	0%
Renewables	24,509	79%
Total	30,865	100%

Program Design/Framework

Legislative Considerations

(1998) Substitute House Bill 2773 - "Net Metering for certain renewable energy systems" determined that it is in the public interest to "encourage private investment in renewable energy resources". Initial capacity limit is 25kW.

(2000) House bill 2334 required at least 0.05% of the cumulative generation capacity of NM system to come from solar/wind/hydro.

(2006) Amendments to bill 2334: Biogas added, capacity increased to 100kW

The Energy Independence Act (2006) set an RPS of 15% to 2020. This RPS is limited by cost caps, exempting utilities from the RPS if it spends >4% of its retail revenue on the incremental costs of renewables.

NM of Electricity (legislation)

- The utility "shall not charge the customer-generator any additional standby, capacity, interconnection, or other fee or charge unless the commission...determines...that the electric utility will incur direct costs associated with interconnecting or administering NM systems that exceed any offsetting benefits associated with these systems"
- · "Net policy is best serve by imposing these costs on the customer-generator rather than allocating these costs among the utility's entire customer base"

UTC Order UE-112133:

· UTC order concludes that third-party ownership is permissible under

State Policy: Customer owns renewable energy credits

Eligibility:

- 100kW
- · Technologies: all renewables and clean, CHP, fuel cells
- · Third parties allowed

Meter aggregation:

- · Meter aggregation (within utility territory) is allowed.
- · Credits are used first to the customer's account and then equally divided among other meters

Subscription limit: 0.5% of utility's 1996 peak demand:

Application process

- <25kW will proceed with a standardized form in an expedited process
- · Lower application fee (\$100)
- · No switch connect required

Complex process:

- >25kW, uses more complex interconnection requirements
- Application fee (\$500

Customer & Program Costs/Benefits Rate Structure/Bill determination

- · Basic charges are included in bill, and cannot be credited off
- · Billed for net electricity, if zero, only charge for basic charges
- · Any excess generation will be carried over to the customer's next bill as a kilowatt-hour (kWh) credit
- Customer owns Renewable Energy Credits (REC)

Compensation rate

· Annually on April 30, excess kWh are reset to zero Responsibility for Costs Utility:

- · Meter, metering, program administration
- · meter installation, connection equipment, all costs to meet interconnection requirements, grid upgrades needed

Regulatory Trea **Evaluations:**

Washington Legislature Bill HB 2176:

The legislature rejected this bill

It would entail that if an IOU offered a leased energy program (financing for NM systems), then on other entity could offer leases to the utility's customers

Essentially, the bill would have set up a monopoly on distributed system in Washington

Other information:

Renewable Energy Investment Cost Recovery Incentive Program:

- (2005) Legislature create the cost-recovery program to promote renewables
- The program provides at least 15c/kWh, which is then factored with a multiplier dependent on the technology
- In 2009, community solar projects were added (incentive of 30c/kWh)
- Covers up to \$5,000/annually

NM (June 2014):

Avista (0.99MW)

13.89MW

PSE (11.4MW)

The current caps are:

Avista (7.6MW)

has surpassed

Pacific (4.55MW)

See UTC-Regulation of

third party owners of

NM facilities, pg. 8

http://www.utc.wa.gov/regulate Pacific (1.5MW) utilities/energy/Pages/netMetering.

1999 UTC Report:

Utilities and Transportation Commis

Net Metering - legislation http://app.leg.wa.gov/RCW/default.as

(UTC) - Net Metering

Avista Schedule: PSE (22.4MW) –

http://www.avistautilities.com/service gypricing/wa/elect/Documents/WA 063.pdf

50% of its cap Pacific Corp Schedule:

https://www.pacificpower.net/ pacific power/doc/About Us/Rates Regula ion/Washington/Approved Tariffs/Rate Sch edules/Net Metering Service.pdf

Pudget Sound Schedule: http://pse.com/aboutpse/Rates/Doc lec sch 150.pdf

> (July 30, 2014) UTC - Regulation of third party owners of net metering facilities: http://www.wutc.wa.gov/rms2.nsf/0/ 169526DB0688257D25006E653A/\$file/UE-112133%2BInterpretive%2BStatement%2B-

NAVIGANT

NM Jurisdictional Review

Drivers for NM Driving force:

Net Metering

IPC, by far the largest utility in Idaho, accounts for 73% of the state's generation capacity. In 1983, the Idaho Public Utilities Commission (IPUC) first ordered IPC to offered NM. Since then, the IPUC has issued several orders with amendments to NM. Idaho Power Company (IPC) issued the NM policy, and was approved by the Idaho Public Utilities Commission (IPUC) in 2008.

Idaho does not have a statewide net-metering policy, though the state's 3 IOUs have developed their metering policies.

The IPUC regulates IOU, but not munis, co-ops.

Generation Capacity:

July 2014	MW	%
Renewables	3,779	77%
Fossil Fuels	1,133	23%
Other	15	0%
Total	4,927	100%

Program Design/Framework

Legislative Considerations

IPUC Order 29094 and Order 28951 (2002):

- · Created a schedule specific to NM
- IPUC approved a 2.9MW limit (in order to minimize potential cost shifting)
- · In 2002, only 3 customers were using NM

The IPUC approved IPC's NM policy in 2008.

- · Payout allowed at:
 - o Retail rate (res/small comm)
 - o 85% of avoided costs (industrial)

A revision was approved in 2013 (effective 2014)

· Credits expire after 12 months

- · 25kW (residential/small commercial)
- 100kW (industrial)

Meter aggregation:

Allowed (though under very strict guidelines, and \$10 fee.

- · Accounts are held by the same customer
- · Meters are on or contiguous (incl. property separated by a public or rail
- · Meter served by same feeder
- · Credits are transferrable only if under same class schedule
- · Transfer notice to utility must be given In January

Subscription limit:

- 1.52MW (Avista Utilities, 0.1% of peak demand)
- No limit (IPC) previously capped at 2.9MW
- 714kW (Rocky Mountain Power, 0.1% of 2002 peak demand)

Application process

Single application process:

- · Application form (fee)
- · IPC Feasibility review
- · System Verification form

· Installation, and electrical inspection

Customer & Program Costs/Benefits Rate Structure/Bill determination

- · Basic charges are included in bill, and cannot be credited off
- · Customer is billed for the net electricity consumed
- · Any excess generation will be carried over to the customer's next bill as a kilowatt-hour (kWh) credit

Compensation rate

Credits expire (IPUC approved in Sept 2013) on Dec

Responsibility for Costs

Utility:

- · Meter, metering, program administration Customer:
- · All costs associated with interconnection facilities, studies, and reviews.
- · incremental costs associated with company equipment needed as a result of NM system

Cross subsidization issues

IPC identified the potential for cross-subsidization in its 2013 NM report:

- · IPC analyzed the current state of its bill structure noting that Residential/Small General Service are billed through a \$5 basic charge + volumetric energy rates. It noted though that fixed residential customer costs total \$20.92 (such that the majority of fixed costs are recovered through volumetric
- · Under this rate design, NM customers reducing their volumetric consumption may not entirely contribute to their fair share of fixed costs.
- At the current participation rate (408 + 20 pending projects), IPC does not purport that cost shifting is currently impacting customer rates.

However, the potential for cost shifting renders the current rate design for NM "unsustainable" since the retail rates were not design to recover costs of providing NM.

Regulatory Trea **Evaluations**:

Application IPC-E-12-27:

In November 2012, IPC was filed an application with the IPUC as it neared the 2.9MW limit.

- · Capacity cap: An expansion to 5.8MW since generation was approaching 2.9MW
- · Pricing: Pricing change to reflect cost of service (basic charge for NM customer to increase from \$5 to \$22.49, a demand charge of \$1.48/kW and a decrease in NM retail charges to 4.85c/kWh)
- . Excess net energy: Replacing financial payment with kWh credits, and expire on Dec 31 In its decision, the IPUC denied nearly all of IPC's proposal:
- o Capacity cap: The commission ruled that a cap" may disrupt and have a chilling effect"

Then, the IPUC went further and lifted the subscription limit limit altogether.

- o Pricing: The IPUC noted that NM customers "have some characteristics that could justify moving them into a separate rate class" but decided against it given state energy policy and the possibility of larger customers taking advantage of the lower retail prices IPUC noted that "[NM customers] do escape a portion of the fixed costs and shift the cost burden to other customers in their class...[but]...more work needs to be done to establish the correct customer charge for [NM customers]" Overall, the IPUC noted that this proposal was a dramatic change
- o Excess net energy: IPUC: "while we want to encourage NM, we believe financial credit or payment may incent potential NM customer to overbuild their system" (consider that they don't size a NM system to customers' needs)

IPUC found it "fair, just and reasonable for the kWh credit to indefinitely carry forward to offset future bills"

In 2013, the IPUC directed IPC to file an annual status report regarding NM On Dec 31, 2013, IPC filed its first annual report:

- . IPC noted that incorporating the new NM practices (such as negative consumption, and meter aggregation) would entail a dramatic change to their billing system, and can potentially be time-intensive and costly (quoted \$120-200K from IT/consulting).
- Further, IPC's IT department and 3rd party consultants determined that the system cannot be customized to accommodate for automated meter aggregation
- · The status quo is to manually make edits into their billing system
- · IPUC will continue to monitor the ability of their system to incorporate NM practices.
- · At their current level, there is no significant impact on the distribution system. Approximately 2 NM system per feeder

Other information:

· IPC offer three options for interconnecting renewable generation

NM (Dec 31, 2013): Only IPC: 428 projects (345 PV, 73 Wind, 10 others) 2.97MW (2.24 PV. 0.58 Wind, 0.15

See IPC 2013 NM Report

others)

Consider IPC generation capacity is 3,594MW (75% of Idaho's)

Net Metering legislation: http://app.leg.wa.gov/RCW/default.aspx?ci

UTC Net Metering page:

http://www.utc.wa.gov/regulatedIndust utilities/energy/Pages/netMetering.aspx

Tariff - IPC:

https://www.idahopower.com/Abor esRegulatory/Tariffs/tariffPDF.cfm?id=198

Tariff - Avista:

http://www.avistautilities.com/services/ene gypricing/id/elect/Documents/ID 063.pdf

Tariff - Rocky Mountain Power https://www.rockymountainpower.ne ent/dam/rocky mountain power/doc/Envinment/Environmental Concerns/Net Mete ring Service.pdf

IPC 2012 Application website: http://www.puc.idaho.gov/filer ummary/IPCE1227.html

IPC 2012 Application

http://www.puc.idaho.gov/fileroom/cases/el ec/IPC/IPCE1227/20121130APPLICATION.F

IPUC Final Order (July 3, 2013) http://www.puc.idaho.gov/file ec/IPC/IPCE1227/ordnotc/20130703FINAL ORDER NO 32846.PDF

IPUC Final Order Press Release http://www.puc.idaho.gov/filer ec/IPC/IPCE1227/staff/20130703PRESS%20F

IPC 2013 NM Report:

http://www.puc.idaho.gov/fileroom/cases/e ec/IPC/IPCE1227/company/20140228ANNU AL%20NET%20METERING%20REPORT.P



NM Jurisdictional Review

Oregon

Drivers for NM Driving force:

Net Metering

House Bill 319 was passed in 1999. The bill was introduced by the Oregon Solar Energy Industry Association (OSEIA) and was meant only for public utilities

The Public Utility Commission of Oregon (PUC) regulates the state's IOUs (only Portland General Electric [PGE] and Pacific Corp.). The PUC does not regulate public utilities (there are 36 public utilities).

Oregon has established separate net-metering programs for the state's primary investor-owned utilities (PGE, Pacific), and for its municipal utilities and electric cooperatives

Generation Capacity:

July 2014	MW	%
Renewables	11,964	77%
Fossil Fuels	3,595	23%
Total	15,546	100%

Program Design/Framework

Legislative Considerations

The 2007 RPS was approved in 2007:

• 25% by 2025 for PGE, Pacific and Eugen Water, Electric Board (EWEB)

NM Bill for public utilities (ORS 757.300, Senate Bill 84):

. "An electric utility...may not charge a [NM customer] a fee or charge that would increase the [NM customer]'s minimum monthly charge to an amount greater than that of other customers in the same rate class... [unless] the [PUC] may authorize an electric utility to assess a greater fee or

NM Bill for IOUs (ORS 860-039-0005):

- · Regulation is very similar to ORS 757.300
- "by April 1, each public utility must file...[a net metering report]", only PGE & Pacific file NM reports, not public utilities

PUC Order No. 08-388 (July 2008):

• Third parties are allowed to finance, build, own and operate a PV system for customers.

Under regulation, utilities with >25K customer headquartered outside of Oregon, that already provide a NM policy, are exempt from ORS 757.300:

· Oregon residents served by Idaho Power Company (IPC) NM customers are subject to Idaho.

- Renewables/Clean technologies, fuel cells, geothermal, marine
- · 25kW (IOUs/Public) residential
- 2MW (IOUs) non-residential
- Third parties allowed

Meter aggregation: [IOUs] Allowed Guidelines:

- · Accounts are held by the same customer
- · Meters are on or contiguous
- · Meter served by same feeder

- 0.5% of public utility's peak load (beyond will be assessed by PUC)
- · No limit specified for PGE and PacifiCorp

Three levels of review; though all with the same application form

- Level 1 NM Interconnection Review: <25kW
- · Level 2 NM Interconnection Review: <2MW
- . Level 3: NM Interconnection Review: if fails to comply w/ all level 2 requirements.

Customer & Program Costs/Benefits Rate Structure/Bill determination

- · Basic charges are included in bill, and cannot be credited off
- · Customer is billed for the net electricity consumed
- · Any excess generation will be carried over to the customer's next bill as a kilowatt-hour (kWh) credit
- · Customer owns Renewable Energy Credits (REC), though if customer enrolled in Energy Trust incentives, they are transferred

Compensation rate

- · Annual billing ends on March 31 (or as noted in
- · [Public Utilities] Any remaining credits are granted to the utility for distribution to customers enrolled in the utility's low-income assistance programs, credited to the generating customer, or dedicated to an "other use"
- . [IOUs] Any remaining credits are granted to the utility for distribution to customers enrolled in the utility's low-income assistance programs valued at the annual avoided cost rate.
 - PGE collected excess 508.862kWh in F2013. valued at 3.18c/kWh of avoided costs, for a total of \$16,161, which was transferred to Oregon Heat for the benefit of low-income customers.
 - o Pacific collected excess 615,084 in F2013, valued at 2.88c/kWh of avoided costs, for a total of \$17,728, which was transferred to Oregon Heat for the benefit of low-income customers.

Responsibility for Costs

Utility:

· Meter, metering, program administration

but not Level 1

Regulatory Trea **Evaluations:**

Independent presentation by Aaron Lindenbaum (CUB Policy Centre)

- 36 public utilities in Oregon (the only two IOUs are PGE and Pacific)
- 25 utilities had a 25kW limit (studied 32 utilities)
- · Tillamook PUD is the only that allowed infinite rollover of credits

PUC (June 2014) Draft Report on Solar Initiatives in Oregon:

- · "Net Metering may shift some of the utility's fixed costs from program NM customers to other ratepayers. This cost shift limits the economic potential for solar form net metering"
- . "Net metering customers enjoy a reduced electric bill, but in doing so they avoid paying some these fixed costs. The Utility must recover them form other ratepayers.
- · "This has been a small concern in Oregon, given the limited capacity of distributed solar
- "PGE stated that 6.4c/kWh charge would have to be deducted from the bill credit given to NM customers to recover distribution costs from NM customers"
- In January 2014, PGE suggested a NM charge of \$4.25/month to the Utah PUC. The equivalent fee in Oregon would have to be \$6.90/month.

Other information:

Customers retain the renewable energy credits

NM (Dec 31, 2013):

· 3,475 projects (3,425 Solar, 42 Wind, 8 others)

• 28.4MW, (27.6 Solar, 0.6 Wind, 0.2 others)

Pacific:

 3,407 projects (3.367 Solar, 22 Wind, 18 others)

• 28.2MW, (26.3 Solar, 0.1 Wind, 1.8 others)

See 2013 Pacific and PGE Reports

NM Bill for public utilities (ORS 757.300)

NM Bill for IOUs (ORS 757.300) http://arcweb.sos.state.or.us/pag s 800/oar 860/860 039.html

http://www.puc.state.or.us/cons

Pacific NM Reports: http://apps.puc.state.or.us/edockets/docket.a sp?DocketID=17392

PGE NM Reports: http://apps.puc.state.or.us/ed sp?DocketID=17457

PGE Unused kWh Report 2013: http://edocs.puc.state.or.us/efdoc 9haq14913.pdf

> Pacific Unused kWh Report 2013: http://edocs.puc.state.or.us/efdoc 3haq103156.pdf

Aaron Lindenbaum Presentation http://solaroregon.org/solar-now/speakers/net-metering-in-orego policy-vs.-practice

Oregon PUC rules in favor of third party http://www.hunton.com/files/News/e194 b-a98f-4ed0-b3d9t/b7d7dc5a-2e83-48e5-b39a-d403077f06aa/OPUC Client Alert.pdf

PUC Report:

http://edocs.puc.state.or.us/efdocs/HAH/um 1673hah75059.pdf

Application process

Customer:

• Interconnection costs for applicable for Level 2, 3,

NAVIGANT

NM Ju	risdictiona	l Review
Invicaliation	Drivor	c for NIM

South Carolina

Net Metering

Driving force: In Dec 2005, the SC Office of Regulatory Staff asked the SC Public Service Commission (PSC) to address NM, as a result of the federal Energy Policy Act of 2005.

In May 2008, the PSC directed IOUs to provide NM for customers by July, 2008. The PSC directive did not include a framework for the development of their NM program. The PSC requires Duke Energy (DE) and SC Electric & Gas (SCEG) to provide a TOU and flat rate NM options.

In April 2014, SB1189 dictated program structure to the NM programs for all utilities (with >100K customers), creating the "Distributed Energy Resource Program".

There are 3 IOUs (DE, Lockhart, SCEG, 1 state owned utility (Santee Cooper) and 41 public utilities

DE and SCEG supply to 50% of

Generation Capacity:

July 2014	MW	%
Renewable	1,770	8%
Fossil Fuels	11,973	52%
Nuclear	6,508	28%
Hydro PS	2,716	12%
Total	22,966	100%

Program Design/Framewor

Legislative Considerations

(April 2014)S.B. 1189, Chapter 40: Net Energy Metering:

- · All utilities with more than 100,00 customers, excluding cooperatives
- Cooperatives are required by S.B. 1189 to examine NM policies but are not bound by law to implement new programs.

Eligibility:

- · Renewable/clean, geothermal, tidal/wave
- · must be owned, leased, or operated by the customer
- · 20 kW for residential
- · 1,000 kW or 100% of demand for non-residential

Meter aggregation: not allowed

Subscription limit: 2% of average retail peak demand for previous 5 years

Application process

- NM application
- · Interconnection agreement
- · Single line diagram, certificate of insurance
- · Utility On-site inspection

Customer & Program Costs/Benefits Rate Structure/Bill determination Compensation rate

- · If excess electricity, it is credited and the kWh credits roll over to the next month.
- · Annual pay out to customer zeros out monthly
- · For SCEG; the anniversary date is Nov 1
- · For DE, the anniversary date is March 1

Order No. 2014-508:

- · Duke Energy Carolinas (DEC)and Duke Energy Progress (DEP), which serve different service areas, though under the same parent company, requested to allow accumulated excess energy to be reset to March 1, rather than June 1 for DEC and May 31
- · Customers expressed concern that given those dates, customers had to forfeit more excess generation since they are likely to accumulate credits in the months before those dates.
- · The PSC consented and reset dates to the more appropriate March 1

Cross subsidization issues

Regulatory Treatm

In 2013, the PSC initiated a review process of its distributed generation profile. The Energy Advisory Council (Public Utilities Review Committee) released its Distributed Energy Resources Report in January 2014 and served as a guidance for the April 2014 SB 1189 bill. These are the highlights of the report:

- Utility fixed costs represent 63% of their average cost to serve customers (37% is variable), from a residential rate design perspective though; only 8% of the average bill accounts for the basic, fixed charge.
- When residential customers install solar PV, the reduction of the users volumetric electricity usage results in an under-compensation for the utility
- · DG, using the current residential rate structure presents:
- o Advantages: Rate design simplicity, predictability for utility/customers, incentivizes
- o Challenges: cost shifting to utility and non-NM customers
- · Proposed several solutions in terms of rate design:
- o A new DG residential rate
- o Modifying NM rates (adding a standby charge, or demand charge
- o Buy all, sell all approach (replacing the 'retail' price transaction with a 'wholesaler' approach)
- o Instituting a net revenue loss adjustment.

Act 404/H3395 (2008) required the SC Office of Regulatory Staff to develop a report on the current status of NM in SC and provide recommendation for IOUs on NM regulations, the following were the recommendations:

- · Separate NM programs from purchase power programs
- (1) Standardize NM program structure across utilities
- (2) For residential customers, modify the IOU flat rate to reflect 1:1 standard retail rates for excess energy credits
- (3) Acknowledge that recommendation #2 may create cross-subsidization and impact a utility's cost of service, allow utilities to recover these costs, subject measurement and verification of these costs
- · (4) eliminate stand-by charges
- . (5) allow renewable energy generator to retain ownership of Renewable Energy Credits
- . (6) Require annual reporting to SC Office of Regulatory Staff and SC Energy Office of the number of NM customers by renewable energy generator type, in order to allow for continuing assessment of NM programs
- (7) Formally revisit the NM process within 4 years

Other information:

SCEG offers only two alternatives: Buy All/Sell All, or NM DE offers only three alternatives: Buy All/Sell All, Net metering, or Parallel Generation

NM (Dec 31, 2013):

 299 projects (298 PV, 1 wind) S.B. 1189, Chapter 40: Net Energy Metering

• 4.6MW

See Clean Energy Comment

http://www.scstatehouse.gov/sess120 2013 2014/prever/1189 20140521.htm SCEG, Net Metering: https://www.sceg.com/for-myhome/renewable-energy/solar-for-you

South Carolina Net Metering Report (2008)

DE Generate your own power: http://www.duke-energy.com/genera

Duke Energy Rate: energy.com/pdfs/SCRiderNM.pdf

SC Utility Guide: http://www.energy.sc.gov/files/view/2012C uideUtilitiesSC.pdf

DEC Net Metering Report -155D-141F-23B612CCF597547E.pdf

DEP Net Metering Report http://dms.psc.sc.gov/pdf/matters/4AF0410 A-155D-141F-23916B33DA569270.pdf

SCEG Net Metering Report: http://dms.psc.sc.gov/pdf/matters/83D8C040 -155D-141F-2351602C34A9F361.pdf

Order No. 2014-508 http://dms.psc.sc.gov/pdf/orders/45EB5A92-155D-141F-2339581D7C4F6374 pdf

Clean Energy Comment: http://dms.psc.sc.gov/pdf/matters/C74133C0 -155D-141F-23314C8AC7BE64F8.pdf

Distributed Energy Resources Report (Jan

http://www.scstatehouse.gov/committe /EnergyAdvisoryCouncil/EAC%20Report%2

Freeing The Grid 2013 Report:



NM Jurisdictional Review

Drivers for NM Driving force: Vermont

Net Metering

In 1998, legislative required utilities to provide NM. This legislation was followed by revisions in 1999, 2002 and 2008

> In 2014, Bill H.702 (Act 99) required the Public Service Department (PSD) to submit a NM Evaluation Report. This bill requires the establishment of a revised NM program by January 1, 2017.

Market:

Vermont has 17 electric distribution utilities

Generation Capacity:

July 2014	MW	%
Renewables	534	43%
Fossil Fuels	99.8	8%
Nuclear	604	49%
Total	1,239	100%

Program Design/Framework

Legislative Considerations

30 V.S.A. § 219a."Self-generation and net metering"

"The Board may raise the 4.0 percent cap. In determining whether to raise the cap, the Board shall consider the following:

- · (i) the costs and benefits of NM systems already connected to the system;
- (ii) the potential costs and benefits of exceeding the cap, including potential short and long-term impacts on rates, distribution system costs and benefits, reliability and diversification costs and benefits"
- · A utility "shall charge the customer a minimum monthly fee that is the same as for other customers of the electric distribution company in the same rate class, but shall not charge the customer any additional standby, capacity, interconnection, or other fee or charge"

Act 99 (2014) amended VT's NM, w/ the following:

- · Increase of 4% to 15% of subscription limit
- · Adder for >15kW decreased to 20c/kWh

Eligibility:

- Renewable
- · 2.2 MW for military systems;
- · 20 kW for micro-CHP
- · 500 kW for all other systems
- · Third parties allowed
- · All customers are required to obtain a "Certificate of Public Good"

Meter aggregation: "Group" NM: a group of customers, or single customer with multiple meters, located within a utility's territory, are allowed to combine

Subscription limit: 15% of utility's 1996 peak demand or peak demand during most recent calendar year (whichever is greater).

Application process

Simple registration process for <15kW PV Complex registration process others

Customer & Program Costs/Benefits Rate Structure/Bill determination

- · Customer retains RECs
- · Basic charges are included in bill, and cannot be credited off
- · Customer is billed for the net electricity consumed
- · Any excess generation will be carried over to the customer's next bill as a kilowatt-hour (kWh) credit

Compensation rate

- · Credited to customer's next bill
- · excess credits not used within 12 months are reset

Responsibility for Costs

Utility:

- · meter, metering, program administration Customer:
- · upgrade costs on the utility's equipment to accept the NM system
- · application, inspection fees

Evaluations:

In the January 2013, and 2014 reports; the corresponding Act mandated the PSD to conduct a study on the existence and degree of cross-subsidization.

- · Both reports followed the same structure and framework for the analysis
- The analysis is based on the cost-benefit analysis over a 20yr period, analyzed from a ratepayer, and system perspective:
- Costs:
- Lost revenue (for utilities)
- o Vermont solar credit ("Adders")
- o NM administrative costs
- o Avoided energy costs (incl. GHG emissions)
- o Avoided capacity costs
- o Avoided transmission, distribution costs
- o Market price suppression in energy/capacity markets
- o Potential regulatory value with renewable energy credits
- · The study assessed the deployment of small and large solar (non- and tracking) and wind systems in all utilities' territories, in order to perceive the effect of their respective rate
- . The study concluded that: "the aggregate net cost over 20 years to non-participating ratepayers due to NM under the current policy framework is close to zero, and there may
- · "winter-peaking utilities, which see fewer benefits from net metered solar PV, will incur a larger share of the net cost than summer peaking utilities with lower retail rates"
 - o PSD recommended that "the Board consider whether or not changes to the current program structure to allow flexibility for the program to vary by utility would better serve the state"
- . It also stated, that "while rates strive to assign costs to those who cause them, this cannot be done exactly. The classic example is the comparison is the comparison of urban and rural rates"

Other information:

Adders

- · Utilities must offer an 'adder' incentive for solar PV systems.
- · Credit is a per kWh adder, minus the residential rate.
 - o For PV <15 kW, adder is \$0.20/kWh.
 - o >15 kW, adder is \$0.19.
- · Customers will receive the adder for 10 years. after customer receives the blended rate

NM (Sept 26, 2014):

• 64MW (59.8MW PV, 1.9MW Wind, 2.23 MW

others) · 4,620 projects (4,416 PV, 184

Wind, 20 others) As of 2014, six utilities had already surpassed the 4% subscription limit (increased to 15% in 2014). Jacksonville has

See October 2014 Net Metering Report

reached NM capacity

of 14.4% peak

demand.

1998 (30 V.S.A. 219a): http://www.leg.state.vt. n.cfm?Title=30&Chapter=005&Section=002

Act 99 (2014) http://www.leg.state.vt.us/docs/2014/bills/Pa ssed/H-702.pdf

January 2013 Net Metering Report: les/Topics/Renewable Energy/Net Meterin g/Act%20125%20Study%2020130115%20Fir

October 2014 Net Metering Report: http://publicservice.vermont.gov/sites/psd/fles/Topics/Renewable Energy/Net Meterin g/Act%2099%20NM%20Study%20FINAL.p-

> Vermont Net Metering: http://psb.vermont.gov/utilitvindus tric/backgroundinfo/netmetering



Appendix B: Tables of Net Metering Policies by Jurisdiction

Table 4: Net Metering Program Structure

					et wietering i rogium s	-		-	
		Name	Since	Capacity	Application	Aggregation	Uptake	Uptake as % of load ⁸³	Subscription Limit
	AB	Micro-Generation	2009	1MW	Simple and Complex	Yes	4.5MW	0.03%	No
	ВС	Net Metering, RS 1289	2005	50kW ⁸⁴	Simple (<27kW) and Complex	Yes	1.1MW	0.01%	No
	MB	Customer Owned Generation		50kW (single phase), 1MW (triple phase)	Simple (<10kW) and Complex	Unknown	n/a	n/a	Unknown
	NB	Net Metering	2005	100kW	Single	Yes (farmers)	n/a	n/a	0.5%
<u>e</u>	NS	Net Metering	2005	100kW (res./comm.) 1MW (large com./ind.)	Single (<10kW) and Complex	Yes (dist. zone)	1.2MW	0.03%	No
Canada	ON	Net Metering	2006	500kW	Single (<10kW) and Complex	No	167.3MW ⁸⁵	0.54%	1%86
౮	PEI	Net Metering	2005	100kW	Single	No	200kW ⁸⁷	0.05%	No
	QC	Net Metering	2004	50kW	Single	No	n/a	n/a	No
	SK	Net Metering	2007	100kW	Single	No	5.1MW ⁸⁸	0.12%	No
	YK	Micro-Generation	2014	5kW (on a shared transformer) 25kW (on a single transformer)	Single	No	Not yet known		
	NWT	Net Metering	2014	5kW	Single	Not addressed	202kW ⁸⁹	0.16%	20% (thermal zone)90
	AZ	Renewable Energy Standard and Tariff – Net Metering	2006	125% of Customer Load	Single	No	375MW ⁹¹ (150MW residential)	4% ¹⁰ (1.6%)	No
	ID	Net Metering	1983	25kW (res./small comm.), 100kW (ind.)	Single	Yes (limited)	2.97MW ⁹²	0.08%11	No (1 IOU) Yes (2 IOUs)
ted	OR	Net Metering	1999	25kW (res.), 2MW (non res.)	Single	Yes (limited)	56.6MW	0.36%	No (IOUs), Yes (Public)
Üni	SC	Net Metering	2008	20kW (res.), 1MW (non res.)	Single	No	4.6MW	0.02%	2% of 5yr-avg. peak
	VT	Net Metering	1998	500kW (all customers), 20kW (micro- CHP), 2.2MW (military)	Single (<15kW) and Complex	Yes	63.99MW	5.2%	15% peak (IOUs, public)
	WA	Net Metering	1998	100kW	Single (<25kW) and Complex	Yes	13.89MW	0.05%	0.5% (1996 peak) – only IOUs

⁸³ Calculated as % of a jurisdiction's total installed capacity as of Dec 31, 2012 for Canada, and July 2014 for the US

⁸⁴ Increase to 100kW was approved on July 2014

⁸⁵ Data is representative of microFIT program (for <10kW), and accumulates projects from microFIT 1.3-1.6, 2.0, and 3.0 as of Oct 3, 2014

 $^{^{86}}$ Subscription limit has not been updated since March 2006, currently it is approximately 0.75%

⁸⁷ Value reported from four community based projects that installed 50kW turbines

 $^{^{88}}$ Estimate given 1.3MW in 2010 (target was 1.1MW) and 2017 estimate of 8MW

⁸⁹ This value excludes projects from the hydro zone (only 3 customers as of July 31, 2013)

⁹⁰ The limit for the hydro zone will be determined annually

⁹¹ Data reported only representative of the Arizona Public Service Company

⁹² Data reported only representative of Idaho Power Company (IPC)



Table 5: Net Metering Payout Structure

		Pay out	Credit carryover cycle	Payout rate	Payout cycle	Anniversary date
	AB	Yes	12 months	<150kW: retail rate, >150kW: wholesale	Annual	System installation
	BC	Yes	12 months	9.99c/kWh	Annual	System installation
	MB	Yes	12 months	Avoided cost	TBD ⁹³	TBD
	NB	No	12 months	No pay out	No pay out	March 31
	NS	Yes	12 months	Retail rate	Annual	System installation
હ	ON	No	12 months	No pay out	No pay out	System installation
Canada	PEI	No	12 months	No pay out	No pay out	October 31 (or as decided by customer)
Car	QC	No	24 months	No pay out	No pay out	March 31
	SK	No	12 months	No pay out	No pay out	SaskPower will make recommendations based on system (Solar – March/April, Wind - Aug/Sept) but customer may set own date
	YK	Yes	12 months	Avoided costs 21c/kWh (grid-interconnected customers 30c/kWh (isolated communities)	Annual (buy all, sell all)	System Installation
	NWT	No	12 months	No pay out	No pay out	March 31
	AZ	Yes	12 months	Avoided cost (for on- and off-peak)	Annual	System installation
	ID	No	Idaho Power: indefinite Avista: 12 months Rocky: 12 months	No pay out	No pay out	Idaho Power: credits never expire Avista: December 31 Rocky: unclear
United States	OR	No	12 months	Avoided cost Public utilities may provide payment to Oregon Heat low-income pool IOUs provide payment to Oregon Heat low-income pool	Annual	March 31 (or as decided by customer)
	SC	No	12 months	No pay out	No pay out	SC Electric & Gas (November 1) Duke Energy (March 1)
	VT	No	12 months	No pay out	No pay out	System installation
	WA	No	12 months	No pay out	No pay out	April 30

 $^{^{\}rm 93}$ For MB, the payout cycle and anniversary date are determined in the NM agreement

Appendix D – Net Metering Service Application Form

Net Metering Service Application Form

Applicant Identification						
Surname			Street Address			
Given Name			City			
Phone			Province			
Fax			Country			
Email			Postal Code			
Signature			Date			
Contractor or Installer Info	rmation					
Company Name						
Surname			Street Addre	ess		
Given Name			City			
Phone			Province			
Fax			Country			
Email			Postal Code			
Power Generator Informat	ion					
Rated Capacity (kW)						
Energy Resource	Wind	Solar	Biomass	Other (specify)		
Manufacturer						
Model						
Output Voltage (V)						
Targeted In-Service Date						
Inverter Information (whe	re applicab	le)				
Rated Capacity (kW)						
Manufacturer						
Model						
Output Voltage (V)						
Storage battery in the system?				Yes	No	
Single line electrical diagram enclosed?				Yes	No	
Newfound and Labrador	Newfound and Labrador Hydro					
Received by			Date			

When completed, attach an "electric single-line diagram" to this application and send to:

Newfoundland and Labrador Hydro Customer Service Department Hydro Place, 500 Columbus Drive P.O. Box 12400, St. John's, NL A1B 4K7

Phone: (709) 737-1400 FAX: (709) 737-1800 E-mail: hydro@nlh.nl.ca

To get more information, see http://www.nlhydro.com

Information for Net Metering Application

ELEGIBILITY

The Net Metering Program is available to domestic and general service customers who apply and meet the eligibility criteria. Generally, eligible customers are those that own and operate small scale generation facilities that may include wind, solar, photovoltaic, geothermal, tidal, or wave energy. Customers that are participating in the Biomass Generation Pilot Project cannot participate in the Net Metering Program.

The generator operates in parallel with Newfoundland and Labrador Hydro's electric system, and offsets a part or all of customer's own electrical power requirements.

USE OF THE APPLICATION FORM

This document is solely an application for a contract. It does not authorize you to interconnect your generating facility with Newfoundland and Labrador Hydro's electric system. You and Newfoundland and Labrador Hydro must first sign an interconnection agreement and comply with the terms of such an agreement. You must not interconnect your generating facility until Newfoundland and Labrador Hydro provides you with a letter specifically stating that all of the interconnection requirements have been satisfied and authorizes the interconnection.

REQUIRED INFORMATION

Please submit a completed application and an "electric single-line-diagram" of the system to be installed showing the arrangement of the components from generator to your service entrance main switch. It may be necessary for Newfoundland and Labrador Hydro to request additional information from you or your contractor to clarify the details of your installation.

CONTACT

Newfoundland and Labrador Hydro Customer Service Department Hydro Place, 500 Columbus Drive P.O. Box 12400, St. John's, NL A1B 4K7

Phone: (709) 737-1400 FAX: (709) 737-1800 E-mail: hydro@nlh.nl.ca

To get more information, see http://www.nlhydro.com

Appendix E –

Net Metering Interconnection Agreement

NET METERING INTERCONNECTION AGREEMENT

BETWE	EN:		
		(hereinafter referred to as the "Customer")	
AND:		NEWFOUNDLAND AND LABRADOR HYDRO, a body corporate existing pursuant to the <i>Hydro Corporation Act</i> being Chapter H-17 of the Statutes of Newfoundland and Labrador, 2007	
		(hereinafter referred to as "Hydro")	
WHERE	AS:		
A.	Net metering service is available to having a capacity not exceeding 100	customers of Hydro with renewable generation) kW.	
В.	• •	netering service pursuant to Hydro's Schedule of proved by the Board of Commissioners of Public	
C.	The parties agree that the net metering service will provide such service on the terms and conditions contained herein.		

NOW THEREFORE witnesses that in consideration of the promises and mutual covenants and obligations contained herein and other good and valuable consideration, the sufficiency and receipt of which are hereby acknowledged, the parties agree as follows:

1. Definitions

In this Agreement the following terms have the following meanings:

1.1. "Board" means the Board of Commissioners of Public Utilities.

- 1.2. "Distribution System" means Hydro's facilities that operate at a nominal voltage of 25,000 V or less, which are used to distribute electric power between substations and customer loads.
- 1.3. "Generating Facility" means the Customer's plant and equipment, including but not limited to, the generator, inverter, storage devices, and Interconnection Equipment located on the Customer's side of the Point of Delivery.
- 1.4. "Interconnection" means the electrical connection of a generator in parallel with the Distribution System as defined herein.
- 1.5. "Interconnection Equipment" means all equipment and functions used to interconnect a generator to the Distribution System.
- 1.6. "Interconnection Requirements" means Hydro's interconnection requirements that are posted on Hydro's website located at www.nlhydro.ca as may be revised from time to time. The Interconnection Requirements outline the technical requirements that are required to be met by the Customer to establish an Interconnection with the Distribution System.
- 1.7. "Point of Delivery" means the point where the Distribution System is connected to the Generating Facility.
- 1.8. "Rates and Regulations" refers to Hydro's Schedule of Rules, Rates and Regulations as may be approved by the Board from time to time.
- 1.9. "Standard Protection Code" refers to Hydro's systematic and coordinated approach to work planning which is utilized to enhance personal safety and the protection of the Distribution System and ancillary equipment against damage.

2. Applicability

2.1. This Agreement is applicable only to customers who qualify for Net Metering Service under Hydro's Net Metering Program Schedule and whose Generating Facility meets the eligibility requirements set forth in the Net Metering Program Schedule. Customer warrants that it and its Generating Facility comply with these requirements.

3. Generating Facility Interconnection Requirements

3.1. Customer shall design, install, operate and maintain the Generating Facility, and all ancillary facilities on the Customer's side of the Point of Delivery in accordance with all governmental laws and regulations from time to time applicable, and Hydro's Interconnection Requirements. Customer shall obtain and maintain any required

- governmental authorizations and/or permits required for the installation and operation of the Generating Facility.
- 3.2. The Generating Facility shall meet all applicable safety and performance standards, including the codes and standards identified in Hydro's Interconnection Requirements. Hydro, acting reasonably, may from time to time prescribe additional requirements, which in its judgment are required for the safety of its system.
- 3.3. Customer shall not commence parallel operation of the Generating Facility until written approval has been provided to it by Hydro. Written approval will normally be provided by Hydro following Hydro's receipt of a copy of the final inspection report or approval issued by the governmental authority having jurisdiction to inspect and approve the installation. Where Customer has been notified that inspection and acceptance by Hydro's Engineering Services Division will also be required before the Generating Facility will be accepted for parallel operation, Hydro's approval will normally be provided following the date of inspection and acceptance.
- 3.4. Hydro may require Customer to supply additional information and/or provide access to Customer's Generating Facility to carry out additional inspections, as set forth in Hydro's Interconnection Requirements.

4. Operating Requirements

- 4.1. Customer shall at all times operate the Generating Facility in accordance with applicable governmental standards and requirements, and any manufacturer's instructions, and shall further comply with Hydro standards and requirements from time to time in effect relating to parallel operation of independent net-metering installations with its system. Customer shall promptly notify Hydro of any malfunction or breakdown of the Generating Facility that could constitute a safety hazard or reasonably be expected to cause disturbance or damage to Hydro's system.
- 4.2. Customer shall not operate the Generation Facility so as to generate electricity at a rate greater than 110% of the Nameplate Rating of the Generating Facility, and will not add to or modify the Generating Facility without the prior written consent of Hydro.

5. Hydro's Obligations

- 5.1. Hydro will act with reasonable promptness to perform any inspections and/or give any approvals that it is authorized or required to give under this Agreement, and will not unreasonably withhold or delay the giving of its consent in any case where its consent is required.
- 5.2. Subject to the provisions of the Net Metering Program and any applicable Rate Schedule(s) under which Customer is from time to time receiving electric service from

Hydro, the provisions of Hydro's Schedule of Rates, Rules and Regulations, and the terms and conditions of this Agreement, Hydro will supply electricity to, and accept delivery of electricity from, Customer at the Point of Delivery.

6. Hydro's Rights

- 6.1. Hydro shall have the right to require Customer to interrupt (including, if so specified by Hydro, by means of physical disconnection or lock-out,) or reduce the output of its Generating Facility whenever:
 - a) Hydro deems such action necessary, in its sole judgment, to permit Hydro to construct, install, maintain, repair, replace, remove, investigate, or inspect any of its equipment or any part of its electric system; or
 - b) Hydro determines in its sole judgment, that curtailment, interruption, or reduction of Customer's electrical generation is otherwise necessary due to emergencies, forced outages, force majeure, safety hazards, possible damage to or disturbance of its electric system, or compliance with prudent electrical practices.
- 6.2. Notwithstanding section 6.1 or any other provision of this Agreement, in any of the events or circumstances mentioned in section 6.1 Hydro shall have the right:
 - a) to require Customer to immediately disconnect the Generating Facility from Hydro's system; and
 - b) to itself immediately effect the disconnection of the Generating Facility from its system if Customer is apparently not then available, or is available but refuses to act, and such action is deemed necessary by Hydro.
- 6.3. Whenever feasible, Hydro will give Customer reasonable advance notice that interruption or reduction in deliveries may be required, or that disconnection of the Generating Facility from Hydro's system may be required, but the failure of Hydro to give such notice shall not invalidate any action taken by Hydro under sections 6.1 or 6.2.
- 6.4. If Hydro in its discretion deems it necessary to require the customer to interrupt or disconnect its Generating Facility from Hydro's system, or for Hydro to itself effect the interruption or disconnection of the Generating Facility from its system, as provided in sections 6.1 or 6.2, or such interruption occurs as a result of suspension or termination of service to the customer in accordance the provisions of Net Metering Program, then except to the extent caused by the wilful misconduct or gross negligence of Hydro, its servants or agents, Hydro and its servants or agents shall not be liable to the customer for any loss or damage whatsoever resulting from the exercise of such rights by Hydro.

- 6.5. Hydro shall have the right to enter Customer's premises at all reasonable hours, without notice to Customer, to inspect Customer's protective devices and read, inspect and/or test meters, or to effect disconnection of the Generating Facility as provided in section 6.2. Nothing in this Agreement shall limit or otherwise affect any rights of entry to Customer's premises Hydro may have under its Rates and Regulations or any other agreement with Customer.
- 6.6. Hydro shall also have the right to install the equipment necessary to measure the amount of generation produced by the Generating Facility.

Metering and Billing

Metering requirements and billing procedures shall be in accordance with the Net Metering Program, and any other Rates and Regulations under which Customer is receiving electric service.

7. Term and Termination

This agreement shall become effective when signed by Customer and Hydro, and shall remain in effect indefinitely thereafter, until terminated as follows:

- 7.1. Customer shall have the right to terminate this Agreement by giving 30 days prior written notice of termination to Hydro.
- 7.2. Hydro shall have the right to terminate this Agreement by giving 10 days written notice of termination to Customer if Customer is in material default of any of its obligations under this Agreement and such default if not cured within 30 days after written notice of the default has been given to Customer by Hydro. The foregoing shall not affect any rights of suspension, interruption or disconnection that Hydro may have elsewhere under this Agreement, the Net Metering Program Schedule, or its Rates and Regulations.
- 7.3. This Agreement will terminate automatically concurrent with termination of electric service to Customer under any of the Rate Schedules identified under the "Availability" section of Net Metering Program Schedule.

8. Dispute Resolution

8.1. In the event of a dispute in connection with this Agreement, the Customer and a senior officer of Hydro shall prompt meet to discuss and resolve the dispute.

9. Notifications

9.1. All notices to be given to either party under this Agreement shall be written and addressed to Hydro and the Customer as follows:

Newfoundland and Labrador Hydro

Hydro Place 500 Columbus Drive, P.O. Box 12800 St. John's, Newfoundland and Labrador A1B OC9

Attention: Corporate Secretary Facsimile: (709) 737-1782

Customer:

Attention:

Telephone number:

Email Address:

- 9.2. All notices may be sent by facsimile, a nationally recognized overnight courier service, first class mail or hand delivered. Notice shall be given when received by the addressee on a business day. In the absence of proof of the actual receipt date, the following presumptions will apply:
 - a) Notices sent by facsimile shall be presumed to have been received upon the sending party's receipt of its facsimile machine's confirmation of successful transmission. If the day on which such facsimile is received is not a business day or is after five p.m. (local time for the recipient) on a business day, then such facsimile shall be deemed to have been received on the next following business day;
 - b) Notice by overnight courier shall be presumed to have been received on the next business day after it was sent; and
 - c) Notice by first class mail shall be presumed delivered five (5) business days after mailing.
- 9.3. Either party may modify its address for notices by advance written notice to the other party.

10. Miscellaneous

10.1. This Agreement does not supersede the requirements outlined in any applicable Rates and Regulations as approved by the Board from time to time, or legislation, including

but not limited to the *Electrical Power Control Act, 1994*, the *Public Utilities Act*, the Canadian Electrical Code, the *Occupational Health and Safety Act*, and any regulations enacted from time to time.

- 10.2. The insertion of headings in this Agreement is for convenience only and shall not be construed so as to affect the interpretation or construction of this Agreement.
- 10.3. The recitals and schedules are hereby incorporated into this Agreement.
- 10.4. This Agreement is to be read with all changes in gender and number as required by the context.
- 10.5. This Agreement shall be deemed to have been made in and shall be governed by, construed and interpreted in accordance with the laws of the Province of Newfoundland and Labrador and the laws of Canada, as applicable therein.
- 10.6. No consent or waiver, express or implied, by any party to this Agreement of any breach or default by any other party in the performance of its obligations under this Agreement or of any of the terms, covenants or conditions of this Agreement shall be deemed or construed to be a consent or waiver of any subsequent or continuing breach or default in such party's performance.

IN WITNESS WHEREOF the Parties have executed this Agreement.

[Customer Name]Newfoundland and Labrador HydroBy:By:Name:Name:Title:Title:Date:Date:

Appendix F – Sample Bill Calculation

Sample Calculation for Residential (Rate #1.1) Net Metering Customer - Island Interconnected

Scenario: Customer is an HST registrant.

Utility HST/GST vendor number #xxxxxxxxx

Variables	
Basic Customer Charge	\$ 15.99
Energy Charge (\$ per kWh)	\$ 0.09719
Prompt Payment Discount	-1.50%
HST	15%

Meter Readings	kWh
Month	January
Utility Supplied Energy	1,500
Customer Supplied Energy	1,600
Opening Banked Energy Credits	100
Banked Energy Credits Anniversary	June

Utility Supply Cost		
	kWh	
Basic Customer Charge		\$ 15.99
Energy Delivered	1500	\$ 145.79
Utility Supply Cost		\$ 161.78

Prompt Payment Discount (PPD)	
Utility Supply Cost	\$ 161.78
Customer Generation Credit	\$ 145.79
Net Bill before Discount	\$ 16.00
Calculated Discount	\$ (0.24)
Utility Supply Cost before Discount Date	\$ 161.54

Generation Energy Credit	kWh
Customer Supplied Energy	
Current Month	1,600
Opening Banked Energy Credits	100
Total Energy Credit Available	1,700
Utility Energy Supplied	1,500
Energy Credit Applied this Period	1,500
Excess Energy Banked this period	100
Closing Banked Energy Credits	200

Customer Generation Credit				
	kWh	Rate	Doll	ars
Customer Generation Credit	1,500	\$ 0.09719	\$	145.79

S	Summary of Bill		
Utility Supply Cost before Discount Date			\$ 161.54
HST on Utility Supply Costs		15%	24.23
	Subtotal		\$ 185.77
Customer Generation Credit			\$ (145.79)
HST Charge to Utility on Customer Generation Credit		15%	(21.87)
	Total Credits		\$ (167.65)
	Net Bill		\$ 18.12

Sample Calculation for Residential (Rate #1.1) Net Metering Customer - Island Interconnected

Scenario: Customer is not an HST registrant. Utility HST/GST vendor number #xxxxxxxxx Customer's HST/GST vendor number N/A

Variables	
Basic Customer Charge	\$ 15.99
Energy Charge (\$ per kWh)	\$ 0.09719
Prompt Payment Discount	-1.50%
HST	15%

Meter Readings	kWh
Month	January
Utility Supplied Energy	1,500
Customer Supplied Energy	1,600
Opening Banked Energy Credits	100
Banked Energy Credits Reset	June

Utility Supply Cost		
	kWh	
Basic Customer Charge		\$ 15.99
Energy Delivered	1500	\$ 145.79
Utility Supply Cost		\$ 161.78

Prompt Payment Discount (PPD)	
Utility Supply Cost	\$ 161.78
Customer Generation Credit	\$ 145.79
Net Bill before Discount	\$ 15.99
Calculated Discount	\$ (0.24)
Utility Supply Cost before Discount	\$ 161.54

Generation Energy Credit	kWh
Customer Supplied Energy	
Current Month	1,600
Opening Banked Energy Credits	100
Total Energy Credit Available	1,700
Utility Energy Supplied	1,500
Energy Credit Applied this Period	1,500
Excess Energy Banked this period	100
Closing Banked Energy Credits	200

Customer Generation Credit				
	kWh	Rate	Dolla	rs
Customer Generation Credit	1,500	\$ 0.09719	\$	145.79

	Summary of Bill		
Utility Supply Cost before Discount Date		\$ 161.54	
HST on Utility Supply Costs		15%24.23	
	Subtotal	\$ 185.77	
Customer Generation Credit	Total Credits	\$ (145.79)	
	Net Bill	\$ 39.98	

Sample Calculation for General Service (Rate #2.1) Net Metering Customer - Island Interconnected

Scenario: Customer is purchasing energy in excess block and has excess generation during month.

Utility HST/GST vendor number #xxxxxxxxx

Rate Information	
Basic Customer Charge (per month)	\$ 21.14
Demand Charge	
Winter (per kW)	\$ 9.19
Summer (per kW)	\$ 6.69
Energy Charge	
First 3,500 kWh	\$ 0.09622
Excess Block (per kWh)	\$ 0.06848
Prompt Payment Discount	-1.50%
HST	15%

Utility Supply Cost		
	kWh	Dollars
Basic Customer Charge		\$ 21.14
Demand Charge		\$ 91.90
Energy Charge		
First Block	3,500	\$ 336.77
Excess Block	500	\$ 34.24
Utility Supply Cost		\$ 484.05

Prompt Payment Discount (PPD)		
Helife Committee Committee	Φ.	404.05
Utility Supply Cost	\$	484.05
Customer Generation Credit	\$	371.01
Net Bill before Discount	\$	113.04
Calculated Discount	\$	(1.70)
Utility Supply Cost before Discount Date	\$	482.35

Meter Readings	kWh
Month	January
Utility Supplied Energy (kWh)	4,000
Customer Maximum Demand Requirement (kW)	20
Customer Supplied Energy (kWh)	3,900
Opening Banked Energy Credits (kWh)	200
Banked Energy Credits Review Date	June

Generation Energy Credit	
Customer Supplied Energy	
Current Month	3,900
Opening Banked Energy Credits	200
Total Energy Credit Available	4,100
Utility Energy Supplied	4,000
Credit Applied this Period	
Credit Against First Block	3,500
Credit against Excess Block	500
Total Credit Applied this Period	4,000
Excess Energy Banked this period	-
Closing Banked Energy Credits	100

Customer Generation Credit				
	kWh	Rate	Doll	ars
Monthly Energy Credit Breakdown				
First Block	3,500	\$ 0.09622	\$	336.77
Excess Block	500	\$ 0.06848	\$	34.24
Customer Generation Credit			\$	371.01

Summary of Bill		
Utility Supply Cost before Discount Date		\$ 482.35
HST on Utility Supply Costs		15%72.35
	Subtotal	\$ 554.70
Customer Generation Credit		\$ (371.01)
HST Charge to Utility on Customer Generation	on Credit	15%(55.65)
	Total Credits	\$ (426.66)
	Net Bill	\$ 128.04

Sample Calculation for General Service (Rate #2.1) Net Metering Customer - Island Interconnected

Scenario: Customer is purchasing energy in first block only and has excess generation during month.

Utility HST/GST vendor number #xxxxxxxxx

Rate Information	
Basic Customer Charge (per month)	\$ 21.14
Demand Charge	
Winter (per kW)	\$ 9.19
Summer (per kW)	\$ 6.69
Energy Charge	
1st Block (per kWh)	\$ 0.09622
Excess Block (per kWh)	\$ 0.06848
Prompt Payment Discount	-1.50%
нѕт	15%

Utility Supply Cost		
	kWh	Dollars
Basic Customer Charge		\$ 21.14
Demand Charge		\$ 91.90
Energy Charge		
First Block	1,300	\$ 125.09
Excess Block	-	\$ -
Utility Supply Cost		\$ 238.13

Prompt Payment Discount (PPD)		
	•	000.40
Utility Supply Cost	\$	238.13
Customer Generation Credit	\$	125.09
Net Bill before Discount	\$	113.04
Calculated Discount	\$	(1.70)
Utility Supply Cost before Discount Date	\$	236.43

Meter Readings	kWh
Month	January
Utility Supplied Energy (kWh)	1,300
Customer Maximum Demand Requirement (kW)	20
Customer Supplied Energy (kWh)	1,500
Opening Banked Energy Credits (kWh)	200
Banked Energy Credits Review Date	June

Generation Energy Credit	
Customer Supplied Energy	
Current Month	1,500
Opening Banked Energy Credits	200
Total Energy Credit Available	1,700
Utility Energy Supplied	1,300
Credit Applied this Period	
Credit Against First Block	1,300
Credit against Excess Block	
Total Credit Applied this Period	1,300
Excess Energy Banked this period	200
Closing Banked Energy Credits	400

Customer Generation Credit				
	kWh	Rate	Dollars	
Monthly Energy Credit Breakdown				
First Block	1,300	\$ 0.09622	\$	125.09
Excess Block	-	\$ 0.06848	\$	
Customer Generation Credit			\$	125.09

Summary of Bill			
Utility Supply Cost before Discount D	Pate	\$	236.43
HST on Utility Supply Costs		15%	<u>35.46</u>
	Subtotal	\$	271.89
Customer Generation Credit		\$	(125.09)
HST Charge to Utility on Customer G	eneration Credit	15%	(18.76)
	Total Credits	\$	(143.85)
	Net Bill	\$	128.04

Sample Calculation for General Service (Rate #2.1) Net Metering Customer - Island Interconnected

Scenario: Customer is purchasing energy in first block and uses banked energy credits.

Utility HST/GST vendor number #xxxxxxxxx

Rate Information	
Basic Customer Charge (per month)	\$ 21.14
Demand Charge	
Winter (per kW)	\$ 9.19
Summer (per kW)	\$ 6.69
Energy Charge	
First 3,500 kWh	\$ 0.09622
Excess Block (per kWh)	\$ 0.06848
Prompt Payment Discount	-1.50%
HST	15%

Utility Supply Cost		
	kWh	Dollars
Basic Customer Charge		\$ 21.14
Demand Charge		\$ 91.90
Energy Charge		
First Block	2,000	\$ 192.44
Excess Block	-	\$
Utility Supply Cost		\$ 305.48

Prompt Payment Discount (PPD)	
Utility Supply Cost	\$ 305.48
Customer Generation Credit	\$ 163.57
Net Bill before Discount	\$ 141.91
Calculated Discount	\$ (2.13)
Utility Supply Cost before Discount Date	\$ 303.35

Meter Readings	kWh
Month	January
Utility Supplied Energy (kWh)	2,000
Customer Maximum Demand Requirement (kW)	20
Customer Supplied Energy (kWh)	1,500
Opening Banked Energy Credits (kWh)	200
Banked Energy Credits Review Date	June

Generation Energy Credit	
Customer Supplied Energy	
Current Month	1,500
Opening Banked Energy Credits	200
Total Energy Credit Available	1,700
Utility Energy Supplied	2,000
Credit Applied this Period	
Credit Against First Block	1,700
Credit against Excess Block	
Total Credit Applied this Period	1,700
Excess Energy Banked this period	-
Closing Banked Energy Credits	-

Customer Generation Credit				
	kWh	Rate	Dollars	
Monthly Energy Credit Breakdown				
First Block	1,700	\$ 0.09622	\$	163.57
Excess Block	-	\$ 0.06848	\$	-
Customer Generation Credit			\$	163.57

Summary of Bill				
Utility Supply Cost before Discount Da	ite	\$	303.35	
HST on Utility Supply Costs		15%	45.50	
	Subtotal	\$	348.85	
Customer Generation Credit		\$	(163.57)	
HST Charge to Utility on Customer Ge	neration Credit	15%	(24.54)	
	Total Credits	\$	(188.11)	
	Net Bill	\$	160.74	

Appendix G –

Imbalance Energy Rate for Labrador Industrial Customers

NEWFOUNDLAND AND LABRADOR HYDRO RATE LAB-IND-3

Imbalance Energy Charge:

The Imbalance Energy Charge shall be applied to all energy in the billing month that is in excess of the forecast of energy consumption that was provided by the Labrador Industrial Customer no later than the 19th day of the previous month.

The Imbalance Energy Charge shall be calculated monthly based on a blend of the New York Mercantile Exchange (NYMEX) settlement price for New York Independent System Operator (NYISO) Zone A Swap Peak and Off-Peak electricity after the end of trading on the 19th day of the previous month, converted to Canadian dollars using the exchange rate at the closing of the same day, adjusted for losses and other market fees.

Schedule 2 – Hydro's Net Metering Program Schedule

I. Definitions:

- 1. "Annual Review Billing Month" represents the billing month in which the utility provides payment for the Banked Energy Credits.
- 2. "Annual Review Date" means the date that marks a Customer-Generator's annual participation in the net metering program. The Annual Review Date occurs during the Annual Review Billing Month.
- 3. "Banked Energy Credits" represent the amount of kilowatt-hour ("kWh") energy supplied by the customer to the utility that is in excess of the kWh energy supplied by the utility to the customer. Banked Energy Credits will be reduced to zero whenever the customer generator receives payment for the outstanding balance.
- 4. "Customer Generation Credit" represents a monetary credit to the Customer-Generator for energy supplied by the customer to the utility.
- 5. "Generation Energy Credit" equals the kWh energy supplied by the customer to the utility during the billing month plus any Banked Energy Credits. However, the Generation Energy Credit applied in the current month cannot exceed the energy supplied by the utility to the customer during the billing month.
- 6. "Hydro" means Newfoundland and Labrador Hydro.
- 7. "Net Metering Service" is a metering and billing practice that enables Customer-Generators of renewable energy to offset part or all of their electricity requirements by utilizing their own generation. Electricity generated in excess of the customer's energy requirements is permitted to be credited against customer energy purchases within certain limitations.
- 8. "Sizing Limits" represent the maximum capacity for qualifying generating equipment for each Customer-Generator.
- 9. "Utility Supply Cost" represents the total of the: basic customer charge, energy charges and demand charge, where applicable, for energy supplied to the customer during the billing month.

newfoundland labrador hydro a nalcor energy company

II. Availability:

- 1. Net Metering Service is available to any serviced premise that is supplied from Hydro's distribution system, is billed under one of Hydro's metered service rates, and for which a qualifying generator(s) is electrically connected to the serviced premise. Net Metering Service is not available to un-metered accounts.
- 2. The generating equipment must produce electricity from renewable energy sources which include wind, solar, photovoltaic, geothermal, tidal, wave, biomass energy or other renewable sources that will be considered by Hydro on a case-by-case basis.
- 3. The same customer must own and maintain responsibility of the serviced premise, the generating equipment and the electrical facilities connecting the customer's generator to the utility distribution system.
- 4. The Sizing Limit for the generation is 100 kW. Technical requirements may sometimes require a reduction in the Sizing Limits available to a Customer-Generator.
- 5. The annual energy production from the qualifying generator(s) must be designed not to exceed the annual energy requirements of the buildings or facilities provided service through the same meter.
- 6. Customer-Generators must also meet the requirements as stipulated in the Special Conditions section of the Net Metering Program schedule.
- 7. Prospective Customer-Generators must submit a complete Net Metering Service Application to avail of Net Metering Service. Applications will be processed in the order in which they are received.
- 8. The provincial aggregate generating capacity provided through the Net Metering Service options of Retail Utilities, as defined by the *Electrical power Control Act, 1994,* shall not exceed 5.0 MW.

III. Metering:

- 1. Metering associated with Net Metering Service will ordinarily be accomplished using a utility supplied single meter. The meter will separately capture both the utility energy supplied to the customer and the customer generation that is supplied to the utility.
- 2. Hydro has the option to meter the output of a qualifying generator and the Customer-Generator will provide access for Hydro to install the required metering equipment.



3. The Customer-Generator shall be responsible for any costs to upgrade the metering equipment if the existing electrical meter is not capable of safely and reliably metering both the utility energy supplied to the customer and the customer generation that is supplied to the utility.

IV. Billing:

- 1. Each account that utilizes Net Metering Service will be billed under the applicable class of Service.
- 2. The Utility Supply Cost will be computed based upon the applicable class rate(s) effective during the billing month.
- 3. The net bill will be determined by deducting the Customer Generation Credit from the Utility Supply Cost. The Customer Generation Credit equals the Generation Energy Credit multiplied by applicable class rate(s) effective during the billing month.
- 4. Banked Energy Credits will be carried forward from month to month. Banked Energy Credits will be settled with a bill credit on the Annual Review Billing Month. If participation on the Net Metering Service Option is discontinued, the Banked Energy Credits will be settled with a bill credit.
- 5. The Annual Review Billing Month will be determined by the Customer-Generator during the process of implementing the Net Metering Service.
- 6. Settlement of Banked Energy Credits will be computed based upon the Hydro's marginal wholesale rate that applies to sales to Newfoundland Power for Island Interconnected customers, the imbalance rate for Labrador Interconnected customers and the excess energy rate for diesel customers, during the calendar month in which billing occurs.
- 7. All customers must pay Harmonized Sales Tax (HST) on the energy supplied by Hydro to the customer during the billing month. In the case where a Customer-Generator is required by law to collect HST on their generation supplied to Hydro, HST will also be paid by Hydro on the amount of the Customer Generation Credit.
- 8. Costs incurred to modify the utility supply for the provision of the Net Metering Service including, but not limited to metering and transformer costs, are the responsibility of the customer.



9. The customer generator will retain the rights to any renewable energy credits or GHG-related credits arising from the use of renewable energy sources to generate electricity as a result of the availability of the Net Metering Service.

V. Special Conditions:

- 1. Special conditions in this clause do not supersede, modify or nullify the conditions accompanying the otherwise-applicable metered tariff schedules.
- 2. Qualifying generating equipment must meet the following requirements:
 - i) have an installed capacity totalling not more than the Sizing Limits, for which the utility has the right to verify through inspection or testing;
 - ii) be owned by the Customer-Generator, and electrically connected through customer-owned electrical facilities to the Serviced Premise for which the Net Metering Service is being requested; and
 - iii) meet all applicable safety and performance standards established by the Canadian Electrical Code, the Public Safety Act and the utility's guidelines.
- 3. The generating facility and all its wiring, equipment and devices shall conform to the utility's "Interconnection Requirements".
- 4. The Customer-Generator is responsible for all costs associated with its facility.
- 5. The approval of an application for the Net Metering Service will be subject to the Customer-Generator entering a "Net Metering Interconnection Agreement" with Hydro.
- 6. If an approved applicant for Net Metering Service does not proceed with operation of its proposed generating facility within two years from the date of Hydro's approval of the application, Hydro's approval will be rescinded.
- 7. Approval of Net Metering Service may be revoked if a Customer-Generator is found to be in violation of provisions of the Hydro's Rules and Regulations.
- 8. If participation in the Net Metering Service is discontinued, the Customer-Generator must re-apply to Hydro to avail of the Net Metering Program.



Schedule 3
Revised Table of Contents for Schedule of Rates, Rules and Regulations

	<u>UIILIIY</u>	
	Newfoundland Power	UT-1
	INDUSTRIAL	
	INDUSTRIAL Island Industrial Firm	IND 1
	Island Industrial Non-Firm	
	Island Industrial Wheeling	
	Island industrial Writeening	IND-4
	DATE STABILITATION DIAM	
	RATE STABILIZATION PLAN	DCD 1
	Section A	
	Section B	
	Section C	
	Section D	
	Section E	
	Section F	KSP-8
	NET METERING PROGRAM	
1.	Definitions	NM-1
2.	Availability	NM-2
3.	Metering	NM-2
4.	Billing	NM-3
5.	Special Conditions	NM-4
	RULES & REGULATIONS	
1.	Interpretation	
2.	Classes of Service	RR-2
3.	Application for Service	
4.	Security for Payment	
5.	Service Standards - Metered Services	
6.	Service Standards - Street and Area Lighting Service	RR-6
7.	Metering	RR-7
8.	Meter Reading	RR-8
9.	Charges	RR-9
10.	Billing	RR-11
11.	Discontinuance of Service	RR-12
12.	Disconnection of Service	RR-12
13.	Property Rights	
14.	Hydro Liability	RR-14
15.	General	RR-14
16.	Policies for Automatic Rate Changes	RR-14

TABLE OF CONTENTS		
Rules	Description	Page No.
	ISLAND INTERCONNECTED AND L'ANSE AU LOUP AREAS	
1.1	Domestic	ISL-1
1.15	Domestic – Optional	ISL-2
1.3	Burgeo School and Library	
2.1	General Service 0 - 100 kW	
2.3	General Service 110 kVA (100 kW) - 1000 kVA	ISL-5
2.4	General Service - 1000 kVA and over	ISL-6
4.1	Street and Area Lighting	ISL-7
	ISLAND AND LABRADOR DIESEL AREA - NON-GOVERNMENT	
1.2D	Domestic Diesel	DSL-NG-1
1.2DS	Domestic Diesel (Non-Government First Block) – Optional	
2.1D	General Service Diesel 0-10 kW	
2.2D	General Service Diesel Over 10 kW	DSL-NG-4
4.1D	Street and Area Lighting	DSL-NG-5
	ISLAND AND LABRADOR DIESEL AREA - GOVERNMENT	
1.2G	Domestic Diesel	DSI-G-1
2.1G	General Service Diesel 0-10 kW	
2.2G	General Service Diesel Over 10 kW	
4.1G	Street and Area Lighting	
4 41	LABRADOR INTERCONNECTED AREA Domestic	LAD 4
1.1L 2.1L		
2.1L 2.2L	General Service 0 - 10 kW	
	General Service 10 - 100 kW (110 kVA)	
2.3L	General Service 110 kVA (100 kW) - 1000 kVA	
2.4L	General Service - 1000 kVA and over	
4.1L	Street and Area Lighting	
4.11L	Street and Area Lighting	
4.12L	Street and Area Lighting	
5.1L	Secondary Energy	LAB-9
	LABRADOR INDUSTRIAL	
	Labrador Industrial Transmission (Interim)	LAB-IND-1

Schedule 4
Revised Rules & Regulations

NEWFOUNDLAND AND LABRADOR HYDRO RULES AND REGULATIONS (Continued)

APPLICABILITY:

These general Rules and Regulations apply to all Hydro Rural Customers.

1. INTERPRETATION:

- (a) In these Rates and Rules the following definitions shall apply:
 - (i) "Act" means The Public Utilities Act, R.S.N. 1990, c.P-47 as amended from time to time.
 - (ii) "Applicant" means any person who applies for Service.
 - (iii) "Board" means the Board of Commissioners of Public Utilities of Newfoundland.
 - (iv) "Hydro" means Newfoundland and Labrador Hydro.
 - (v) "*Hydro rural customers*" means regulated customers served by Hydro other than Industrial Customers and Newfoundland Power.
 - (vi) "*Customer*" means any person who accepts or agrees to accept Service.
 - (vii) "Customer-Generators" is a utility customer that has renewable generation on its serviced premise and uses this generation to offset part or all of their electrical energy requirements. Customers with standby generation that does not normally operate while connected to the utility system are not included as Customer-Generators.
 - (viii) "*Disconnected*" or "*Disconnect*" in reference to a Service means the physical interruption of the supply of electricity thereto.
 - (ix) "*Discontinued*" or "*Discontinue*" in reference to a Service means to terminate the Customer's on-going responsibility with respect to the Service.
 - (x) "Domestic Unit" means a house, apartment or other similar residential unit which is normally occupied by one family, or by a family and no more than four other persons who are not members of that family, or which is normally occupied by no more than six unrelated persons.
 - (xi) "Service" means any service(s) provided by Hydro pursuant to these Regulations.
 - (xii) "Serviced premises" means the premises at which Service is delivered to the Customer.

RULES AND REGULATIONS (Continued)

- (xiii) "Government Departments" means electric service accounts of Provincial or Federal government departments, agencies, boards, commissions, and crown corporations but excludes hospitals, fish plants, churches, schools, community halls, municipal buildings and like facilities.
- (b) Unless the context requires otherwise these Rates and Rules shall be interpreted such that:
 - (i) words imparting male persons include female persons and corporations.
 - (ii) words imparting the singular include the plural and vice versa.

Schedule 5 (1)
Revised Rate Sheets - Island Interconnected

RATE No. 1.1 (INTERIM)

DOMESTIC

Availability:

For Service on the Island Interconnected System and the L'Anse au Loup system to a Domestic Unit or to buildings or facilities which are on the same Serviced Premises as a Domestic Unit and used by the same Customer exclusively for domestic or household purposes, whether such buildings or facilities are included on the same meter as the Domestic Unit or metered separately.

Rate: (Including Municipal Tax and Rate Stabilization Adjustments)

Basic	Customer	Charge:
-------	----------	---------

Not Exceeding 200 Amp Service	\$15.99 per month
Exceeding 200 Amp Service	\$20.99 per month

Energy Charge:

All kilowatt-hours@	อ 9.719 ¢	per kWh
---------------------	-----------	---------

Minimum Monthly Charge:

Not Exceeding 200 Amp Service	\$15.99 per month
Exceeding 200 Amp Service	\$20.99 per month

Discount:

A discount of 1.5% of the amount of the current month's bill will be allowed if the bill is paid within 10 days after it is issued.

General:



RATE No. 1.1S (INTERIM)

DOMESTIC - OPTIONAL

Availability:

Available upon request for Service on the Island Interconnected system and the L'Anse au Loup system to Customers served under Rate No. 1.1 Domestic Service who have a minimum of 12 months of uninterrupted billing history at their current Serviced Premises.

Rate:

The Energy Charges provided for in Rate 1.1 Domestic Service Rate shall apply, subject to the following adjustments:

Winter Season Premium Adjustment (Billing months of December through April):

Special Conditions:

- 1. An application for Service under this rate option shall constitute a binding contract between the Customer and the Company with an initial term of 12 months commencing the day after the first meter reading date following the request by the customer, and renewing automatically on the anniversary date thereof for successive 12-month terms.
- 2. To terminate participation on this rate option on the renewal date, the Customer must notify the Company either in advance of the renewal date or no later than 60 days after the anniversary/renewal date. When acceptable notice of termination is provided to the Company, the Customer's billing may require an adjustment to reverse any seasonal adjustments applied to charges for consumption after the automatic renewal date.



RATE No. 1.3

BURGEO SCHOOL AND LIBRARY

Availability:

For Service to Burgeo School and Library.

Rate:

Discount:

A discount of 1.5% of the amount of the current month's bill, but not less than \$1.00, will be allowed if the bill is paid within 10 days after it is issued.

General:

This rate does not include the Harmonized Sales tax (HST) which applies to electricity bills.



RATE No. 2.1 (INTERIM)

GENERAL SERVICE 0 - 100 kW (110 kVA)

Availability¹:

For Service (excluding Domestic Service) on the Island Interconnected system and the L'Anse au Loup system where the maximum demand occurring in the 12 months ending with the current month is less than 100 kilowatts (110 kilovolt-amperes).

Rate: (Including Municipal Tax and Rate Stabilization Adjustments)

Basic Customer Charge:

Unmetered	\$17.14 per month
Single Phase	\$21.14 per month
Three Phase	\$27.14 per month

Demand Charge:

\$9.19 per kW of billing demand in the months of December, January, February and March and \$6.69 per kW in all other months. The billing demand shall be the maximum demand registered on the meter in the current month in excess of 10 kW.

Energy Charge:

First 3,500 kilowatt-hours	@	9.622 ¢ per kWh
All excess kilowatt-hours	@	6.848 ¢ per kWh

Maximum Monthly Charge:

The Maximum Monthly Charge shall be 19.002 cents per kWh plus the Basic Customer Charge, but not less than Minimum Monthly Charge. The Maximum Monthly Charge shall not apply to Customer Generators who avail of the Net Metering Program.

Minimum Monthly Charge:

Unmetered	\$17.14 per month
Single Phase:	\$21.14 per month
Three Phase:	\$33.14 per month

Discount:

A discount of 1.5% of the amount of the current month's bill will be allowed if the bill is paid within 10 days after it is issued.

General:

Details regarding metering [in particular Regulation 7 (n)], transformation [in particular Regulation 9(k)], and other conditions of service are provided in the Rules and Regulations. This rate does not include the Harmonized Sales tax (HST) which applies to electricity bills.

¹ This rate is also available to fish plants in Isolated Rural Systems with a connected load of 30 kW or greater newfoundland labrador that meet the demand requirements of the rate.

RATE No. 2.3 (INTERIM)

GENERAL SERVICE 110 kVA (100 kW) - 1000 kVA

Availability¹:

For Service on the Island Interconnected system and the L'Anse au Loup system where the maximum demand occurring in the 12 months ending with the current month is 110 kilovolt-amperes (100 kilowatts) or greater but less than 1000 kilovolt-amperes.

<u>Rate:</u> (Including Municipal Tax and Rate Stabilization Adjustments)

Basic Customer Charge:\$49.44 per month

Demand Charge:

\$7.77 per kVA of billing demand in the months of December, January, February and March and \$5.27 per kVA in all other months. The billing demand shall be the maximum demand registered on the meter in the current month.

Energy Charge:

Maximum Monthly Charge:

The Maximum Monthly Charge shall be 19.002 cents per kWh plus the Basic Customer Charge. The Maximum Monthly Charge shall not apply to Customer Generators who avail of the Net Metering Program.

Discount:

A discount of 1.5% of the amount of the current month's bill will be allowed if the bill is paid within 10 days after it is issued.

General:

Details regarding metering [in particular Regulation 7 (n)], transformation [in particular Regulation 9(k)], and other conditions of service are provided in the Rules and Regulations. This rate does not include the Harmonized Sales tax (HST) which applies to electricity bills.



¹ This rate is also available to fish plants in Isolated Rural Systems with a connected load of 30 kW or greater that meet the demand requirements of the rate.

RATE No. 2.4 (INTERIM)

GENERAL SERVICE 1000 kVA AND OVER

Availability¹:

For Service on the Island Interconnected system and the L'Anse au Loup system where the maximum demand occurring in the 12 month period ending with the current month is 1000 kilovolt-amperes or greater.

<u>Rate:</u> (Including Municipal Tax and Rate Stabilization Adjustments)

Basic Customer Charge:\$86.15 per month

Billing Demand Charge:

\$7.47 per kVA of billing demand in the months of December, January, February and March and \$4.97 per kVA in all other months. The billing demand shall be the maximum demand registered on the meter in the current month.

Energy Charge:

Maximum Monthly Charge:

The Maximum Monthly Charge shall be 19.002 cents per kWh plus the Basic Customer Charge. The Maximum Monthly Charge shall not apply to Customer Generators who avail of the Net Metering Program.

Discount:

A discount of 1.5% of the amount of the current month's bill will be allowed if the bill is paid within 10 days after it is issued.

General:

Details regarding metering [in particular Regulation 7 (n)], transformation [in particular Regulation 9(k)], and other conditions of service are provided in the Rules and Regulations. This rate does not include the Harmonized Sales tax (HST) which applies to electricity bills.



¹ This rate is also available to fish plants in Isolated Rural Systems with a connected load of 30 kW or greater that meet the demand requirements of the rate.

RATE No. 4.1 (INTERIM)

STREET AND AREA LIGHTING SERVICE

Availability:

For Street and Area Lighting Service in the Rural Island Interconnected area and the L'Anse au Loup system, where the electricity is supplied by Hydro and all fixtures, wiring and controls are provided, owned and maintained by Hydro.

Monthly Rate: (Including Municipal Tax and Rate Stabilization Adjustment)

	SENTINEL / STANDARD
MERCURY VAPOUR	
250W (9,400 lumens)	\$20.51
HIGH PRESSURE SODIUM ¹	
100W (8,600 lumens)	16.78
150W (14,400 lumens)	20.51
250W (23,200 lumens)	28.19
400W (45,000 lumens)	38.41

¹ For all new installations and replacements.

Special poles used exclusively for lighting service

Wood......\$6.27

General:

Details regarding conditions of service are provided in the Rules and Regulations.

This rate schedule does not include the Harmonized Sales Tax (HST) which applies to electricity bills.



Schedule 5 (2)
Revised Rate Sheets - Lab Interconnected

RATE No. 1.1L

DOMESTIC

Availability:

For Service throughout the Labrador Interconnected service area of Hydro, to a Domestic Unit or to buildings or facilities which are on the same Serviced Premises as a Domestic Unit and used by the same Customer exclusively for domestic or household purposes, whether such buildings or facilities are included on the same meter as the Domestic Unit or metered separately.

Rate:

Basic Customer Charge:	\$7.15 per month
Energy Charge: All kilowatt-hours	@ 3.280 ¢ per kWh
Minimum Monthly Charge	\$7.15

Discount:

A discount of 1.5% of the amount of the current month's bill, but not less than \$1.00, will be allowed if the bill is paid within 10 days after it is issued.

General:



RATE No. 2.1L

GENERAL SERVICE 0 - 10 kW

Availability:

For Service (excluding Domestic Service) throughout the Labrador Interconnected service area of Hydro, where the maximum demand occurring in the 12 months ending with the current month is less than 10 kilowatts.

Rate:

Basic Customer Charge:	910. 15 per mondi
Energy Charge: All kilowatt-hours	@ 5.240 ¢ per kWh
Minimum Monthly Charge: Single Phase Three Phase	

Discount:

A discount of 1.5% of the amount of the current month's bill, but not less than \$1.00, will be allowed if the bill is paid within 10 days after it is issued.

General:



RATE No. 2.2L

GENERAL SERVICE 10 - 100 kW (110 kVA)

Availability:

For Service (excluding Domestic Service) throughout the Labrador Interconnected service area of Hydro, where the maximum demand occurring in the 12 months ending with the current month is 10 kilowatts or greater but less than 100 kilowatts (110 kilovolt-amperes).

Rate:

Demand Charge:

The maximum demand registered on the meter in the current month @ \$2.20 per kW

Energy Charge:

Maximum Monthly Charge:

The Maximum Monthly Charge shall be 6.8 cents per kWh, but not less than the Minimum Monthly Charge. The Maximum Monthly Charge shall not apply to Customer Generators who avail of the Net Metering Program.

Minimum Monthly Charge:

An amount equal to \$1.05 per kW of maximum demand occurring in the 12 months ending with the current month, but not less than \$20.00 for a three phase service.

Discount:

A discount of 1.5% of the amount of the current month's bill, but not less than \$1.00, will be allowed if the bill is paid within 10 days after it is issued.

General:

Details regarding metering [in particular Regulation 7 (n)], transformation [in particular Regulation 9(k)], and other conditions of service are provided in the Rules and Regulations. This rate schedule does not include the Harmonized Sales Tax (HST) which applies to electricity bills.



RATE No. 2.3L

GENERAL SERVICE 110 kVA (100 kW) - 1000 kVA

Availability:

For Service (excluding Domestic Service) throughout the Labrador Interconnected service area of Hydro, where the maximum demand occurring in the 12 months ending with the current month is 110 kilovolt-amperes (100 kilowatts) or greater but less than 1000 kilovolt-amperes.

Rate:

Demand Charge:

The maximum demand registered on the meter in the current month @ \$2.00 per kVA

Energy Charge:

All kilowatt-hours......@ 2.103 ¢ per kWh

Maximum Monthly Charge:

The Maximum Monthly Charge shall be 6.8 cents per kWh, but not less than the Minimum Monthly Charge. The Maximum Monthly Charge shall not apply to Customer Generators who avail of the Net Metering Program.

Minimum Monthly Charge:

An amount equal to \$1.05 per kVA of maximum demand occurring in the 12 months ending with the current month.

Discount:

A discount of 1.5% of the amount of the current month's bill, up to a maximum of \$500.00, will be allowed if the bill is paid within 10 days after it is issued.

General:

Details regarding metering [in particular Regulation 7 (n)], transformation [in particular Regulation 9(k)], and other conditions of service are provided in the Rules and Regulations. This rate schedule does not include the Harmonized Sales Tax (HST) which applies to electricity bills.



RATE No. 2.4L

GENERAL SERVICE 1000 kVA AND OVER

Availability:

For Service (excluding Domestic Service) throughout the Labrador Interconnected service area of Hydro, where the maximum demand occurring in the 12 month period ending with the current month is 1000 kilovolt-amperes or greater.

Rate:

Billing Demand Charge:

The maximum demand registered on the meter in the current month @ \$1.75 per kVA

Energy Charge:

All kilowatt-hours......@ 1.733 ¢ per kWh

Maximum Monthly Charge:

The Maximum Monthly Charge shall be 6.8 cents per kWh, but not less than the Minimum Monthly Charge. The Maximum Monthly Charge shall not apply to Customer Generators who avail of the Net Metering Program.

Minimum Monthly Charge:

An amount equal to \$1.05 per kVA of maximum demand occurring in the 12 months ending with the current month.

Discount:

A discount of 1.5% of the amount of the current month's bill, up to a maximum of \$500.00, will be allowed if the bill is paid within 10 days after it is issued.

General:

Details regarding metering [in particular Regulation 7 (n)], transformation [in particular Regulation 9(k)], and other conditions of service are provided in the Rules and Regulations. This rate schedule does not include the Harmonized Sales Tax (HST) which applies to electricity bills.



RATE No. 4.1L

STREET AND AREA LIGHTING SERVICE

Availability:

For Street and Area Lighting Service throughout the Labrador Interconnected service area of Hydro, where the electricity is supplied by Hydro and all fixtures, wiring and controls are provided, owned and maintained by Hydro.

Monthly Rate:

	SENTINEL / STANDARD
MERCURY VAPOUR ¹	
250W (9,400 lumens)	\$ 13.50
HIGH PRESSURE SODIUM ²	
100W (8,600 lumens)	10.00
150W (14,400 lumens)	13.50
250W (23,200 lumens)	17.80
400W (45,000 lumens)	23.00

¹ Fixtures previously owned by the Town of Wabush as of September 1, 1985, and transferred to Hydro in 1987.

Special poles used exclusively for lighting service

Wood	•	~	•	/ 1 /	1

General:



² Only High Pressure Sodium fixtures are available for all new installations and replacements installed after September 1, 2002.


RATE No. 4.11L

STREET AND AREA LIGHTING SERVICE

Availability:

For Street and Area Lighting Service throughout the Labrador Interconnected service area of Hydro, where the electricity is supplied by Hydro and all fixtures, wiring and controls are provided, owned and maintained by Hydro existing as of September 1, 2002.

Monthly Rate:



Special poles used exclusively for lighting service

Wood......\$ 3.25

General:



RATE No. 4.12L

STREET AND AREA LIGHTING SERVICE

Availability:

For Street and Area Lighting Service throughout the Labrador Interconnected service area of Hydro, where the electricity is supplied by Hydro and all fixtures, wiring and controls are provided, owned and maintained by the customer.

Monthly Rate:

	SENTINEL / STANDARD
HIGH PRESSURE SODIUM	
100W (8,600 lumens)	\$ 4.10

Special poles used exclusively for lighting service

١,	1	I	_ ^	つ	л	^
W	<i>u</i> () () (]	•	≺ .	4	
v		4	γ.	J.	_	·

General:



RATE No. 5.1L

SECONDARY ENERGY

Availability:

For Service to Customers on the Labrador Interconnected grid engaged in fuel switching who purchase a minimum of 1 MW load and a maximum of 24 MW, who provide their own transformer and, who are delivered power at primary voltages. Hydro shall supply Secondary Energy to the Customer at such times and to the extent that Hydro has Churchill Falls electricity available in excess of the amount it requires for its own use, and to meet its commitments and sales opportunities, present and future, for firm energy. Moreover, Hydro may interrupt or reduce the supply of Secondary Energy at its sole discretion for any cause whatsoever. The energy delivered shall be used solely for the operation of the equipment engaged in fuel switching.

Energy Charge:

The energy charge shall be calculated monthly based on:

EITHER:

A. The Customer's cost of fuel (cents per litre) most recently delivered to the Customer including fuel additives, if any, in accordance with the following formula:

Secondary Energy Rate = Constant Factor x Fuel Cost/Litre x 90%

Constant Factor = 3413 BTU/kWh x A x B C X D

Where:

A = Customer's Electric Boiler Efficiency

B = Transformer and Losses Adjustment Factor

C = BTU/Litre of the Customer's fuel

D = Customer's Oil-fired Boiler Efficiency

OR:

B. One (1) cent less than the New York Mercantile Exchange (NYMEX) settlement price for New York Independent System Operator (NYISO) Zone A Swap Peak electricity after the end of trading on the 19th day of the previous month, converted to Canadian dollars using the exchange rate at the closing of the same day.

WHICHEVER IS GREATER



RATE No. 5.1L

SECONDARY ENERGY

Prior to the commencement of service, the Customer will provide to Hydro the rate component values for insertion in the pricing formula for Secondary Energy. If subsequent changes to any of these rate components are required, the Customer will provide them to Hydro as soon as practicable. Hydro may require that these rate component values be verified.

Communications

The Customer and Hydro shall each designate a position within their respective staffs to be responsible for communications as to changes in the cost of the fuel delivered to the Customer. Hydro will contact the Customer's designate on or before the second working day of each month at which time the Customer's designate will inform Hydro of the fuel cost. If this information is unavailable to Hydro for any reason, Hydro will use the previous month's fuel cost and other inputs and make the adjustment to the correct values in the following month's billing.

Hydro will inform the Customer of the value of part B of the energy charge calculation on the first business day following the 21st day of the month preceding the month for which the rate is being set.

Power Factor

If the Customer's power factor is lower than 90%, the Customer shall upon written notice by Hydro provide, at the Customer's expense, power factor corrective equipment to ensure that a power factor of not less than 90% is maintained.

General:

Insofar as they are not inconsistent with the forgoing, the conditions of service provided in the Rules and Regulations shall apply to Customers in this rate class.

This rate schedule does not include the Harmonized Sales Tax (HST) which applies to electricity bills.

