

Newfoundland Labrador Hydro (NLH) Supply and Demand Status Report Filed Wednesday, May 17, 2017

Supply Notes For May 16, 2017

- As of 1520 hours, April 19, 2017, Hawke's Bay Diesel Plant available at 2.5 MW (5 MW). Α
- В As of 0855 hours, May 01, 2017, Holyrood Unit 2 unavailable 165 MW (170 MW).
- С As of 2003 hours, May 03, 2017, Bay d'Espoir Unit 3 unavailable due to planned outage (76. 5 MW).
- D As of 0900 hours, May 04, 2017, Holyrood Unit 1 available at 120 MW (170 MW).
- Ε As of 1510 hours, May 07, 2017, Bay d'Espoir Unit 4 unavailable due to planned outage (76. 5 MW).
- F As of 0830 hours, May 09, 2017, Stephenville Gas Turbine unavailable due to planned outage 25 MW (50 MW).
- G As of 0750 hours, May 10, 2017, Holyrood Unit 3 available at 147 MW (150 MW).
- н At 0751 hours, May 16, 2017, Hardwoods Gas Turbine available at 25 MW (50 MW).
- At 0912 hours, May 16, 2017, Paradise River Unit unavailable due to planned outage (8 MW).
- At 1300 hours, May 16, 2017, St. Anthony Diesel Plant available at 7.7 MW (9.7 MW).
- At 1450 hours, May 16, 2017, Paradise River Unit available (8 MW)

ls			Tempe			
Ned, May 17, 2017 Island System Outlook ³		Seven-Day Forecast	-	C)	Island System Daily Peak Demand (MW	
5				Morning	Evening	Forecast
Available Island System Supply: ⁵	1,565	MW	Wednesday, May 17, 2017	6	5	1,030
NLH Generation: ⁴	1,235	MW	Thursday, May 18, 2017	5	7	1,035
NLH Power Purchases: ^b	130	MW	Friday, May 19, 2017	8	8	925
Other Island Generation:	200	MW	Saturday, May 20, 2017	2	4	980
Current St. John's Temperature:	7	°C	Sunday, May 21, 2017	4	5	1,015
Current St. John's Windchill:	N/A	°C	Monday, May 22, 2017	3	3	970
7-Day Island Peak Demand Forecast:	1,070 3	MW	Tuesday, May 23, 2017	4	5	1,070
supply. The power system op supply reserves are available. 2. Due to the Island Interconnec must be interrupted for short frequency load shedding, is n	erators schedule of . However, from ti cted System being t periods to bring g necessary to ensure	outages to me to time isolated fr generation e the integ	nce are included. These are not unusual for p system equipment whenever possible to co e equipment outages are necessary and rese rom the larger North American grid, when th n output equal to customer demand. This aut grity and reliability of system equipment. Un	incide with periods w rves may be impacted ere is a sudden loss o comatic action of pow der frequency events	hen customer d. f large genera er system pro	r demands are low and sufficient ating units some customer's load otection, referred to as under
 supply. The power system op supply reserves are available. 2. Due to the Island Interconnect must be interrupted for short frequency load shedding, is n Island Interconnected System 3. As of 0800 Hours. 4. Gross output including station 5. Gross output from all Island station 	Herators schedule of However, from ticted System being toperiods to bring g eccessary to ensure hand the resultant n service at Holyro sources (including	outages to ime to time isolated fr generation e the integ t customer pod (24.5 N Note 4).	system equipment whenever possible to co e equipment outages are necessary and rese rom the larger North American grid, when th n output equal to customer demand. This aut	incide with periods w rves may be impacted ere is a sudden loss o comatic action of pow der frequency events 0 minutes. e to water levels (35 M	hen customer d. f large genera er system pro typically occu /IW).	r demands are low and sufficient ating units some customer's load otection, referred to as under ur 5 to 8 times per year on the
 supply. The power system op supply reserves are available. 2. Due to the Island Interconnect must be interrupted for short frequency load shedding, is n Island Interconnected System 3. As of 0800 Hours. 4. Gross output including station 5. Gross output from all Island s 	However, from ti cted System being t periods to bring g necessary to ensure n and the resultant n service at Holyro sources (including e: CBPP Co-Gen, N	outages to ime to time isolated fr generation e the integ t customer ood (24.5 N Note 4). alcor Explo	system equipment whenever possible to co e equipment outages are necessary and rese rom the larger North American grid, when th n output equal to customer demand. This aut grity and reliability of system equipment. Un r load interruptions are generally less than 30 MW) and improved NLH hydraulic output due	incide with periods we erves may be impacted erere is a sudden loss of comatic action of powe der frequency events 0 minutes. e to water levels (35 M sistance (when applice tion	hen customer d. f large genera er system pro typically occu /IW). able), and Wi	r demands are low and sufficient ating units some customer's load otection, referred to as under ur 5 to 8 times per year on the
 Supply. The power system op supply reserves are available. 2. Due to the Island Interconnect must be interrupted for short frequency load shedding, is n Island Interconnected System 3. As of 0800 Hours. 4. Gross output including station 5. Gross output from all Island s 6. NLH Power Purchases include 	However, from ti cted System being t periods to bring g necessary to ensure n and the resultant n service at Holyro sources (including e: CBPP Co-Gen, N	putages to ime to time isolated fr generation e the integ t customer bod (24.5 N Note 4). alcor Explo	system equipment whenever possible to co e equipment outages are necessary and rese rom the larger North American grid, when the n output equal to customer demand. This aut grity and reliability of system equipment. Un r load interruptions are generally less than 30 MW) and improved NLH hydraulic output due bits, Rattle Brook, Star Lake, Vale capacity as Section 3 Island Peak Demand Informa	incide with periods we erves may be impacted erere is a sudden loss of comatic action of powe der frequency events 0 minutes. e to water levels (35 M sistance (when applice tion	hen customer d. f large genera er system pro typically occu /IW). able), and Wi	r demands are low and sufficient ating units some customer's load otection, referred to as under ur 5 to 8 times per year on the