


Newfoundland Labrador Hydro (NLH)
Supply and Demand Status Report Filed Monday, February 12, 2018

Section 1
Island Interconnected System Supply, Demand & Exports
Actual 24 Hour System Performance For Saturday, February 10, 2018



Supply Notes For February 10, 2018

- A As of 2115 hours, January 04, 2018, Stephenville Gas Turbine available at 25 MW (50 MW).
B As of 1204 hours, February 03, 2018, Holyrood Unit 1 unavailable 70 MW (170 MW).
C As of 1550 hours, February 08, 2018, Holyrood Unit 2 available at 127 MW (170 MW).
D At 0822 hours, February 10, 2018, Holyrood Unit 3 available at 100 MW (150 MW).
E At 2136 hours, February 10, 2018, Holyrood Unit 3 unavailable due to planned outage 100 MW (150 MW).

Section 2
Island Interconnected Supply and Demand

Sun, Feb 11, 2018	Island System Outlook ³			Seven-Day Forecast	Temperature (°C)		Island System Daily Peak Demand (MW)	
					Morning	Evening		
Available Island System Supply: ⁵	1,665	MW		Sunday, February 11, 2018	5	-3	1,420	1,312
NLH Generation: ⁴	1,305	MW		Monday, February 12, 2018	0	2	1,375	1,268
NLH Power Purchases: ⁶	145	MW		Tuesday, February 13, 2018	-8	-12	1,680	1,569
Maritime Link Imports:	-	MW		Wednesday, February 14, 2018	-11	-3	1,640	1,411
Other Island Generation:	215	MW		Thursday, February 15, 2018	-1	0	1,370	1,228
Current St. John's Temperature & Windchill: 7 °C	N/A	°C		Friday, February 16, 2018	0	5	1,320	1,199
7-Day Island Peak Demand Forecast:	1,680	MW		Saturday, February 17, 2018	-8	-11	1,660	1,550

Supply Notes For February 11, 2018

- Notes:
- Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The power system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted.
 - Due to the Island System having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units some customer's load must be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedding, is necessary to ensure the integrity and reliability of system equipment. Under frequency events typically occur 5 to 8 times per year on the Island Interconnected System and the resultant customer load interruptions are generally less than 30 minutes.
 - As of 0800 Hours.
 - Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW).
 - Gross output from all Island sources (including Note 4).
 - NLH Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable).
 - Adjusted for CBP&P, Vale and Praxair interruptible load, Maritime Link Exports and the impact of voltage reduction (when applicable).

Section 3
Island Peak Demand Information
Previous Day Actual Peak and Current Day Forecast Peak

Sat, Feb 10, 2018	Actual Island Peak Demand ⁸	08:20	1,487 MW
Sun, Feb 11, 2018	Forecast Island Peak Demand		1,420 MW

- Notes:
- Island Demand / ML Exports (where applicable) is supplied by NLH generation and purchases, plus generation owned and operated by Newfoundland Power and Corner Brook Pulp & Paper (Deer Lake Power, DLP).