


Newfoundland Labrador Hydro (NLH)
Supply and Demand Status Report Filed Monday, April 16, 2018

Section 1
Island Interconnected System Supply, Demand & Exports
Actual 24 Hour System Performance For Saturday, April 14, 2018



Supply Notes For April 14, 2018

- 1,2
- A

As of 2115 hours, January 04, 2018, Stephenville Gas Turbine available at 25 MW (50 MW).
- B

As of 0801 hours, April 02, 2018, Holyrood Unit 3 unavailable due to planned outage 110 MW (150 MW).
- C

As of 1300 hours, April 05, 2018, Hawkes Bay Diesel Plant unavailable (5 MW).
- D

As of 1754 hours, April 05, 2018, Holyrood Unit 2 available at 80 MW (170 MW).
- E

As of 0836 hours, April 12, 2018, Holyrood Unit 1 available at 126 MW (170 MW).

Section 2
Island Interconnected Supply and Demand

Sun, Apr 15, 2018	Island System Outlook ³		Seven-Day Forecast	Temperature (°C)		Island System Daily Peak Demand (MW)	
				Morning	Evening	Forecast	Adjusted ⁷
Available Island System Supply: ⁵	1,680	MW	Sunday, April 15, 2018	-5	-1	1,430	1,350
NLH Generation: ⁴	1,380	MW	Monday, April 16, 2018	-4	-3	1,425	1,345
NLH Power Purchases: ⁶	95	MW	Tuesday, April 17, 2018	-4	-3	1,380	1,300
Maritime Link Imports:	-	MW	Wednesday, April 18, 2018	-1	5	1,310	1,230
Other Island Generation:	205	MW	Thursday, April 19, 2018	3	4	1,180	1,100
Current St. John's Temperature & Windchill: -5 °C	-17	°C	Friday, April 20, 2018	2	2	1,160	1,080
7-Day Island Peak Demand Forecast:	1,430	MW	Saturday, April 21, 2018	3	3	1,110	1,030

Supply Notes For April 15, 2018

- 3
- Notes:
1.

Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The power system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted.
2.

Due to the Island System having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units some customer's load must be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedding, is necessary to ensure the integrity and reliability of system equipment. Under frequency events typically occur 5 to 8 times per year on the Island Interconnected System and the resultant customer load interruptions are generally less than 30 minutes.
3.

As of 0800 Hours.
4.

Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW).
5.

Gross output from all Island sources (including Note 4).
6.

NLH Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable).
7.

Adjusted for CBP&P and Maritime Link Exports.

Section 3
Island Peak Demand Information
Previous Day Actual Peak and Current Day Forecast Peak

Sat, Apr 14, 2018	Actual Island Peak Demand ⁸	21:00	1,290 MW
Sun, Apr 15, 2018	Forecast Island Peak Demand		1,430 MW

Notes:

8. Island Demand / ML Exports (where applicable) is supplied by NLH generation and purchases, plus generation owned and operated by Newfoundland Power and Corner Brook Pulp & Paper (Deer Lake Power, DLP).