

Newfoundland Labrador Hydro (NLH)

- As of 1300 hours, April 05, 2018, Hawkes Bay Diesel Plant unavailable (5 MW).
- As of 0836 hours, April 12, 2018, Holyrood Unit 1 available at 126 MW (170 MW).
- As of 1050 hours, April 17, 2018, Bay d'Espoir Unit 6 unavailable due to planned outage (76.5 MW).
- F As of 1313 hours, April 23, 2018, Hinds Lake Unit unavailable due to planned outage (75 MW).
- G As of 1541 hours, April 23, 2018, Holyrood Unit 2 available at 70 MW (170 MW).

		Island Inter		ection 2 ted Supply and Demand					
Wed, Apr 25, 2018	Island System		_	Seven-Day Forecast	· · ·	Temperature (°C)		Island System Daily Peak Demand (MW)	
					Morning	Evening	Forecast	Adjusted	
Available Island System Supply: ⁵		1,545	MW	Wednesday, April 25, 2018	6	8	1,070	99	
NLH Generation: ⁴		1,215	MW	Thursday, April 26, 2018	8	9	1,000	92	
NLH Power Purchases: ⁶		125	MW	Friday, April 27, 2018	8	10	1,015	93	
Maritime Link Imports:		-	MW	Saturday, April 28, 2018	6	12	925	84	
Other Island Generation:		205	MW	Sunday, April 29, 2018	11	11	900	82	
Current St. John's Temperature & W	/indchill: 6 °C	N/A	°C	Monday, April 30, 2018	10	9	910	83	
7-Day Island Peak Demand Forecast	:	1,070	MW	Tuesday, May 01, 2018	5	6	1,050	1,05	
system operators schedu from time to time equipr 2. Due to the Island System interrupted for short per necessary to ensure the	ment outages are necessary and having no synchronous connect iods to bring generation output e integrity and reliability of system	reserves may be tions to the large equal to custome equipment. Un	ible to coir impacted r North An er demand	e not unusual for power system operations. T icide with periods when customer demands a merican grid, when there is a sudden loss of la . This automatic action of power system prot ency events typically occur 5 to 8 times per ye	are low and sufficient arge generating units ection, referred to as	supply reserv some custom s under freque	es are available er's load must l ency load shedd	. However, be ing, is	
 system operators schedu from time to time equipr Due to the Island System interrupted for short per necessary to ensure the customer load interruption As of 0800 Hours. Gross output including stores 	ment outages are necessary and a having no synchronous connect rods to bring generation output e integrity and reliability of system ons are generally less than 30 mi tation service at Holyrood (24.5 M and sources (including Note 4). clude: CBPP Co-Gen, Nalcor Explo	reserves may be tions to the large equal to custome equipment. Un inutes. MW) and improv	ible to coir e impacted. er North An er demand nder freque red NLH hy	ncide with periods when customer demands a nerican grid, when there is a sudden loss of la . This automatic action of power system prot	are low and sufficient arge generating units ection, referred to as ear on the Island Inte	supply reserv some custom s under freque	es are available er's load must l ency load shedd	. However, be ing, is	
system operators schedu from time to time equipr 2. Due to the Island System interrupted for short per necessary to ensure the customer load interrupti 3. As of 0800 Hours. 4. Gross output including st 5. Gross output from all Isla 6. NLH Power Purchases inc 7. Adjusted for CBP&P and	ment outages are necessary and a having no synchronous connect iods to bring generation output e integrity and reliability of system ons are generally less than 30 mi tation service at Holyrood (24.5 M and sources (including Note 4). clude: CBPP Co-Gen, Nalcor Explo Maritime Link Exports. Previo	reserves may be tions to the large equal to custome n equipment. Un inutes. MW) and improv oits, Rattle Brook oits, Rattle Brook	ible to coir e impacted. er North An er demand ider freque red NLH hy k, Star Lake Se Peak De	ncide with periods when customer demands a merican grid, when there is a sudden loss of la . This automatic action of power system prot ency events typically occur 5 to 8 times per ye draulic output due to water levels (35 MW).	when applicable).	some custom some custom sunder freque rconnected Sy	es are available er's load must h ency load shedd istem and the re	. However,	
 system operators schedu from time to time equipr 2. Due to the Island System interrupted for short per necessary to ensure the incustomer load interruption 3. As of 0800 Hours. 4. Gross output including standard for the standard standard	ment outages are necessary and having no synchronous connect foods to bring generation output e integrity and reliability of system ons are generally less than 30 mi tation service at Holyrood (24.5 M and sources (including Note 4). clude: CBPP Co-Gen, Nalcor Explo Maritime Link Exports.	reserves may be tions to the large equal to custome n equipment. Un inutes. MW) and improv oits, Rattle Brook oits, Rattle Brook	ible to coir e impacted. er North An er demand ider freque red NLH hy k, Star Lake Se Peak De	Acide with periods when customer demands a herican grid, when there is a sudden loss of la This automatic action of power system protection ency events typically occur 5 to 8 times per yea draulic output due to water levels (35 MW). A Wind Generation, Vale capacity assistance ection 3 emand Information	are low and sufficient arge generating units ection, referred to as ear on the Island Inte	some custom some custom sunder freque rconnected Sy	es are available er's load must l ency load shedd	. However, be ing, is esultant MW	