

Newfoundland Labrador Hydro (NLH) Supply and Demand Status Report Filed Monday, September 09, 2019





Supply Notes For September 08, 2019

- 1,2
- As of 1303 hours, May 26, 2019, Bay d'Espoir Unit 7 unavailable due to planned outage (153.4 MW).
- As of 0800 hours, July 29, 2019, Holyrood Unit 1 unavailable due to planned outage (170 MW).
- As of 1150 hours, August 18, 2019, Hinds Lake Unit unavailable due to planned outage (75 MW).
- As of 1800 hours, August 22, 2019, Holyrood Unit 3 available but offline for economic dispatch (150 MW).
- As of 1300 hours, August 28, 2019, Stephenville Gas Turbine available at 25 MW (50 MW).
- F As of 0555 hours, September 07, 2019, Holyrood Unit 2 available at 150 MW (170 MW).

Section 2

Island Interconnected Supply and Demand

Mon, Sep 09, 2019	Island System Outlook ³		Seven-Day Forecast	· .	Temperature (°C)		Island System Daily Peak Demand (MW)	
				Morning	Evening	Forecast	Adjusted ⁷	
Available Island System Supply: ⁵	1,385	MW	Monday, September 09, 2019	12	11	805	805	
NLH Island Generation: ⁴	1,100	MW	Tuesday, September 10, 2019	10	12	850	850	
NLH Island Power Purchases: ⁶	95	MW	Wednesday, September 11, 2019	11	13	830	830	
Other Island Generation:	190	MW	Thursday, September 12, 2019	12	12	890	890	
ML/LIL Imports:	-	MW	Friday, September 13, 2019	8	8	935	935	
Current St. John's Temperature & Windchill	10° C N/A	°C	Saturday, September 14, 2019	10	12	805	805	
7-Day Island Peak Demand Forecast:	935	MW	Sunday, September 15, 2019	13	15	830	830	

Supply Notes For September 09, 2019

Notes

- 1. Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The power system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted.
- 2. Due to the Island system having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units there may be a requirement for some customer's load to be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedding (UFLS), is necessary to ensure the integrity and reliability of system equipment. Under frequency events have typically occurred 5 to 8 times per year on the Island Interconnected System and the resultant customer load interruptions are generally less than 30 minutes. With the activation of the Maritime Link frequency controller during the winter of 2018, UFLS events have occurred less frequently.
- 3. As of 0800 Hours.
- 4. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW).
- 5. Gross output from all Island sources (including Note 4).
- 6. NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation and capacity assistance (when applicable).
- 7. Adjusted for curtailable load, market activities and the impact of voltage reduction when applicable.

Section 3 Island Peak Demand Information Previous Day Actual Peak and Current Day Forecast Peak

Sun, Sep 08, 2019	Actual Island Peak Demand ⁸	12:15	764 MW
Mon, Sep 09, 2019	Forecast Island Peak Demand		805 MW

Notes: 8. Island Demand / LIL / ML Exports (where applicable) is supplied by NLH generation and purchases, plus generation owned and operated by Newfoundland Power and Corner Brook Pulp & Paper (Deer Lake Power, DLP).