

Newfoundland Labrador Hydro (NLH) Supply and Demand Status Report Filed Monday, September 14, 2020





Supply Notes For September 12, 2020

1,2

- As of 0853 hours, June 21, 2020, Holyrood Unit 3 available but not operating (150 MW).
- B As of 0808 hours, July 15, 2020, Holyrood Unit 2 unavailable due to planned outage (170 MW).
- As of 1009 hours, August 23, 2020, Upper Salmon Unit unavailable due to planned outage (84 MW).
- As of 1811 hours, September 02, 2020, Holyrood Unit 1 available but not operating (170 MW).
- At 1730 hours, September 12, 2020, Bay d'Espoir Unit 1 available (76.5 MW).
- At 1730 hours, September 12, 2020, Bay d'Espoir Unit 2 available (76.5 MW).

Section 2

Island Interconnected Supply and Demand

Sun, Sep 13, 2020	, Sep 13, 2020 Island System Outlook ³		Seven-Day Forecast	•	Temperature (°C)		Island System Daily Peak Demand (MW)	
				Morning	Evening	Forecast	Adjusted ⁷	
Available Island System Supply: ⁵	1,440	MW	Sunday, September 13, 2020	11	12	725	725	
NLH Island Generation: ⁴	1,120	MW	Monday, September 14, 2020	15	18	790	790	
NLH Island Power Purchases: ⁶	100	MW	Tuesday, September 15, 2020	12	11	795	795	
Other Island Generation:	220	MW	Wednesday, September 16, 2020	9	9	785	785	
ML/LIL Imports:	-	MW	Thursday, September 17, 2020	11	15	760	760	
Current St. John's Temperature & Windchil	: 10 °C N/A	°C	Friday, September 18, 2020	17	15	730	730	
7-Day Island Peak Demand Forecast:	795	MW	Saturday, September 19, 2020	10	10	785	785	

Supply Notes For September 13, 2020

Notes

- 1. Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The power system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted.
- 2. Due to the Island system having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units there may be a requirement for some customer's load to be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedding (UFLS), is necessary to ensure the integrity and reliability of system equipment. Under frequency events have typically occurred 5 to 8 times per year on the Island Interconnected System and the resultant customer load interruptions are generally less than 30 minutes. With the activation of the Maritime Link frequency controller during the winter of 2018, UFLS events have occurred less frequently.
- 3. As of 0800 Hours.
- 4. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW).
- 5. Gross output from all Island sources (including Note 4).
- 6. NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation and capacity assistance (when applicable).
- 7. Adjusted for curtailable load, market activities and the impact of voltage reduction when applicable.

Section 3 Island Peak Demand Information Previous Day Actual Peak and Current Day Forecast Peak

Sat, Sep 12, 2020	Actual Island Peak Demand ⁸	10:35	711 MW
Sun, Sep 13, 2020	Forecast Island Peak Demand		725 MW

Notes: 8. Island Demand / LIL / ML Exports (where applicable) is supplied by NLH generation and purchases, plus generation owned and operated by Newfoundland Power and Corner Brook Pulp & Paper (Deer Lake Power, DLP).